TWDB Contract Number: 2004-358-006

Contractor's Vendor Identification: 75-2309394

Address: Sandy Land Underground Water Conservation District

P.O. Box 130 Plains, TX 79355



TWDB Contract Number: 2004-358-006

**Contractor's Vendor Identification:** 75-2309394

Address: Sandy Land Underground Water Conservation District

P.O. Box 130 Plains, TX 79355

# 2004 Season

Sandy Land Underground Water Conservation District



June 23, 2004

Filter System

purchased and used

for drip irrigation on

watermelons in

Yoakum County

2004.



June 23, 2004

Water being put
through filters and
layflat lines so workers
can complete
installation of drip
tubes.

Sandy Land Underground Water Conservation District



June 30, 2004

Workers inserting drip tubes into layflat. Drip lines come out of layflat and go underground.



June 30, 2004

Completed installation of drip lines into layflat.

Sandy Land Underground Water Conservation District



July 9, 2004

Transplanting seedless watermelon. Five (5) rows of watermelons have the drip lines beneath them. Eleven (11) rows do not have drip lines beneath them.



July 9, 2004

Close up of machine
used to put seedless
watermelon


transplants into the ground.

Sandy Land Underground Water Conservation District



July 9, 2004

Shown here are seedless watemelon transplants soon after planting.





tank on red trailer. Fertilizer is being injected into the layflat during a watering cycle. Approximately one-third of the fertilizer was used at this drip site as compared to a conventional center pivot system.

Sandy Land Underground Water Conservation District



July 28, 2004

Seedless watermelons about one month after planting.



Seedless watermelons about

August 20, 2004

fifty (50) days after planting.

Small melons are visible in foreground of plants. Notice the lack of weeds which is an additional benefit to growing watermelons with drip irrigation. (a lot less herbicide

Sandy Land Underground Water Conservation District



August 20, 2004

Closeup of small seedless watermelons.



September 13, 2004

Truck runs are visible to
the left side of the picture.
These melons have been
picked one time. Melons
are much more plentiful
and will be picked every
other day until frost.

Sandy Land Underground Water Conservation District



September 17, 2004


Trucks at the watemelon shed after melons have been picked, Melons will be unloaded and boxed for shipments to markets in other parts of Texas and other states as well.




September 23, 2004

Assorted varieties of watermelons grown in Yoakum County for sale to locals and travelers through Plains, Texas.


June 2004 Rainfall




July 2004 Rainfall



August 2004 Rainfall



September 2004 Rainfall



# SANDY LAND UWCD RAINFALL MEASUREMENTS YOAKUM COUNTY, TEXAS 2004

Averages	714	673	420	371	148	34	342	298	167	163	187	308	255	265	1	432	568	563	753	759	832	793	852	535	579	575	SECTION #
0.63	0.70	0.65	0.35	0.50	0.60	0.65	0.40	0.20	0.20	0.50	0.55	2.20	0.95	0.60	0.40	0.20	0.85	0.95	0.85	0.90	0.55	0.70	0.45	0.60	0.50	0.30	1/31/2004
1.62	1.80	2.40	1.80	2.70	1.40	1.20	0.90	1.40	0.90	1.20	0.70	2.10	1.30	1.80	2.70	0.80	2.00	2.60	2.00	2.20	1.90	2.20	1.80	0.40	1.80	0.20	2/28/2004
1.89	1.85	1.2	0.8	1.15	1.95	2.15	1.60	3.10	2.25	2.40	2.70	1.05	2.10	2.20	4.10	2.20	1.55	1.65	1.90	1.30	1.55	1.40	1.20	1.40	2.25	2.25	3/31/2004
4.16	4.30	3.80	4.20	3.40	3.90	3.90	5.60	5.20	3.90	4.20	3.70	3.20	3.80	4.80	4.70	3.90	3.80	3.80	2.90	3.70	5.10	4.20	4.80	4.40	6.40	2.60	4/30/2004
0.15	0.20	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.00	0.10	0.00	0.00	0.00	0.20	0.00	1.00	0.70	0.60	0.00	0.00	0.00	5/31/2004
1.41	2.20	0.00	0.40	0.70	1.10	1.40	1.20	1.10	1.50	3.40	2.30	0.00	2.60	1.80	2.20	1.10	0.80	1.70	4.60	1.90	0.70	0.80	1.70	0.80	0.70	0.00	6/30/2004
2.35	1.80	2.10	0.90	1.51	2.10	2.90	2.70	2.10	4.20	3.00	1.10	0.00	2.60	7.00	2.80	1.90	1.60	2.90	3.00	4.10	2.80	2.90	2.60	0.50	2.00	0.00	7/31/2004
1.47	1.55	3.30	0.60	0.54	2.60	1.85	0.20	1.65	1.40	0.95	1.05	0.00	1.60	1.40	1.40	1.30	0.80	2.00	2.40	2.80	2.40	3.00	0.40	1.20	1.40	0.35	8/31/2004
8.84	8.95	11.60	7.40	10.40	8.50	8.55	5.80	10.80	11.10	8.25	10.35	2.80	7.10	7.10	7.25	9.00	8.00	8.20	13.50	9.00	9.80	9.10	8.90	9.25	9.10	10.00	9/30/2004
2.90	0.80	1.80	5.75	4.50	3.05	2.35	3.85	3.00	2.95	3.55	3.80	3.30	3.80	3.90	7.80	5.10	2.85	0.20	1.60	4.20	0.70	0.80	1.00	1.20	1.20	2.45	10/31/2004
4.31	5.25	4.70	4.75	4.20	4.80	4.35	4.30	4.65	3.90	4.35	4.40	4.25	4.65	5.30	5.85	6.10	4.80	2.55	5.00	4.20	4.95	5.50	5.00	1.55	1.00	1.70	11/30/2004
0.17	0.00	0.00	0.00	0.50	0.50		0.10	0.50	0.40	0.20	0.00	0.10	0.40	0.30	0.20	0.20	0.00	0.50	0.20	0.10	0.10	0.20	0.00	0.00	0.00	0.00	
7 29.91	0 29.40	0 32.25	0 26.95	30.10	30.50		0 26.65		0 32.70	32.00		0 19.00	0 31.30	36.20	39.50		0 27.05		38.15	0 34.40	0 31.55	31.50	0 28.45	0 21.30	0 26.35	0 19.85	12/31/2004 TOTALS

TWDB Contract Number: 2004-358-006

Contractor's Vendor Identification: 75-2309394

Address: Sandy Land Underground Water Conservation Distr

P.O. Box 130 Plains, TX 79355

# 2005 Season

Sandy Land Underground Water Conservation District



These watermelon transplants are sitting in trailers waiting to be planted by hand.



Sticks such as the one shown are used to prepare a hole for watermelon transplants.

Sandy Land Underground Water Conservation District



Workers planting watermelons by hand.



Watermelons in field with drip tape showing at the end of the row.

Sandy Land Underground Water Conservation District



This photograph was taken about one week after the watermelons were planted.



Waternelons with drip tape showing at the end of the row.

Sandy Land Underground Water Conservation District



Waternelons during the second week of August.



This photograph was taken about six weeks after the watermelons were planted.

Sandy Land Underground Water Conservation District



This picture shows watermelon plants with a truck run between. There are five rows of watermelons planted on forty-inch rows in each area for a total of 16.67 feet of watered area with approximately 36 feet that is unwatered between. Watermelon vines can spread a great distance, but only the base of the plant needs water, so the drip system allows the producer to water only area of the plant and not the vine extensions or the truck run between.



In this photo, it can be seen that the truck run has very few weeds. This land is in the 36 feet area of drip irrigation that is not watered.

If this road was under a conventional pivot system it have been watered and it would therefore have more weeds. This would require more herbicide to control the weeds.

So, the drip irrigation saves not only water, but also the additional herbicide that the producer would have had to apply.

Sandy Land Underground Water Conservation District



This photograph shows the field of watermelons with drip irrigation during the harvest season. The watermelons are picked every few days during the harvest.



Watermelon harvesting is not mechanized, but done by hand. The watermelons are picked by hand and then loaded onto a truck which, in turn, takes the melons to the broker.

Sandy Land Underground Water Conservation District



These watermelons are being loaded unto the truck which will take them to town.

There are usually at least 2 people in the truck to stack the watermelons.



The picture to the left shows the workers inside the truck who are stacking the watermelons.

Sandy Land Underground Water Conservation District




More photographs
taken during the
harvest season.




This is a watermelon field toward the end of the harvest. The vines are beginning to look ragged.

June 2005 Rainfall




July 2005 Rainfall



# Southern Ogallala Rainfall Enhancement Program August 2005 Rainfall 5 3 4 Meadow 5 5 6 7 8 Plains Brownfield 8 Terry Yoakum Wellman 2 6 Denver City 3 2 Gaines Seminole 3 56 4 4 Legend Contour Interval = 1 in Texas Target Area County Boundaries August 2005 Rainfall

### September 2005 Rainfall



# SANDY LAND UWCD RAINFALL MEASUREMENTS YOAKUM COUNTY, TEXAS 2005

714	673	420	371	148	34	342	298	167	163	187	308	255	265	1	432	568	563	753	759	832	793	852	535	579	575	SECTION #
1.10	0.25	1.80		1.00	1.30	1.30	2.20	1.65	2.30	1.75	0.00	1.00	1.00	1.10	1.00	0.60	0.95	1.20	1.00	0.80	0.60	0.80	0.25	0.00	0.70	1/31/2005
1.60	1.35	0.80	1.25	1.00	0.60	1.60	1.25	0.70	1.20	1.50	0.00	0.85	1.20	1.60	0.60	1.35	1.15	1.50	1.10	1.55	1.50	1.55	0.10	0.00	0.60	2/28/2005
0.15	0.1	0.1	0.1	0.05	0.1	0.10	0.15	0.15	0.25	0.20	0.00	0.20	0.15	0.20	0.10	0.05	0.10	0.20	0.20	0.10	0.20	0.25	0.00	0.05	0.10	3/31/2005
0.30	0.25	0.10	0.15	0.15	0.10	0.10	0.10	0.20	0.20	0.20	0.20	0.10	0.10	0.15	0.10	0.20	0.25	0.10	0.20	0.10	0.10	0.10	0.25	0.10	0.20	4/30/2005
4.40	3.20	4.60	4.60	4.50	2.80	5.10	4.00	3.20	3.80	2.70	1.20	7.40	4.20	6.60	5.30	8.00	7.40	2.00	3.20	3.40	3.30	7.00	4.20	3.00	6.60	5/31/2005
0.50	0.00	0.00	0.12	0.00	0.00	0.00	0.20	0.00	0.20	0.00	0.00	0.10	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.20	0.60	0.90	0.00	0.00	0.00	6/30/2005
1.00	2.30	2.20	3.20	1.60	1.60	1.60	2.00	2.60	1.90	2.00	2.00	3.50	1.80	1.80	3.30	2.80	2.40	2.30	2.50	1.40	1.20	1.30	0.00 broken	1.80	2.40	7/31/2005
6.90	9.40	3.80	5.00	4.65	3.95	4.35	8.10	3.55	5.35	4.80	4.90	6.60	5.25	7.50	8.60	6.00	7.05	5.30	4.95	5.20	6.70	6.35	7.80	8.05	9.10	8/31/2005
0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.20	0.35	0.10	0.15	0.10	9/30/2005
0.55	0.70	1.20	1.95	0.75	0.95	1.00	1.90	0.30	1.40	1.20	1.65	1.40	1.85	2.65	2.60	1.55	3.20	0.90	1.20	0.95	0.90	1.00	1.15	1.15	2.25	10/31/2005
0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00		0.00	0.00		0.00	0.00		0.00	0.00		0.00	0.00		0.00	0.00	0.00	11/30/2005
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00			0.00			0.00		0.00	0.00	0.00	12/31/2005 TOTALS
16.80	0 17.55	14.60	16.37	13.70	0 11.40	0 15.15		12.35	16.60	0 14.35	9.95	0 21.15		0 22.00	21.60		0 22.50	0 13.50	0 14.35	14.00	0 15.30	19.60		14.30	0 22.05	TOTALS

TWDB Contract Number: 2004-358-006

Contractor's Vendor Identification: 75-2309394

# **Conclusions**

TWDB Contract Number: 2004-358-006

Contractor's Vendor Identification: 75-2309394

### **2004 Production Benefits**

Drip Irrigation 54,441 lbs/acre x 60 acres = 3,266,460 Conventional Irrigation 40,706 lbs/acre x 60 acres = 2,442,360

<u>Drip Benefit in Pounds</u> <u>824,100 lbs.</u>

### 2004 Water Savings Comparison

### **Center Pivot**

432 hours at 600 gpm

432 hours x 60 minute/hour = 25,920 minute 25,920 minutes x 600 gpm = 15,552,000 gallons

15,552,000 divided by 325,851 = **47.73 acre feet** 

Drip

266 hours at 350 gpm

266 hours x 60 minute/hour = 15,960 minutes 15,960 minutes x 350 gpm = 5,586,000 gallons

5,586,000 divided by 325, 851 = - 17.14 acre feet

Savings 47.73 acre feet minus 17.14 acre feet = 30.59 acre feet

**TWDB Contract Number:** 2004-358-006

**Contractor's Vendor Identification:** 75-2309394

### 2005 Production Benefits

**Drip Irrigation** 58,982 lbs/acre x 60 acres = 3,538,920Conventional Irrigation 42.184 lbs/acre x 60 acres = 2.531.040

**Drip Benefit in Pounds** 1,007,880 lbs.

### 2005 Water Savings Comparison

### **Center Pivot**

### 293 hours at 600 gpm

293 hours x 60 minute/hour = 17,580 minute 17,580 minutes x 600 gpm = 10,548,000 gallons10,548,000 divided by 325,851 =

32.37 acre feet

### **Drip**

### 156 hours at 330 gpm

156 hours x 60 minute/hour = 9,360 minutes 9,360 minutes x 330 gpm = 3,088,800 gallons3,088,800 divided by 325,851 =

- 9.48 acre feet

Savings 32.37 acre feet minus 9.48 acre feet = 22.89 acre feet

TWDB Contract Number: 2004-358-006

Contractor's Vendor Identification: 75-2309394

Address: Sandy Land Underground Water Conservation District

P.O. Box 130 Plains, TX 79355

# Total Water Savings and Benefits

Total Water Savings Over Two Years 53.48 acre feet

Additional Production Benefit Over Two Years 1,831,980 lbs.