TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 302 CONTINUED										
DEC 09, 71	0930	3	.9	31000	16.4	8.1	9.0	102	--	--
			2.0	37000	16.2	8.0	7.8	90	--	--
MAR 15, 72	1625	3	.3	36000	24.1	8.4	7.3	97	--	127
			1.8	36000	24.2	8.3	7.3	97	--	--
APR 25, 72	1508	3	.5	29000	25.8	8.4	7.2	97	--	33
			1.8	27000	25.8	8.3	6.9	93	--	--
MAY 16, 72	0915	3	.3	3100	24.7	7.9	7.7	93	--	32
			.9	3900	24.7	7.9	7.6	92	--	--
			1.5	10000	24.9	8.1	8.1	99	--	--
			2.1	26000	24.7	7.9	4.8	62	--	--
JUL 18, 72	1130	3	.3	16000	28.8	8.3	8.3	112	--	36
			1.8	16000	28.9	8.3	8.4	114	--	--
SEP 21, 72	1207	3	.3	25000	29.8	8.4	10.5	150	20	--
			1.5	26000	29.7	8.4	10.0	143	25	--
DEC 13, 72	1150	3	.3	35000	7.4	8.1	9.5	91	100	38
			1.5	34000	7.5	8.1	10.0	95	100	--
MAR 20, 73	1220	3	.9	32000	19.3	8.1	7.7	93	300	--
			1.8	32000	19.2	8.1	7.7	92	450	--
MAY 15, 73	1325	3	.3	19000	22.7	8.3	10.9	133	90	46
			1.8	19000	22.7	8.3	11.3	138	100	--
AUG 02, 73	1105	3	.3	--	29.5	--	--	--	50	51
			1.5	--	29.7	--	--	--	70	--
AUG 10, 73	1230	3	.3	1100	31.9	7.2	7.4	100	65	30
			1.2	3200	30.1	7.0	5.9	79	70	--
DEC 09, 71	0920	4	.5	27000	16.3	8.1	9.2	103	--	97
			.9	27000	16.3	8.1	9.2	103	--	--
			1.5	27000	16.3	8.1	9.3	104	--	--
			2.1	28000	16.2	8.0	8.7	97	--	--
MAR 15, 72	1635	4	.3	28000	23.9	8.4	7.6	100	--	109
			1.8	31000	23.8	8.4	7.7	101	--	--
APR 25, 72	1502	4	.5	27000	25.8	8.3	7.1	96	--	19
			2.0	27000	25.7	8.3	6.7	89	--	--
MAY 16, 72	0900	4	.3	3400	24.7	7.9	7.6	92	--	36
			.9	3500	24.5	7.9	7.7	92	--	--
			1.5	3900	24.6	7.9	7.2	87	--	--
			1.8	5900	24.7	7.9	6.2	76	--	--
			2.1	29000	24.5	7.8	2.5	33	--	--
JUL 18, 72	1120	4	.3	11000	28.7	8.4	7.9	104	--	25
			1.8	13000	28.6	8.3	7.9	105	--	--
SEP 21, 72	1200	4	.3	20000	29.7	8.4	9.1	128	40	--
			2.0	24000	29.6	8.3	7.6	107	40	--
DEC 13, 72	1140	4	.3	33000	7.3	8.1	9.8	93	80	--
			1.5	33000	7.3	8.1	9.6	91	90	--
MAR 20, 73	1210	4	.9	32000	19.6	8.1	7.6	92	--	--
			1.8	32000	19.5	8.1	7.6	92	200	--
MAY 15, 73	1330	4	.3	19000	22.8	8.3	11.1	135	90	46
			1.8	19000	22.7	8.3	10.9	133	115	--
AUG 02, 73	1115	4	.3	--	29.5	--	--	--	75	38
			1.5	--	29.8	--	--	--	80	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	FIELD DETERMINATIONS: SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 302 CONTINUED						
AUG 10, 73	1215	4	.3	700	31.2	--	7.4	99	70	36
			1.5	3700	30.4	--	5.8	77	70	--
					LINE 307					
DEC 09, 71	1005	1	.5	38000	17.6	8.1	8.7	105	--	183
			.9	38000	17.5	8.1	9.3	112	--	--
			1.8	38000	16.9	8.1	9.9	118	--	--
MAR 15, 72	1640	1	.3	40000	25.1	8.1	8.8	122	23	132
			1.1	40000	25.2	8.1	9.0	125	20	--
APR 25, 72	0945	1	.3	32000	24.3	8.1	7.3	96	--	48
			1.5	32000	24.1	8.1	7.4	97	--	--
MAY 16, 72	0950	1	.3	14000	24.9	8.2	8.2	101	--	109
			1.5	22000	25.1	8.2	9.3	119	--	--
JUL 18, 72	1210	1	.3	18000	29.1	8.4	8.2	112	--	41
			1.2	17000	29.0	8.3	6.9	95	--	--
DEC 13, 72	1220	1	.3	43000	7.5	8.0	9.3	93	40	185
			1.5	43000	7.6	8.1	9.3	93	40	--
MAR 20, 73	1250	1	.9	38000	19.6	8.1	7.5	94	140	--
			1.5	38000	19.7	8.1	7.4	92	180	--
AUG 02, 73	1035	1	.3	--	29.6	--	--	--	50	56
			1.5	--	29.6	--	--	--	50	--
AUG 10, 73	1245	1	.3	5700	25.0	8.6	7.9	96	--	52
			1.5	6700	25.1	8.5	5.8	71	--	--
MAY 16, 72	0955	2	.3	7800	25.0	8.2	8.1	99	--	79
			.9	19000	25.1	8.2	8.0	101	--	--
			2.1	34000	25.0	7.9	4.5	61	--	--
JUL 18, 72	1212	2	.3	17000	29.5	8.4	9.0	125	--	48
			2.4	17000	28.9	8.4	9.5	130	--	--
DEC 09, 71	1015	3	.5	33000	17.2	8.1	9.0	105	--	147
			.9	34000	17.0	8.1	9.5	110	--	--
			2.3	38000	16.4	8.0	9.4	111	--	--
MAR 15, 72	1645	3	.3	35000	24.0	8.1	6.5	113	28	--
			1.8	37000	23.9	8.0	8.8	117	40	--
APR 25, 72	0935	3	.3	33000	24.3	8.0	7.0	93	--	28
			1.8	33000	24.1	8.0	7.0	93	--	--
MAY 16, 72	1000	3	.3	8100	25.5	8.1	8.9	110	--	51
			.9	15000	25.2	8.2	8.7	109	--	--
			2.1	34000	25.0	7.9	5.1	69	--	--
MAY 16, 72	1600	3	.3	21000	26.9	8.4	--	--	--	137
			.9	20000	27.0	8.4	--	--	--	--
			2.1	37000	26.3	8.1	--	--	--	--
MAY 17, 72	1056	3	.3	17000	25.0	8.1	8.7	110	--	88
			.9	17000	24.9	8.1	8.5	108	--	--
			1.5	17000	24.8	8.1	8.2	104	--	--
			2.3	29000	24.9	7.7	4.0	53	--	--
MAY 22, 72	1425	3	.3	4000	26.9	8.5	9.4	118	--	43
			2.1	4200	26.9	8.5	8.7	109	--	--
JUN 14, 72	1605	3	.3	31000	29.5	7.9	7.9	116	--	55
			2.1	31000	29.6	7.9	7.7	113	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 307 CONTINUED										
JUL 18, 72	1220	3	.3	15000	29.1	8.4	8.8	119	--	48
			2.0	15000	29.2	8.4	8.4	114	--	--
SEP 21, 72	1235	3	.3	24000	29.7	8.4	9.5	134	--	--
			1.8	27000	29.9	8.3	8.9	127	20.	--
DEC 13, 72	1225	3	.3	46000	7.8	8.1	9.4	96	40.	168
			1.5	46000	7.8	8.1	9.4	96	40.	--
MAR 20, 73	1300	3	.9	38000	19.3	8.0	7.0	88	140.	--
			1.5	39000	19.3	8.0	7.1	89	160.	--
MAY 15, 73	1155	3	.3	33000	22.1	8.2	9.2	118	60.	46
			1.8	33000	22.0	8.2	9.4	121	80.	--
AUG 02, 73	1025	3	.3	3800	29.7	--	--	--	50.	76
			1.8	9700	30.0	--	--	--	400.	--
AUG 10, 73	1235	3	.3	4500	25.5	8.6	6.2	100	--	64
			1.5	7000	25.1	8.4	6.1	74	--	--
			1.8	7000	27.2	8.4	6.3	80	--	--
MAY 16, 72	1010	4	.3	5600	25.2	8.1	6.0	98	--	58
			.6	5700	25.2	8.1	7.9	96	--	--
			.9	8200	25.1	7.9	6.5	79	--	--
			1.2	20000	25.4	8.1	8.3	108	--	--
			2.1	26000	25.1	7.9	5.8	75	--	--
JUL 18, 72	1226	4	.3	15000	29.1	8.4	9.0	122	--	41
			2.4	15000	29.3	8.4	8.8	119	--	--
DEC 09, 71	1100	5	.5	31000	17.6	8.2	9.1	106	--	76
			.9	31000	17.5	8.2	9.4	109	--	--
			2.0	31000	17.6	8.1	9.2	107	--	--
MAR 15, 72	1705	5	.3	35000	24.1	8.1	8.8	117	30.	96
			1.8	38000	24.0	8.0	8.8	119	80.	--
APR 25, 72	0925	5	.3	36000	24.4	8.0	7.2	96	--	20
			.9	36000	24.4	8.0	7.2	96	--	--
			1.8	36000	24.4	8.0	7.4	99	--	--
MAY 16, 72	1020	5	.3	3900	25.1	8.0	7.6	92	--	39
			1.2	16000	25.3	7.9	5.5	70	--	--
			2.1	34000	25.2	7.9	5.3	72	--	--
MAY 16, 72	1610	5	.3	16000	27.2	8.4	--	--	--	97
			.9	17000	27.1	8.4	--	--	--	--
			2.1	34000	26.6	8.1	--	--	--	--
JUL 18, 72	1235	5	.3	15000	29.4	8.4	8.5	115	--	43
			1.8	15000	29.8	8.4	8.8	121	--	--
DEC 13, 72	1245	5	.3	42000	7.6	8.1	9.6	96	40.	203
			1.5	42000	7.8	8.1	9.4	94	40.	--
MAR 20, 73	1315	5	.9	36000	18.9	8.1	7.6	93	160.	--
			1.5	36000	18.9	8.1	7.6	93	170.	--
AUG 02, 73	1015	5	.3	--	29.5	--	--	--	50.	41
			1.5	--	30.0	--	--	--	80.	--
AUG 10, 73	1255	5	.3	2500	25.2	8.7	7.6	92	--	48
			.9	3200	24.3	8.7	6.3	99	--	--
			1.5	5700	25.1	8.6	7.6	93	--	--
MAY 16, 72	1025	6	.3	2400	25.0	7.8	7.0	84	--	25
			.9	9700	25.0	7.9	6.5	79	--	--
			1.8	34000	25.3	7.9	6.1	84	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 307 CONTINUED						
JUL 18, 72	1240	6	.3	16000	29.7	8.4	8.5	116	--	39
			2.1	16000	29.8	8.4	8.4	115	--	--
DEC 08, 71	1255	7	.3	27000	17.2	8.1	9.3	106	--	69
			.9	29000	16.6	8.1	9.2	103	--	--
			1.5	31000	15.9	8.0	8.9	100	--	--
			3.0	33000	15.6	8.0	8.5	97	--	--
MAR 15, 72	1720	7	.3	26000	24.3	8.2	9.8	126	--	51
			1.5	27000	24.2	8.2	9.2	119	--	--
			3.0	32000	23.4	8.1	9.3	121	--	--
			4.1	32000	23.2	8.0	10.6	136	--	--
APR 25, 72	1623	7	.3	32000	25.8	8.4	7.7	105	--	64
			1.5	33000	26.0	8.4	7.5	104	--	--
			3.0	33000	26.0	8.3	7.6	106	--	--
			4.0	34000	26.0	8.2	7.4	103	--	--
APR 25, 72	0910	7	.3	28000	24.4	8.2	7.5	96	--	74
			1.5	28000	24.4	8.2	7.5	96	--	--
			3.0	29000	24.2	8.1	7.3	94	--	--
			4.6	29000	24.1	8.1	7.2	92	--	--
MAY 16, 72	1040	7	.3	6100	25.7	8.1	7.8	95	--	--
			1.5	19000	25.8	8.0	6.0	78	--	--
			3.0	26000	26.0	8.0	5.6	75	--	--
			4.6	29000	26.0	7.9	5.5	74	--	--
MAY 22, 72	1440	7	.3	1800	27.1	8.1	7.8	96	--	11
			1.8	1800	27.1	8.1	7.9	98	--	--
			3.4	1800	27.4	8.1	8.0	100	--	--
JUN 14, 72	1615	7	.3	24000	29.3	8.2	7.8	110	--	66
			1.5	24000	29.4	8.2	8.2	115	--	--
			3.0	26000	29.6	8.1	8.3	119	--	--
			4.6	26000	29.9	8.1	8.8	126	--	--
JUL 17, 72	1710	7	.3	14000	28.7	8.5	11.1	148	--	43
			1.5	15000	28.0	8.5	10.8	144	--	--
			3.0	15000	28.0	8.5	10.4	139	--	--
			4.3	14000	28.2	8.4	9.9	130	--	--
JUL 18, 72	1245	7	.3	15000	29.5	8.4	8.7	119	--	39
			1.5	16000	28.9	8.4	7.7	104	--	--
			3.0	16000	29.0	8.4	7.7	104	--	--
			4.7	16000	.3	8.4	8.6	116	--	--
MAR 20, 73	0805	7	.3	26000	17.8	8.2	11.1	128	--	66
			1.5	27000	17.9	8.1	10.9	127	--	--
			3.0	30000	18.0	8.1	10.3	121	--	--
			3.7	32000	17.9	8.0	9.6	113	--	--
AUG 02, 73	1230	7	.3	1700	28.1	8.6	10.4	132	--	28
			1.5	1700	28.1	8.6	11.0	139	--	--
			3.0	2300	27.9	8.4	10.7	137	--	--
AUG 10, 73	1505	7	.3	2200	23.5	8.6	6.9	81	--	30
			1.8	2200	24.5	8.6	6.8	81	--	--
			3.4	2200	24.2	8.5	7.0	83	--	--
				LINE 311						
DEC 08, 71	1250	1	.3	26000	17.1	8.1	11.4	128	--	69
			1.2	25000	17.1	8.1	11.3	127	--	--
MAY 16, 72	1600	1	.3	22000	26.3	8.2	10.5	138	--	71
			1.5	22000	26.2	8.2	10.6	139	--	--
MAY 22, 72	1345	1	.3	14000	27.0	8.4	8.1	104	--	55

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 311 CONTINUED						
MAY 22, 72	1345	1	1.2	15000	26.9	8.4	7.9	103	--	--
			2.1	15000	27.1	8.3	7.4	96	--	--
JUN 14, 72	1647	1	.3	6800	29.1	8.6	11.4	150	--	38
			1.5	6700	29.1	8.6	12.4	163	--	--
			2.4	6800	29.2	8.6	13.2	174	--	--
JUL 18, 72	1420	1	.3	35000	29.3	8.1	8.6	128	--	46
			1.7	34000	29.6	8.1	8.2	122	--	--
SEP 21, 72	0930	1	.3	40000	27.7	8.3	8.7	128	35	--
			2.0	41000	27.7	8.2	8.4	124	30	--
DEC 13, 72	1010	1	.3	28000	6.9	8.2	10.3	94	75	51
			1.2	28000	6.7	8.2	10.3	94	80	--
MAR 20, 73	1035	1	.6	40000	18.4	8.2	7.4	91	160	--
			1.2	40000	18.4	8.2	7.4	91	160	--
MAY 15, 73	1615	1	.8	19000	22.5	8.3	10.6	129	110	46
AUG 02, 73	1455	1	.3	26000	30.2	7.6	10.2	146	65	38
			1.5	26000	30.2	7.6	10.0	143	65	--
AUG 10, 73	0930	1	.3	27000	29.3	--	5.3	76	50	48
			1.8	28000	29.4	--	5.4	77	45	--
DEC 08, 71	1255	2	.3	29000	16.8	8.1	10.8	123	--	48
			1.5	29000	16.9	8.1	10.8	123	--	--
MAR 15, 72	0930	2	.3	18000	22.6	8.1	9.3	113	130	36
			1.2	18000	22.9	8.1	9.9	121	110	--
JUL 18, 72	1425	2	.3	32000	29.3	8.3	10.8	157	--	43
			1.4	32000	29.1	8.2	11.5	167	--	--
SEP 21, 72	0935	2	.3	39000	28.0	8.3	7.9	116	30	--
			1.4	39000	27.9	8.3	7.3	107	60	--
DEC 13, 72	1005	2	.3	28000	6.6	8.2	10.5	95	35	18
			.6	30000	6.6	8.2	9.8	90	40	--
MAR 20, 73	1015	2	.6	40000	18.8	8.1	7.2	91	180	--
			1.2	40000	18.8	8.1	7.2	91	175	--
AUG 02, 73	1505	2	.3	25000	30.4	7.8	7.6	109	40	38
			.9	25000	30.4	7.8	8.2	117	40	--
AUG 10, 73	0935	2	.3	28000	29.6	--	5.3	77	40	53
			.9	28000	29.6	--	5.3	77	60	--
DEC 08, 71	1300	3	.3	27000	16.5	8.0	10.7	120	--	48
			1.5	28000	16.7	8.0	10.8	121	--	--
MAY 15, 73	1610	3	.3	16000	22.3	8.3	10.2	121	90	46
			1.2	16000	22.4	8.3	10.0	119	90	--
DEC 08, 71	1305	4	.3	27000	16.4	8.0	10.8	121	--	97
			1.5	27000	16.5	8.1	11.1	125	--	--
MAR 15, 72	0945	4	.3	27000	22.8	8.2	8.5	107	100	30
			1.2	28000	22.9	8.1	9.4	119	100	--
MAY 16, 72	1450	4	.3	20000	26.5	8.2	9.2	121	--	79
			1.7	19000	26.7	8.2	8.8	116	--	--
JUL 18, 72	1430	4	.3	30000	29.1	8.2	10.3	149	--	56
			1.4	30000	29.3	8.2	10.1	146	--	--
SEP 21, 72	0945	4	.3	36000	28.0	8.3	8.9	131	18	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 311 CONTINUED					
SEP 21, 72	0945	4	1.2	39000	28.2	8.3	7.5	110	40	--
DEC 13, 72	0915	4	.3	30000	6.7	8.2	10.3	94	40	142
			.9	28000	6.6	8.2	10.0	91	25	--
MAR 20, 73	0925	4	.6	39000	18.8	8.1	7.4	91	120	30
			1.2	39000	18.7	8.1	7.3	93	100	--
MAY 15, 73	1600	4	.3	14000	23.0	8.4	11.9	142	110	46
			1.2	13000	23.1	8.4	10.9	130	110	--
AUG 02, 73	1605	4	.3	26000	30.6	7.8	9.5	138	40	48
			.9	26000	30.6	7.8	8.7	126	50	--
AUG 10, 73	0845	4	.3	24000	29.4	--	5.6	79	40	48
			1.2	26000	29.6	--	5.1	73	50	--
NOV 05, 71	1020	5	.3	14000	23.0	8.1	7.2	86	--	43
			1.5	14000	23.0	8.1	7.2	86	--	--
			3.0	14000	23.0	8.2	7.2	86	--	--
NOV 11, 71	1415	5	.6	9100	26.5	8.6	7.8	98	--	--
			1.5	9800	27.0	8.5	7.7	97	--	--
DEC 08, 71	1315	5	.3	25000	16.4	8.1	10.9	121	--	114
			1.8	26000	16.3	8.1	10.9	121	--	--
MAR 15, 72	1000	5	.3	18000	22.8	8.1	8.5	104	47	76
			1.8	18000	22.9	8.1	9.1	111	140	--
MAY 16, 72	1458	5	.3	20000	26.6	8.2	9.6	128	--	66
			1.5	20000	26.5	8.2	9.7	128	--	--
			2.9	20000	26.5	8.2	9.8	129	--	--
JUL 18, 72	1440	5	.3	29000	29.2	8.2	11.0	157	--	48
			1.5	29000	29.0	8.2	11.0	157	--	--
			2.7	30000	29.3	8.2	8.8	128	--	--
SEP 21, 72	0955	5	.3	35000	28.0	8.2	9.0	130	--	--
			2.7	35000	28.0	8.2	9.2	133	20	--
DEC 13, 72	0925	5	.3	32000	6.7	8.2	10.2	94	30	147
			1.8	32000	6.5	8.2	10.9	100	30	--
MAR 20, 73	0935	5	.6	39000	18.7	8.1	7.4	91	90	33
			1.5	39000	18.6	8.1	7.1	88	130	--
MAY 15, 73	1655	5	.3	15000	23.0	8.4	11.4	137	90	--
			1.5	15000	23.0	8.5	11.4	137	90	--
AUG 02, 73	1615	5	.3	24000	30.7	7.7	8.4	122	60	53
			.9	25000	30.6	7.8	8.9	129	60	--
AUG 10, 73	0835	5	.3	22000	29.4	--	5.2	73	--	--
			1.5	23000	29.5	--	5.3	75	--	--
					LINE 314					
DEC 08, 71	1240	1	.3	30000	16.8	8.1	11.4	130	--	91
			.9	31000	16.8	8.2	11.4	130	--	--
MAR 15, 72	1035	1	.3	36000	23.1	8.2	8.2	108	20	91
			1.1	37000	23.1	8.2	9.0	118	38	--
JUL 18, 72	1520	1	.3	39000	29.3	8.3	9.8	146	--	--
			1.2	41000	29.4	8.2	10.3	156	--	--
DEC 13, 72	0950	1	.3	30000	6.8	8.2	10.1	94	40	91

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 314 CONTINUED										
DEC 13, 72	0950	1	.9	30000	6.8	8.2	10.3	95	40	--
MAR 20, 73	1000	1	.6	40000	18.8	8.2	7.2	90	110	33
			1.2	40000	18.8	8.1	7.3	91	170	--
MAY 15, 73	1620	1	.3	16000	22.4	8.3	10.2	121	90	46
			1.2	19000	22.5	8.3	10.0	122	90	--
AUG 02, 73	1530	1	.3	28000	30.8	7.9	7.7	113	65	41
			.9	28000	30.9	8.3	--	--	60	--
AUG 10, 73	0920	1	.3	30000	29.4	--	5.4	78	40	76
			.9	31000	28.5	--	4.9	72	40	--
DEC 08, 71	1230	2	.3	29000	16.5	8.1	11.5	129	--	137
			1.5	29000	16.7	8.1	11.1	125	--	--
MAR 15, 72	1025	2	.3	38000	22.7	8.2	8.5	112	36	102
			1.2	38000	22.7	8.2	8.9	117	38	--
MAY 16, 72	1545	2	.5	26000	26.7	8.1	9.3	126	--	102
			1.7	27000	26.6	8.1	8.8	121	--	--
JUL 18, 72	1505	2	.3	41000	29.4	8.3	10.9	165	--	99
			1.4	39000	29.6	8.2	10.5	159	--	--
DEC 13, 72	0945	2	.3	32000	6.7	8.2	10.6	97	40	86
			.9	32000	6.7	8.2	10.4	95	50	--
MAR 20, 73	0950	2	.6	40000	18.9	8.2	7.2	90	100	38
			1.2	40000	18.8	8.2	7.2	90	80	--
MAY 15, 73	1630	2	.3	15000	22.4	8.3	11.6	138	90	46
			1.2	14000	22.3	8.3	10.3	121	90	--
AUG 02, 73	1535	2	.3	28000	31.2	7.9	8.0	118	50	43
			.9	28000	31.2	7.9	8.2	121	60	--
AUG 10, 73	0915	2	.3	26000	29.4	--	5.5	79	40	61
			.9	39000	29.5	--	5.1	77	30	--
DEC 08, 71	1225	3	.3	31000	16.9	8.1	10.5	121	--	137
			1.5	31000	17.0	8.1	11.2	129	--	--
MAR 15, 72	1015	3	.3	32000	22.9	8.2	8.4	108	10	109
			1.1	32000	22.9	8.2	10.2	131	24	--
MAY 16, 72	1515	3	.3	26000	26.8	8.1	9.0	122	--	--
			1.7	27000	26.6	8.1	8.3	114	--	--
JUL 18, 72	1500	3	.3	36000	29.2	8.3	9.4	138	--	58
			1.4	36000	29.5	8.3	9.3	139	--	--
SEP 21, 72	1005	3	.3	38000	27.8	8.3	6.1	90	20	--
			1.2	38000	27.9	8.3	6.5	96	85	--
DEC 13, 72	0940	3	.3	32000	6.7	8.2	10.2	94	80	58
			.9	32000	6.7	8.2	10.2	94	80	--
MAR 20, 73	0945	3	.6	40000	18.8	8.2	7.2	90	115	41
			1.2	40000	18.7	8.2	7.3	90	125	--
MAY 15, 73	1635	3	.3	15000	22.8	8.3	9.6	116	90	51
			1.2	15000	22.8	8.3	10.8	130	120	--
AUG 02, 73	1550	3	.3	26000	31.4	7.8	8.4	122	55	56
			.9	26000	31.4	7.8	9.6	140	55	--
AUG 10, 73	0905	3	.3	22000	29.4	--	5.6	79	70	51

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 314 CONTINUED					
AUG 10, 73	0905	3	1.2	29000	29.5	--	5.3	76	60	--
DEC 08, 71	1210	4	.3	29000	17.1	8.2	11.7	133	--	134
			1.4	29000	17.3	8.2	11.9	131	--	--
MAR 15, 72	1010	4	.3	32000	22.8	8.2	8.9	114	10	132
			1.1	32000	22.9	8.2	10.3	132	10	--
MAY 16, 72	1510	4	.3	24000	26.8	8.1	8.2	109	--	94
			1.7	26000	27.0	8.1	8.1	109	--	--
JUL 18, 72	1455	4	.3	32000	29.6	8.3	9.8	144	--	74
			1.2	32000	29.8	8.3	9.2	135	--	--
DEC 13, 72	0935	4	.3	34000	6.9	8.2	9.8	92	80	51
			1.2	34000	6.9	8.2	9.8	92	80	--
MAR 20, 73	0940	4	.6	40000	19.3	8.2	7.9	99	100	41
			1.2	40000	19.3	8.2	7.9	99	100	--
MAY 15, 73	1645	4	.3	19000	22.7	8.3	10.7	130	90	--
			1.2	19000	22.7	8.3	10.3	126	110	--
AUG 02, 73	1555	4	.3	26000	31.4	7.8	8.9	129	50	58
			.9	26000	31.4	7.8	8.8	128	55	--
AUG 10, 73	0855	4	.3	24000	29.5	--	5.5	77	80	56
			.9	26000	29.7	--	5.5	79	500	--
					LINE 317					
DEC 08, 71	1130	2	.3	33000	17.6	8.0	10.1	119	--	104
			1.5	46000	17.3	8.0	9.3	115	--	--
			3.0	47000	17.4	7.9	8.9	111	--	--
MAR 15, 72	1055	2	.3	40000	22.7	8.2	8.0	107	35	71
			1.5	40000	22.4	8.2	8.1	108	40	--
			2.7	37000	22.3	8.1	8.4	110	67	--
MAY 16, 72	1530	2	.3	30000	26.9	8.1	11.0	153	--	--
			1.5	37000	26.1	8.0	10.3	143	--	--
			3.0	39000	25.7	8.0	9.0	125	--	--
			4.4	38000	26.0	8.0	8.8	124	--	--
					LINE 320					
DEC 08, 71	1330	2	.3	16000	16.3	8.3	11.7	124	--	61
			1.5	18000	16.0	8.3	11.6	123	--	--
			3.0	20000	15.3	8.1	10.5	112	--	--
			4.6	25000	15.0	8.0	10.7	115	--	--
			5.2	25000	14.7	8.0	9.5	101	--	--
MAR 15, 72	0915	2	.3	18000	22.8	8.1	8.7	106	28	81
			1.5	18000	22.7	8.1	8.9	108	17	--
			3.0	18000	22.7	8.1	8.7	106	30	--
			5.0	17000	22.8	8.1	9.4	115	40	--
MAY 16, 72	1430	2	.3	18000	26.1	8.2	8.9	116	--	76
			1.5	18000	25.8	8.1	8.4	109	--	--
			3.0	18000	25.9	8.1	8.3	108	--	--
			4.6	18000	26.0	8.1	7.7	100	--	--
JUL 18, 72	1550	2	.3	47000	29.9	8.2	10.9	176	--	74
			1.5	47000	29.8	8.2	10.5	169	--	--
			3.0	47000	29.6	8.2	10.1	160	--	--
			3.8	47000	29.5	8.1	8.6	137	--	--
JUL 18, 72	1400	2	.3	26000	29.2	8.2	10.5	148	--	89

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 320 CONTINUED					
JUL 18, 72	1400	2	1.5	26000	28.7	8.2	10.3	145	--	--
			3.0	26000	28.6	8.2	10.0	141	--	--
			4.9	26000	28.6	8.2	9.2	130	--	--
DEC 13, 72	0905	2	.3	28000	6.4	8.2	10.6	96	55	69
			1.5	28000	6.4	8.2	10.0	91	50	--
			3.0	28000	6.4	8.2	10.0	91	50	--
			4.3	28000	6.1	8.2	10.1	91	60	--
MAR 20, 73	0910	2	.3	39000	18.9	8.1	7.1	88	65	56
			1.5	39000	18.9	8.1	7.1	88	70	--
			3.0	39000	18.9	8.1	7.0	86	70	--
			4.6	39000	18.8	8.1	6.7	83	115	--
AUG 02, 73	1430	2	.3	23000	30.1	7.4	7.6	109	55	36
			1.5	23000	30.1	7.3	7.5	107	65	--
			3.0	23000	30.0	7.3	--	--	85	--
			4.3	23000	30.0	7.2	6.6	94	155	--
AUG 10, 73	0950	2	.3	16000	29.9	--	5.9	81	60	36
			1.5	16000	29.9	--	5.8	79	60	--
			3.0	18000	29.7	--	5.6	78	80	--
			4.3	20000	29.4	--	5.5	76	75	--
					LINE 333					
DEC 09, 71	1030	1	.5	39000	16.9	8.1	9.2	110	--	226
			.9	40000	17.1	8.1	8.2	99	--	--
			2.3	40000	17.7	8.1	7.9	96	--	--
MAR 15, 72	0930	1	.3	43000	22.1	8.0	7.0	93	--	91
			2.1	43000	22.0	8.0	6.9	92	--	--
APR 25, 72	1025	1	.3	42000	24.9	8.0	6.2	87	--	51
			2.1	42000	25.0	8.0	6.5	92	--	--
MAY 16, 72	1110	1	.3	23000	25.4	8.1	8.5	110	--	122
			1.2	28000	25.3	8.0	8.5	113	--	--
JUL 18, 72	1335	1	.3	29000	29.8	8.3	8.7	126	--	84
			.9	28000	29.9	8.3	9.5	138	--	--
SEP 21, 72	1310	1	.3	34000	30.0	8.3	10.6	156	0	--
			2.1	42000	30.3	8.2	8.7	136	--	--
DEC 13, 72	1525	1	.3	47000	7.7	--	9.3	96	--	--
			1.5	47000	7.7	--	9.7	100	--	--
			2.4	47000	7.7	--	9.7	100	--	--
MAR 20, 73	1140	1	.5	34000	17.7	8.2	9.0	106	--	38
			1.8	32000	17.7	8.2	8.9	103	--	--
MAY 15, 73	1140	1	.3	35000	22.3	8.3	9.7	126	50	51
			1.8	35000	22.3	8.3	10.3	134	60	--
AUG 02, 73	1330	1	.3	3100	28.9	8.6	10.8	140	--	33
			.8	3400	28.9	8.6	11.0	143	--	--
AUG 10, 73	1220	1	.3	5600	25.9	8.6	8.1	100	--	61
			1.5	16000	25.0	8.6	6.3	79	--	--
			2.0	20000	25.1	8.2	2.4	31	--	--
DEC 09, 71	1035	2	.5	36000	17.2	8.1	9.4	111	--	213
			.9	36000	17.1	8.1	9.6	113	--	--
			2.3	38000	16.6	8.2	10.4	122	--	--
MAR 15, 72	0940	2	.3	43000	22.2	8.1	6.8	91	--	124
			2.4	43000	22.1	8.1	7.1	95	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 333 CONTINUED										
APR 25, 72	1035	2	.3	41000	24.9	7.9	5.8	81	--	32
			2.1	41000	24.8	7.9	5.8	81	--	--
MAY 16, 72	1115	2	.3	23000	25.4	8.2	8.4	109	--	130
			1.2	29000	25.3	8.0	7.4	99	--	--
			2.4	41000	25.3	7.8	5.5	77	--	--
JUL 18, 72	1340	2	.3	--	29.2	8.0	--	--	--	94
			2.4	31000	29.1	8.0	2.3	33	--	--
JUL 18, 72	1405	2	.3	23000	29.7	8.4	8.7	123	--	71
			2.4	25000	29.4	8.4	6.4	90	--	--
SEP 21, 72	1305	2	.3	35000	30.1	8.3	10.1	153	0	--
			2.4	42000	30.4	8.2	8.5	131	5	--
DEC 13, 72	1515	2	.3	47000	8.1	--	9.7	101	--	--
			1.5	47000	8.1	--	9.8	102	--	--
			2.1	47000	8.1	--	9.8	102	--	--
MAR 20, 73	1200	2	.5	37000	17.9	8.2	8.9	107	--	28
			1.5	37000	18.0	8.2	8.9	107	--	--
			2.1	37000	17.9	8.2	9.1	110	--	--
MAY 15, 73	1130	2	.3	35000	22.3	8.3	10.1	131	70	46
			1.5	35000	22.3	8.3	9.9	129	70	--
			2.1	35000	22.0	8.3	10.6	136	70	--
AUG 02, 73	1340	2	.3	3200	28.8	8.6	7.7	100	--	41
			1.2	3400	28.8	8.5	7.3	95	--	--
			1.8	6500	28.5	8.4	6.4	84	--	--
AUG 10, 73	1210	2	.3	6100	28.5	8.6	6.4	84	--	56
			1.8	26000	28.1	8.3	4.7	65	--	--
			2.1	27000	29.1	7.8	.6	9	--	--
DEC 09, 71	1045	3	.5	34000	17.2	8.1	9.3	108	--	173
			.9	33000	17.2	8.1	9.7	113	--	--
			2.1	33000	17.2	8.2	9.7	113	--	--
MAR 15, 72	1000	3	.3	43000	22.5	8.2	7.1	96	--	74
			2.1	43000	22.5	8.2	7.4	100	--	--
APR 25, 72	1045	3	.3	36000	24.7	8.0	6.5	88	--	33
			1.8	36000	24.7	8.0	6.7	90	--	--
MAY 16, 72	1125	3	.3	18000	25.6	8.1	8.2	105	--	107
			2.1	38000	25.6	8.0	6.8	94	--	--
JUL 18, 72	1415	3	.3	20000	30.0	8.5	9.0	127	--	70
			2.0	21000	29.9	8.5	9.1	128	--	--
SEP 21, 72	1255	3	.3	33000	30.1	8.3	10.4	155	0	--
			2.1	38000	30.2	8.2	7.6	115	5	--
DEC 13, 72	1510	3	.3	47000	8.0	--	9.9	103	--	--
			1.8	47000	8.0	--	10.0	104	--	--
MAR 20, 73	1219	3	.5	38000	17.9	8.1	8.1	99	--	30
			1.5	38000	17.9	8.1	7.9	96	--	--
MAY 15, 73	1120	3	.3	35000	22.2	8.3	11.4	146	65	38
			1.5	35000	22.2	8.3	12.2	156	75	--
			2.1	35000	22.1	8.3	10.4	133	70	--
AUG 02, 73	1350	3	.3	4400	28.9	8.5	7.8	101	--	47
			.9	4600	28.9	8.5	7.6	99	--	--
			1.5	10000	29.1	8.2	4.3	57	--	--
			1.8	12000	28.9	8.1	2.9	39	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 333 CONTINUED						
AUG 10, 73	1145	3	.3	8300	28.1	8.6	7.8	101	--	--
			1.5	22000	27.9	8.2	--	--	--	--
			2.0	22000	28.2	7.8	2.9	40	--	--
				LINE 342						
DEC 08, 71	1155	1	.3	41000	15.4	8.1	9.4	109	--	165
			1.5	42000	15.3	8.1	8.8	104	--	--
			2.7	40000	15.3	8.1	8.9	103	--	--
MAR 15, 72	1040	1	.3	44000	22.1	8.2	7.0	95	--	96
			2.1	44000	22.1	8.2	7.0	95	--	--
APR 25, 72	1120	1	.3	44000	24.5	8.0	6.1	87	--	58
			2.1	44000	24.5	8.0	6.3	90	--	--
MAY 16, 72	1150	1	.3	41000	25.6	8.1	7.6	107	--	122
			1.2	41000	25.7	8.1	8.0	113	--	--
JUN 14, 72	1547	1	.3	45000	30.0	8.0	6.9	141	--	66
			1.2	45000	30.0	8.0	8.1	129	--	--
JUL 18, 72	1450	1	.3	34000	30.0	8.4	10.7	160	--	67
			.9	33000	30.3	8.4	10.9	163	--	--
SEP 21, 72	1340	1	.3	40000	30.0	8.3	9.9	152	0	--
			2.3	45000	30.3	8.3	10.3	163	0	--
DEC 13, 72	1435	1	.3	47000	8.1	--	9.7	101	--	--
			1.5	47000	8.1	--	10.0	104	--	--
			2.7	47000	8.0	--	9.7	101	--	--
MAR 20, 73	1125	1	.5	37000	17.8	8.2	8.7	105	--	64
			1.7	37000	17.8	8.2	8.5	102	--	--
MAY 15, 73	1045	1	.3	36000	21.7	8.4	10.7	137	60	56
			1.5	35000	21.5	8.4	10.5	135	50	--
			2.4	36000	21.1	8.4	11.0	141	65	--
AUG 02, 73	1430	1	.3	6200	29.4	8.6	8.4	112	--	38
			.6	6300	29.2	8.6	8.5	112	--	--
AUG 10, 73	1115	1	.3	8800	29.7	8.6	9.6	128	--	69
			1.8	19000	29.5	8.6	8.9	124	--	--
DEC 08, 71	1200	2	.3	38000	15.6	8.1	9.4	109	--	178
			1.8	38000	15.7	8.1	9.7	113	--	--
MAR 15, 72	1025	2	.3	43000	22.3	8.2	7.0	95	--	95
			2.4	43000	22.3	8.2	7.0	95	--	--
APR 25, 72	1105	2	.3	41000	24.8	8.0	6.3	88	--	37
			2.4	41000	24.7	8.0	6.7	90	--	--
MAY 16, 72	1145	2	.3	29000	25.8	8.1	7.7	104	--	147
			1.2	33000	25.6	8.1	7.7	105	--	--
			2.4	41000	25.5	8.0	7.6	107	--	--
JUN 14, 72	1540	2	.3	43000	29.9	8.0	7.7	120	--	76
			2.4	43000	29.9	7.9	7.6	119	--	--
JUL 18, 72	1437	2	.3	28000	29.7	8.4	8.5	123	--	97
			2.4	28000	29.9	8.4	9.3	135	--	--
SEP 21, 72	1330	2	.3	36000	30.2	8.3	12.6	191	0	--
			2.4	42000	30.2	8.3	9.8	153	0	--
DEC 13, 72	1445	2	.3	47000	8.1	--	10.1	105	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 342 CONTINUED					
DEC 13, 72	1445	2	1.5	47000	8.1	--	10.1	105	--	--
			2.4	47000	8.1	--	10.2	106	--	--
MAR 20, 73	1109	2	.5	38000	17.8	8.2	8.8	107	--	43
			1.5	38000	17.9	8.2	8.8	107	--	--
			2.1	38000	17.8	8.2	8.5	104	--	--
MAY 15, 73	1100	2	.3	33000	21.8	8.4	10.8	138	50	56
			1.5	33000	21.7	8.4	11.1	142	50	--
			2.1	33000	21.4	8.4	11.8	149	50	--
AUG 02, 73	1415	2	.3	4400	29.1	8.6	8.6	112	--	51
			1.2	4400	29.1	8.6	8.5	110	--	--
			1.7	4400	29.1	8.6	8.4	109	--	--
			2.0	4600	29.1	8.6	8.0	104	--	--
			2.1	10000	29.1	8.3	5.2	68	--	--
AUG 10, 73	1120	2	.3	7700	29.0	8.6	10.0	132	--	64
			1.1	8800	28.8	8.6	9.6	126	--	--
			1.8	21000	28.0	8.4	8.3	114	--	--
			2.1	31000	28.5	7.9	1.8	26	--	--
DEC 08, 71	1205	3	.3	38000	15.7	8.1	9.5	110	--	168
			1.8	37000	15.8	8.1	9.9	114	--	--
MAR 15, 72	1010	3	.3	45000	22.7	8.2	7.1	97	--	89
			1.8	45000	22.6	8.2	7.0	96	--	--
APR 25, 72	1100	3	.3	41000	24.6	8.0	6.4	89	--	36
			1.8	41000	24.7	8.0	6.8	94	--	--
MAY 16, 72	1135	3	.3	28000	25.7	8.1	8.1	108	--	173
			.9	30000	25.6	8.2	7.9	107	--	--
			2.1	41000	25.7	8.1	7.9	108	--	--
MAY 22, 72	1515	3	.3	3700	26.6	8.3	8.6	108	--	--
			2.1	3700	26.6	8.3	9.1	114	--	--
JUN 14, 72	1530	3	.3	44000	30.0	7.9	7.6	121	--	80
			2.1	41000	30.3	7.8	7.1	109	--	--
JUL 18, 72	1425	3	.3	23000	29.8	8.4	10.4	149	--	84
			2.1	27000	29.7	8.4	10.3	149	--	--
SEP 21, 72	1320	3	.3	35000	30.1	8.3	9.6	145	0	--
			2.1	35000	30.1	8.2	8.8	133	5	--
DEC 13, 72	1500	3	.3	47000	8.1	--	9.9	103	--	--
			1.5	47000	8.1	--	9.9	103	--	--
			2.1	47000	8.1	--	10.1	105	--	--
MAR 20, 73	1100	3	.5	38000	17.8	8.2	8.9	109	--	76
			1.5	38000	17.8	8.2	8.6	105	--	--
			2.1	40000	17.7	8.2	8.2	100	--	--
MAY 15, 73	1110	3	.3	33000	22.0	8.4	11.0	141	40	74
			1.8	35000	21.8	8.4	10.8	138	40	--
AUG 02, 73	1405	3	.3	9000	29.1	8.4	5.9	78	--	84
			1.2	9500	29.0	8.3	5.4	71	--	--
			1.8	12000	29.0	8.2	3.7	49	--	--
AUG 10, 73	1135	3	.3	11000	29.7	8.7	9.3	124	--	48
			1.5	24000	28.1	8.4	8.2	112	--	--
			1.8	22000	28.8	8.0	2.8	39	--	--
					LINE 354					
DEC 08, 71	1135	1	.3	42000	15.4	8.1	9.0	106	--	152

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 354 CONTINUED						
DEC 08, 71	1135	1	2.1	40000	15.5	8.1	9.1	106	--	--
MAR 15, 72	1055	1	.3	45000	22.2	8.3	7.0	95	--	91
			2.4	45000	22.4	8.3	6.9	93	--	--
APR 25, 72	1140	1	.3	46000	24.7	8.0	6.5	93	--	81
			2.1	46000	24.8	8.0	6.7	96	--	--
MAY 16, 72	1205	1	.3	41000	25.7	8.1	7.5	106	--	117
			1.5	41000	25.6	8.1	7.4	104	--	--
			2.7	41000	25.8	8.1	7.5	107	--	--
JUL 18, 72	1505	1	.3	41000	29.9	8.3	7.7	118	--	114
			1.5	41000	29.6	8.2	6.4	98	--	--
SEP 21, 72	1355	1	.3	49000	29.9	8.3	10.0	161	20	--
			2.6	47000	29.7	8.2	7.4	117	65	--
DEC 13, 72	1415	1	.3	47000	8.1	--	9.8	102	--	--
			1.5	47000	8.1	--	10.3	107	--	--
			2.1	47000	8.0	--	10.1	105	--	--
MAR 20, 73	1019	1	.5	40000	17.8	8.2	8.8	107	--	74
			1.5	40000	17.9	8.2	8.8	107	--	--
			2.7	40000	17.9	8.2	8.5	104	--	--
MAY 15, 73	1030	1	.3	36000	21.4	8.4	--	--	50	66
			1.5	36000	21.4	8.4	--	--	60	--
			2.1	36000	21.7	8.5	--	--	50	--
AUG 02, 73	1445	1	.3	13000	29.6	8.6	8.8	119	--	84
			1.2	13000	29.5	8.6	9.0	122	--	--
			2.1	13000	29.2	8.6	9.1	121	--	--
AUG 10, 73	1055	1	.3	16000	29.1	8.6	9.1	123	--	117
			1.1	17000	28.9	8.5	9.0	123	--	--
			1.8	26000	28.7	8.3	6.8	96	--	--
			2.1	30000	28.9	8.0	4.6	67	--	--
DEC 08, 71	1130	2	.5	42000	16.2	8.1	9.0	107	--	155
			1.8	40000	16.4	8.1	9.4	112	--	--
MAR 15, 72	1100	2	.3	45000	22.2	8.3	7.2	97	--	95
			2.1	45000	22.3	8.3	7.1	96	--	--
MAY 16, 72	1210	2	.3	39000	25.8	8.2	8.2	115	--	155
			.9	39000	25.7	8.2	8.2	114	--	--
			2.1	32000	25.7	8.1	8.0	108	--	--
JUL 18, 72	1510	2	.3	38000	29.7	8.3	8.3	126	--	178
			2.1	38000	29.8	8.3	8.2	124	--	--
SEP 21, 72	1400	2	.3	47000	29.7	8.3	9.0	142	10	--
			2.3	48000	29.9	8.3	9.3	150	15	--
DEC 13, 72	1410	2	.3	47000	8.4	--	10.1	106	--	--
			1.8	47000	8.4	--	9.9	104	--	--
MAR 20, 73	1007	2	.5	38000	17.8	8.2	9.0	110	--	91
			1.8	38000	17.7	8.2	8.7	105	--	--
MAY 15, 73	1020	2	.3	36000	21.7	8.5	--	--	45	56
			1.5	36000	21.7	8.5	--	--	45	--
			2.1	36000	21.8	8.5	--	--	50	--
AUG 02, 73	1455	2	.3	9000	29.5	8.7	8.7	116	--	84
			1.2	10000	29.3	8.6	8.9	119	--	--
			1.8	16000	29.7	8.6	8.3	114	--	--
AUG 10, 73	1045	2	.3	13000	29.4	8.6	9.6	130	--	91

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

LINE 354 CONTINUED

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
AUG 10, 73	1045	2	1.2	19000	29.9	8.4	7.5	104	--	--
			1.5	32000	29.1	8.1	4.7	68	--	--
DEC 08, 71	1120	3	.3	42000	16.2	8.1	8.8	105	--	152
			1.8	41000	16.3	8.1	9.0	107	--	--
APR 25, 72	1150	3	.3	49000	24.8	8.4	8.1	119	--	91
			.6	48000	24.7	8.3	8.0	114	--	--
			.9	49000	24.8	8.6	9.2	135	--	--
MAY 16, 72	1220	3	.3	41000	26.7	8.3	--	--	--	152
			1.5	41000	25.7	8.2	--	--	--	--
JUL 18, 72	1517	3	.3	41000	30.0	8.4	11.2	172	--	122
			1.2	41000	30.0	8.4	11.3	174	--	--
SEP 21, 72	1410	3	.3	47000	29.8	8.3	9.2	148	5	--
			1.1	47000	30.0	8.4	13.5	218	15	--
DEC 13, 72	1405	3	.3	46000	8.8	--	10.5	109	--	--
			1.5	46000	8.7	--	10.7	111	--	--
MAR 20, 73	1000	3	.5	38000	17.2	8.2	8.5	101	--	15
			.9	38000	17.2	8.2	8.4	100	--	--
MAY 15, 73	1010	3	.3	36000	21.8	8.5	7.6	97	40	56
			1.8	36000	21.8	8.5	7.6	97	50	--
AUG 02, 73	1500	3	.3	6300	29.3	8.7	8.7	116	--	60
			.9	7500	29.3	8.7	9.0	120	--	--
AUG 10, 73	1035	3	.3	12000	29.8	8.5	9.3	127	--	97
			1.2	13000	29.5	8.5	9.2	124	--	--
			1.5	17000	29.6	8.1	5.1	71	--	--
DEC 08, 71	1110	4	.3	42000	15.6	8.0	8.9	106	0	142
			1.8	40000	15.7	8.0	8.7	102	10	--
MAR 15, 72	1140	4	.3	45000	22.3	8.3	6.9	93	--	112
			2.1	45000	22.3	8.3	7.1	96	--	--
APR 25, 72	1200	4	.3	45000	24.8	8.1	6.1	87	--	46
			1.5	46000	24.8	8.1	6.1	87	--	--
			2.1	46000	24.8	8.1	6.2	89	--	--
MAY 16, 72	1255	4	.3	41000	26.3	8.2	--	--	--	152
			2.4	42000	26.1	8.1	--	--	--	--
JUL 18, 72	1521	4	.3	39000	29.9	8.3	7.6	115	--	157
			2.4	41000	29.9	8.3	7.2	111	--	--
SEP 21, 72	1415	4	.3	47000	29.6	8.3	8.9	141	0	--
			2.4	52000	29.4	8.3	8.1	131	0	--
DEC 13, 72	1355	4	.3	47000	8.6	--	10.7	113	--	--
			1.8	47000	8.5	--	10.8	114	--	--
MAR 20, 73	0950	4	.5	38000	17.8	8.2	9.1	111	--	84
			1.5	38000	17.7	8.2	9.2	111	--	--
			2.1	37000	17.7	8.2	8.9	106	--	--
MAY 15, 73	1000	4	.3	37000	21.7	8.5	9.7	124	35	59
			1.8	37000	21.6	8.5	9.5	122	45	--
AUG 02, 73	1510	4	.3	6000	29.7	8.7	8.5	113	--	--
			1.2	6000	29.1	8.7	8.9	117	--	--
			1.8	17000	30.0	8.5	7.3	101	--	--
AUG 10, 73	1025	4	.3	13000	29.8	8.5	9.1	125	--	108

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 354 CONTINUED					
AUG 10, 73	1025	4	1.2	17000	29.3	8.5	9.1	125	--	--
			1.8	36000	29.0	8.1	5.7	84	--	--
DEC 08, 71	1100	5	.5	40000	16.0	8.0	9.1	107	--	152
			1.5	40000	15.9	8.0	9.2	108	--	--
			3.0	38000	15.9	7.9	9.1	106	--	--
MAR 15, 72	1150	5	.3	45000	22.4	8.3	6.7	91	--	89
			1.8	45000	22.6	8.3	6.5	89	--	--
APR 25, 72	1215	5	.6	45000	24.8	8.5	6.1	87	--	51
			2.1	45000	24.8	8.5	6.1	87	--	--
MAY 16, 72	1305	5	.3	41000	26.4	8.2	--	--	--	155
			2.1	41000	26.2	8.2	--	--	--	--
JUL 18, 72	1530	5	.3	29000	30.0	8.4	8.3	120	--	104
			2.1	36000	29.8	8.4	7.5	114	--	--
SEP 21, 72	1430	5	.3	45000	29.8	8.3	9.8	156	0	--
			2.1	47000	29.9	8.3	10.2	165	25	--
DEC 13, 72	1350	5	.3	47000	8.7	--	11.0	117	--	--
			1.5	47000	8.3	--	10.9	115	--	--
MAR 20, 73	0940	5	.5	37000	17.5	8.2	8.8	105	--	99
			1.5	37000	17.3	8.2	8.6	102	--	--
			2.1	37000	17.2	8.2	8.3	98	--	--
MAY 15, 73	0950	5	.3	36000	21.6	8.4	9.7	124	35	56
			1.5	36000	21.4	8.4	10.0	128	35	--
			3.0	33000	21.4	8.4	10.0	127	50	--
AUG 02, 73	1525	5	.3	14000	29.9	8.6	7.4	101	--	--
			1.8	14000	30.0	8.4	6.1	84	--	--
AUG 10, 73	1015	5	.3	14000	30.1	8.5	8.6	118	--	47
			.9	16000	29.9	8.5	8.9	122	--	--
			1.8	23000	29.8	8.0	5.2	74	--	--
					LINE 360					
MAR 15, 72	1210	3	.3	43000	21.5	8.4	7.5	99	--	88
			1.5	43000	21.4	8.4	7.4	97	--	--
			7.3	42000	21.5	8.4	7.2	95	--	--
APR 25, 72	1330	3	.3	44000	25.3	8.1	6.6	96	--	128
			1.5	44000	25.3	8.1	6.6	96	--	--
			3.0	45000	25.3	8.1	6.7	97	--	--
			4.6	45000	25.4	8.1	6.7	97	--	--
			6.4	45000	25.5	8.1	6.9	100	--	--
MAY 16, 72	1410	3	.3	37000	26.3	8.3	--	--	--	109
			1.5	37000	25.9	8.2	--	--	--	--
			3.0	37000	25.8	8.2	--	--	--	--
			4.6	37000	25.7	8.2	--	--	--	--
			6.1	37000	25.8	8.2	--	--	--	--
			7.6	37000	25.9	8.2	--	--	--	--
JUL 18, 72	1555	3	.3	54000	30.0	8.3	7.8	130	--	79
			1.5	54000	30.1	8.3	7.8	130	--	--
			3.0	39000	30.0	8.2	8.0	121	--	--
			3.0	54000	30.0	8.3	7.4	123	--	--
			4.6	54000	30.1	8.3	7.8	130	--	--
			6.7	44000	30.0	8.3	8.2	130	--	--
			6.7	54000	30.1	8.3	7.4	123	--	--
DEC 13, 72	1325	3	.3	44000	9.0	--	10.8	112	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 360 CONTINUED						
DEC 13, 72	1325	3	1.5	44000	9.1	--	11.2	117	--	--
			3.0	44000	9.1	--	11.4	119	--	--
			4.6	44000	9.2	--	11.2	117	--	--
			6.1	44000	9.1	--	11.0	115	--	--
MAR 20, 73	0915	3	.3	40000	16.3	8.3	9.3	111	--	94
			1.5	40000	16.3	8.3	9.3	111	--	--
			3.0	40000	16.4	8.3	9.3	111	--	--
			4.6	40000	16.5	8.3	9.5	113	--	--
			6.1	40000	16.4	8.3	8.9	106	--	--
AUG 02, 73	1540	3	.3	9000	29.4	8.7	7.6	101	--	60
			1.5	9000	29.3	8.7	7.5	100	--	--
			3.0	9500	29.2	8.7	7.3	96	--	--
			4.6	26000	29.1	8.7	6.8	96	--	--
			6.1	26000	29.1	8.7	6.8	96	--	--
AUG 10, 73	0955	3	.3	39000	28.6	8.1	8.0	121	--	--
			1.5	42000	28.3	8.0	8.1	123	--	--
			3.0	42000	28.2	8.0	8.1	121	--	--
			4.6	42000	28.4	8.0	7.6	115	--	--
			6.1	42000	28.7	7.9	7.5	114	--	--
				LINE 601						
MAY 22, 72	1150	2	.5	690	27.5	7.9	8.7	109	--	--
JUN 14, 72	1025	2	.6	1000	27.8	8.1	8.5	108	--	25
JUL 17, 72	1545	2	.3	1200	31.2	8.3	11.8	157	--	22
				LINE 603						
MAY 15, 72	1415	2	.8	810	28.9	8.2	7.5	96	--	--
MAY 22, 72	1205	2	.6	600	27.4	8.2	9.2	115	--	--
JUN 14, 72	1035	2	.6	1000	--	--	--	--	--	30
JUL 17, 72	1530	2	.3	1500	31.5	8.0	11.1	150	--	25
				LINE 605						
MAY 15, 72	1430	2	.7	2300	29.9	8.2	13.6	177	--	--
MAY 22, 72	1220	2	.5	870	27.2	8.2	10.4	128	--	--
JUN 14, 72	1050	2	.5	880	28.0	7.8	8.0	101	--	30
JUL 17, 72	1515	2	.3	1200	30.8	8.1	11.1	148	--	28
				LINE 608						
MAY 15, 72	1500	2	.7	830	29.1	7.6	7.8	100	--	--
MAY 22, 72	1230	2	.5	550	27.4	8.2	9.9	124	--	--
JUN 14, 72	1020	2	.5	1000	27.8	8.2	9.2	116	--	23
JUL 17, 72	1500	2	.5	970	30.6	8.2	12.4	165	--	29

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 10						
DEC 06, 71	1555	2	.3	20.0	.0	.00	.00	.00	.00	1.7	1.0	--
			4.0	20.0	.0	.00	.01	.05	.06	1.6	3.0	--
MAR 14, 72	1650	2	.3	25.0	.0	.04	.00	.02	.02	.5	--	--
			4.6	26.0	.0	.08	.00	.02	.02	2.3	5.0	--
APR 26, 72	1045	2	.3	22.0	.0	.13	.00	.00	.05	1.6	6.0	--
			4.3	22.0	.0	.35	.00	.00	.07	1.0	7.0	--
MAY 15, 72	1525	2	.3	21.0	.1	.08	.01	.04	.04	2.9	4.0	--
			4.3	23.0	.1	.13	.01	.04	.06	2.0	4.0	--
JUL 17, 72	1705	2	.3	23.0	.0	.00	.00	.01	.03	1.3	14.0	--
			4.3	23.0	.0	.00	.01	.02	.07	.5	5.0	--
DEC 11, 72	1300	2	.3	18.0	.0	.01	.00	.01	.01	2.2	--	--
			4.0	18.0	.0	.04	.00	.01	.01	1.5	--	--
MAR 19, 73	1220	2	.3	21.0	.0	.00	.00	.00	.04	.2	--	--
			3.7	21.0	.0	.00	.00	.00	.07	.2	--	--
AUG 02, 73	1005	2	.3	22.0	.0	.00	.00	.03	.03	.8	--	--
			3.7	21.0	.0	.00	.01	.02	.04	.9	--	--
						LINE 50						
MAY 15, 72	1620	2	.3	13.0	1.0	.24	.01	.39	.39	2.4	--	--
AUG 02, 73	1110	2	.3	15.0	.0	.00	.00	.03	.04	1.3	--	--
			3.7	14.0	.0	.00	.00	.03	.04	1.3	--	--
AUG 10, 73	1100	2	.3	14.0	.2	.02	.00	.05	.05	.3	--	--
			4.0	14.0	.3	.01	.00	.06	.06	1.0	--	--
						LINE 52						
MAY 15, 72	1700	2	.8	9.7	.1	--	--	--	--	--	--	--
						LINE 60						
DEC 06, 71	1345	2	.3	11.0	.6	.18	.02	.08	.09	2.2	26.0	--
			4.0	6.0	.2	.10	.01	.06	.07	2.6	31.0	--
MAR 14, 72	1630	2	.3	7.0	.0	.09	.00	.00	.10	.7	43.0	--
			4.0	7.3	.0	.08	.00	.05	.05	1.3	40.0	--
APR 26, 72	0902	2	.3	5.6	.0	.26	.00	.00	.14	2.0	32.0	--
			3.4	6.1	.0	.25	.00	.00	.15	2.0	34.0	--
MAY 15, 72	1745	2	.3	12.0	.4	.40	.01	.17	.17	2.6	20.0	--
			4.0	5.3	.1	.23	.02	.03	.11	1.9	20.0	--
JUL 17, 72	1850	2	.3	13.0	.0	.00	.01	.05	.10	1.9	23.0	--
			3.7	12.0	.0	.00	.01	.05	.11	2.2	23.0	--
SEP 20, 72	1430	2	.3	15.0	.0	.00	.00	.07	.07	4.4	16.0	--
			4.0	15.0	.0	.00	.00	.07	.07	4.7	23.0	--
DEC 12, 72	0925	2	.3	9.2	.1	.14	.01	.03	.03	3.4	--	--
			3.4	2.9	.1	.06	.00	.04	.04	3.1	--	--
MAR 19, 73	1425	2	.3	4.7	.1	.06	.02	.00	.10	2.7	--	--
			3.4	4.4	.1	.06	.02	.00	.09	2.0	--	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 80 CONTINUED						
MAY 15, 73	1315	2	.3	12.0	.1	.03	.02	.15	.21	2.5	--	18.0
			3.7	9.4	.0	.13	.00	.15	.67	2.2	--	34.0
AUG 02, 73	1145	2	.3	15.0	.0	.00	.00	.05	.08	1.3	--	--
			3.4	15.0	.0	.00	.00	.05	.12	1.6	--	--
AUG 10, 73	1025	2	.3	13.0	.3	.02	.00	.06	.08	2.6	--	--
			4.0	13.0	.2	.03	.00	.06	.16	2.9	--	--
						LINE 145						
DEC 07, 71	1330	2	.3	12.0	5.0	.00	.07	.62	.62	2.2	19.0	--
			3.4	12.0	5.2	.06	.06	.61	.62	2.3	--	--
MAR 14, 72	0945	2	.3	13.0	1.9	.10	.03	.60	.60	.9	--	--
			2.7	13.0	1.6	.08	.04	.60	.60	1.5	7.0	--
APR 24, 72	1320	2	.3	13.0	1.8	.06	.03	.92	1.10	1.5	14.0	--
			2.1	13.0	1.6	.08	.04	.80	.80	1.9	14.0	--
JUL 17, 72	1230	2	.3	15.0	.7	.00	.02	.30	.40	3.0	23.0	--
			2.7	16.0	.6	.00	.01	.30	.41	1.1	13.0	--
SEP 20, 72	1605	2	.3	15.0	.8	.00	.00	.60	.68	2.2	3.0	--
			1.8	15.0	.7	.00	.00	.60	.68	2.4	--	--
DEC 13, 72	1015	2	.3	14.0	3.3	.04	.01	.50	.58	2.9	--	--
			1.5	15.0	3.4	.03	.01	.62	.62	2.0	--	--
MAR 19, 73	1620	2	.3	14.0	2.7	.03	.02	.63	.75	.5	--	--
			2.4	13.0	2.6	.02	.02	.63	.73	.4	--	--
MAY 15, 73	1655	2	.3	15.0	1.6	.04	.01	.45	.62	1.2	--	--
			3.0	14.0	1.7	.11	.00	.44	.65	1.3	--	--
AUG 02, 73	1340	2	.3	14.0	1.1	.00	.01	.15	.35	1.1	--	--
			4.6	14.0	.9	.00	.01	.15	.37	1.2	--	--
AUG 10, 73	1400	2	.3	14.0	1.7	.00	.01	.21	.38	.7	--	--
			5.2	13.0	1.7	.00	.01	.21	.38	.5	--	--
						LINE 170						
SEP 20, 72	1705	2	.3	14.0	1.2	.00	.01	.61	.61	2.5	--	--
			2.7	14.0	1.3	.00	.01	.60	.60	2.5	--	--
MAY 15, 73	1630	2	.3	15.0	1.5	.09	.00	.41	.53	.9	--	--
			3.0	15.0	1.9	.08	.00	.42	.71	1.0	--	--
AUG 02, 73	1430	2	.3	14.0	1.1	.00	.01	.14	.39	1.2	--	--
			3.0	14.0	1.1	.00	.01	.14	.39	1.2	--	--
AUG 10, 73	1325	2	.3	13.0	1.6	.00	.01	.20	.35	.7	--	--
			3.0	13.0	1.6	.02	.01	.20	.35	.7	--	--
						LINE 200						
DEC 07, 71	1120	2	.9	12.0	2.5	.05	.02	.25	.25	1.3	17.0	--
MAR 14, 72	1130	2	.9	13.0	1.2	.11	.02	.02	.57	2.5	3.0	--
APR 24, 72	1445	2	.3	12.0	.4	.10	.02	.60	.70	3.8	--	--
MAY 15, 72	1300	2	.3	9.3	.7	.10	.02	.07	.17	1.9	--	--
JUL 17, 72	1412	2	.3	15.0	.6	.02	.01	.26	.30	1.2	--	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 200 CONTINUED						
SEP 20, 72	1728	2	.3	14.0	.6	.00	.00	.45	.45	4.6	--	--
DEC 12, 72	1100	2	.3	13.0	2.9	.05	.01	.72	.72	2.5	--	--
MAR 19, 73	1520	2	.3	14.0	.1	.04	.02	.49	.53	1.0	--	--
MAY 15, 73	1610	2	.3	12.0	.5	.12	.00	.15	.30	2.2	--	--
AUG 02, 73	1240	2	.3	13.0	.3	.00	.01	.09	.14	1.5	--	--
AUG 10, 73	1310	2	.3	13.0	.8	.02	.02	.12	.15	.5	--	--
						LINE 225						
DEC 07, 71	1055	1	.9	10.0	.6	.02	.03	.11	.12	1.4	--	--
MAR 14, 72	1210	1	.9	12.0	.8	.08	.04	.55	.55	.4	--	--
APR 24, 72	1540	1	.3	10.0	.0	.07	.01	.50	.58	1.1	--	--
			.9	8.6	.2	--	--	--	--	--	--	--
MAY 15, 72	1205	1	.3	8.5	.6	.13	.02	.01	.17	1.8	--	--
JUL 17, 72	1450	1	.3	14.0	.9	.00	.01	.22	.24	1.9	--	--
DEC 12, 72	1000	1	.3	11.0	.6	.08	.01	.50	.75	3.0	--	--
MAR 19, 73	1458	1	.3	12.0	.8	.10	.02	.41	.45	.7	--	--
DEC 07, 71	1045	2	.9	12.0	3.2	.02	.03	.24	.25	1.1	--	--
MAR 14, 72	1230	2	.9	12.0	1.1	.11	.04	.58	.58	.5	--	--
APR 24, 72	1530	2	.3	9.8	.0	.08	.00	.48	.60	8.5	--	--
DEC 12, 72	0950	2	.3	10.0	1.3	.06	.01	.55	.55	2.3	--	--
MAR 19, 73	1450	2	.3	13.0	2.0	.05	.02	.55	.56	.9	--	--
						LINE 236						
DEC 07, 71	1015	2	.9	8.9	.6	.02	.01	.15	.15	2.0	--	--
MAR 14, 72	1500	2	1.1	8.4	.5	.11	.00	.27	.32	2.4	31.0	--
APR 24, 72	1303	2	.3	4.3	.0	.17	.02	.20	.23	4.0	--	--
MAY 15, 72	1307	2	.3	8.0	.3	.15	.02	.24	.24	2.1	--	--
JUL 17, 72	1335	2	.3	10.0	.0	.08	.01	.14	.22	3.3	--	--
DEC 12, 72	1220	2	.3	6.8	.7	.03	.01	.17	.24	3.2	--	--
MAR 19, 73	1535	3	.9	6.5	.2	.00	.03	.20	.27	1.8	--	--
						LINE 243						
DEC 12, 72	1310	4	.3	6.1	.8	.06	.01	.16	.22	3.6	--	--
			.9	6.4	.6	.06	.01	.19	.20	3.8	--	--
DEC 07, 71	0915	5	.3	12.0	3.3	.04	.04	.20	.23	1.0	--	--
			1.2	8.2	.4	.00	.03	.09	.10	1.4	--	--
MAR 14, 72	1335	5	.3	3.4	.1	.14	.00	.15	.19	2.0	--	--
			1.2	3.5	.0	.13	.00	.10	.60	2.5	--	--
APR 24, 72	1443	5	.3	9.0	.0	.20	.00	.36	.38	5.9	--	--

TABLE 6R--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 243 CONTINUED						
APR 24, 72	1443	5	1.2	7.1	.0	.14	.00	.29	.31	4.3	--	--
MAY 15, 72	1503	5	.3	11.0	.5	.20	.02	.16	.16	2.0	--	--
			1.5	9.5	.4	.16	.02	.16	.16	1.8	--	--
JUL 17, 72	1205	5	.3	14.0	.8	.12	.01	.27	.33	1.7	--	--
			1.2	12.0	.9	.21	.01	.27	.37	1.9	--	--
SEP 21, 72	1205	5	.3	14.0	.0	.13	.00	.21	.22	2.8	5.0	--
			.9	12.0	.0	.00	.00	.19	.19	3.5	8.0	--
DEC 12, 72	1250	5	.3	9.2	1.1	.06	.01	.32	.32	2.7	--	--
			1.2	6.0	.8	.08	.01	.11	.11	3.1	--	--
MAR 19, 73	1620	5	.3	8.2	.8	.04	.02	.23	.28	1.5	--	--
			1.2	7.9	.9	.03	.02	.22	.28	1.9	--	--
MAY 15, 73	1430	5	.3	15.0	1.0	.08	.00	.42	.47	.7	--	16.0
			1.2	15.0	.9	.03	.00	.38	.42	1.6	--	13.0
AUG 02, 73	0955	5	.3	12.0	.0	.00	.01	.05	.06	1.0	--	--
			.9	12.0	.0	.00	.01	.05	.06	.6	--	--
DEC 07, 71	0940	7	.3	12.0	.8	.00	.02	.20	.21	.9	--	--
			1.2	7.5	.4	.00	.02	.10	.10	1.6	--	--
MAR 14, 72	1400	7	.3	8.8	.6	.07	.00	.34	.34	.9	--	--
			1.2	7.7	.4	.06	.00	.14	.64	1.4	--	--
APR 24, 72	1406	7	.3	7.4	.0	.17	.00	.27	.27	4.5	--	--
			1.2	--	--	--	--	--	--	3.6	--	--
APR 24, 72	1507	7	1.2	7.3	.0	.17	.00	.28	.28	4.1	--	--
MAY 15, 72	1400	7	.3	9.1	.7	.12	.01	.25	.25	2.1	--	--
			1.5	8.4	.5	.12	.03	.30	.30	1.9	--	--
JUL 17, 72	1220	7	.3	15.0	.5	.00	.01	.21	.26	1.7	--	--
			1.2	15.0	.6	.00	.02	.21	.27	2.1	--	--
DEC 12, 72	1255	7	.3	5.1	.5	.06	.01	.09	.09	3.9	--	--
			.9	4.9	.4	.06	.01	.09	.09	3.6	--	--
MAR 19, 73	1605	7	.3	12.0	.9	.02	.01	.36	.40	1.1	--	--
			1.2	10.0	.6	.06	.01	.32	.50	1.7	--	--
AUG 02, 73	0945	7	.3	14.0	.6	.00	.01	.12	.20	.7	--	--
			.9	14.0	.4	.00	.01	.12	.20	.6	--	--
AUG 10, 73	1600	7	.3	14.0	.9	.03	.01	.20	.22	1.5	--	--
			.9	12.0	.8	.01	.01	.20	.22	1.3	--	--
						LINE 254						
DEC 07, 71	1325	2	.3	6.9	.3	.03	.04	.09	.10	1.7	--	--
			3.4	3.7	.0	.08	.02	.03	.04	1.6	--	--
MAR 14, 72	1455	2	.3	1.5	.0	.02	.00	.00	.05	2.4	--	--
			1.4	2.5	.0	.04	.00	.00	.06	3.0	--	--
APR 25, 72	0848	2	.3	5.2	.0	.28	.00	.07	.11	1.9	--	--
			1.5	4.7	.0	.20	.00	.06	.10	1.8	--	--
MAY 16, 72	0840	2	.3	8.8	.5	.16	.03	.16	.16	2.1	--	--
			1.8	7.9	.3	.17	.02	.12	.17	2.4	--	--
JUL 17, 72	1750	2	.3	7.8	.0	.05	.00	.11	.13	1.4	--	--
			1.5	7.9	.0	.01	.01	.11	.22	1.3	--	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 254 CONTINUED						
DEC 12, 72	0830	2	.3	3.9	.1	.05	.00	.05	.05	3.9	--	--
			.9	4.3	.1	.06	.00	.05	.05	5.4	--	--
MAR 19, 73	1045	2	.3	4.1	.1	.04	.01	.09	.16	1.2	--	--
			1.2	3.5	.0	.05	.00	.06	.29	.9	--	--
AUG 02, 73	1110	2	.3	14.0	.0	.00	.00	.08	.14	.5	--	--
			1.2	13.0	.0	.00	.00	.09	.16	1.0	--	--
						LINE 264						
SEP 21, 72	1255	2	.3	11.0	.0	.00	.00	.14	.14	2.4	3.0	--
MAY 15, 73	1240	2	.3	9.4	.0	.10	.00	.16	.28	1.9	--	20.0
AUG 02, 73	1130	2	.3	13.0	.0	.00	.00	.05	.07	.7	--	--
AUG 10, 73	1500	2	.3	12.0	.2	.02	.00	.11	.11	1.6	--	--
DEC 07, 71	1445	4	.3	8.6	.3	.00	.02	.09	.11	1.6	--	--
			1.2	9.1	.3	.00	.01	.09	.09	1.9	--	--
MAR 14, 72	1535	4	.5	1.3	.0	.03	.00	.00	.12	2.0	38.0	--
			1.2	1.4	.0	.03	.00	.00	.10	1.5	--	--
APR 25, 72	1013	4	.3	5.0	.0	.07	.00	.08	.18	.9	48.0	--
			1.8	5.2	.0	.50	.00	.10	.15	.2	--	--
MAY 16, 72	0935	4	.3	14.0	.6	.18	.01	.23	.23	2.0	11.0	--
			1.8	9.7	.6	.29	.02	.22	.22	2.0	--	--
JUL 17, 72	1415	4	.3	7.5	.0	.06	.00	.09	.11	1.8	26.0	--
			1.8	6.5	.0	.00	.00	.08	.11	1.5	--	--
SEP 21, 72	1325	4	.3	12.0	.0	.00	.00	.14	.15	2.5	--	--
			1.8	11.0	.0	.00	.00	.13	.13	2.2	--	--
DEC 12, 72	1155	4	.3	4.8	.6	.05	.01	.09	.09	2.9	--	--
			.9	4.7	.7	.05	.01	.09	.09	2.8	--	--
MAR 19, 73	1505	4	.3	7.6	.3	.06	.02	.23	.27	1.1	--	--
			1.5	3.7	.0	.10	.01	.08	.12	.6	--	--
MAY 15, 73	1210	4	.3	10.0	.0	.04	.00	.20	.34	1.9	--	--
			1.5	10.0	.0	.00	.00	.20	.34	1.9	--	--
AUG 02, 73	1150	4	.3	14.0	.1	.01	.01	.09	.14	.6	--	--
			1.5	14.0	.1	.00	.01	.09	.14	.5	--	--
AUG 10, 73	1520	4	.3	11.0	.3	.03	.01	.10	.15	1.5	--	--
			1.2	12.0	.3	.07	.02	.12	.12	1.7	--	--
						LINE 274						
DEC 07, 71	1130	2	.3	6.9	.4	.04	.02	.09	.10	1.4	--	--
			1.2	5.5	.1	.03	.01	.05	.05	1.4	--	--
MAR 14, 72	1240	2	.3	1.4	.0	.04	.00	.00	.06	1.9	--	--
			.9	1.0	.0	.06	.00	.00	.05	.5	--	--
APR 25, 72	1110	2	.3	4.4	.0	.20	.00	.04	.11	1.5	--	--
			1.1	4.4	.0	.26	.00	.04	.11	1.4	--	--
MAY 16, 72	1045	2	.3	8.2	.6	.13	.02	.14	.15	1.4	--	--
			1.2	7.5	.3	.46	.04	.12	.12	.8	--	--
JUL 17, 72	1450	2	.3	6.7	.0	.00	.00	.07	.11	1.0	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 274 CONTINUED							
JUL 17, 72	1450	2	1.2	6.5	.0	.07	.01	.09	.12	1.4	--	--
DEC 12, 72	1115	2	.3	3.4	.1	.02	.00	.05	.05	2.8	--	--
			1.5	3.1	.1	.02	.00	.04	.05	2.9	--	--
MAR 19, 73	1425	2	.3	5.8	.4	.08	.01	.14	.20	1.7	--	--
			2.1	2.8	.0	.13	.00	.05	.09	.5	--	--
DEC 07, 71	1040	5	.3	8.0	.3	.04	.01	.11	.12	1.3	--	--
			1.5	5.7	.0	.13	.01	.05	.06	1.5	--	--
MAR 14, 72	1155	5	.3	1.0	.0	.03	.00	.00	.08	1.0	--	--
			1.4	.4	.0	.06	.00	.00	.08	1.1	--	--
APR 25, 72	1145	5	.5	3.9	.0	.13	.00	.03	.13	1.3	--	--
			1.8	4.0	.0	.10	.00	.04	.17	1.5	--	--
MAY 16, 72	1000	5	.3	8.6	.5	.17	.03	.18	.18	1.8	--	--
			2.7	8.6	.3	.52	.03	.20	.20	1.8	--	--
JUL 17, 72	1525	5	.3	7.6	.0	.00	.00	.09	.11	1.3	--	--
			2.0	7.4	.0	.00	.00	.09	.13	1.5	--	--
DEC 12, 72	1045	5	.3	4.3	.2	.06	.01	.07	.07	3.6	--	--
			2.4	4.1	.3	.04	.00	.06	.09	2.8	--	--
MAR 19, 73	1340	5	.3	4.8	.1	.06	.01	.10	.15	1.8	--	--
			1.5	4.0	.1	.08	.01	.10	.17	1.2	--	--
					LINE 287							
AUG 02, 73	0930	1	.3	13.0	.0	.00	.01	.07	.34	1.7	--	--
			3.7	14.0	.0	.00	.01	.07	.18	1.1	--	--
MAR 14, 72	0955	3	.3	.4	.0	.07	.00	.00	.05	.5	--	--
			1.4	1.5	.0	.06	.00	.05	.06	1.9	35.0	--
APR 25, 72	1608	3	.5	3.3	.0	.25	.00	.00	.09	1.4	32.0	--
			1.5	3.4	.0	.15	.00	.00	.12	1.6	--	--
MAY 16, 72	1237	3	.3	9.5	.5	.20	.01	.15	.15	1.4	7.0	--
			1.7	6.5	.2	.27	.02	.11	.11	1.6	--	--
JUL 17, 72	1655	3	.3	7.6	.0	.00	.00	.09	.11	1.6	32.0	--
			1.4	8.5	.0	.04	.01	.10	.15	1.1	--	--
SEP 21, 72	1510	3	.3	11.0	.0	.00	.00	.12	.12	2.0	4.0	--
			1.2	11.0	.0	.01	.00	.12	.12	1.9	6.0	--
DEC 12, 72	0925	3	.3	1.1	.0	.03	.00	.02	.02	5.3	--	--
			.9	1.2	.0	.01	.00	.02	.02	5.4	--	--
MAR 19, 73	1200	3	.3	2.3	.0	.06	.01	.05	.10	1.0	--	--
			1.2	1.9	.0	.01	.00	.04	.07	.9	--	--
MAY 15, 73	1235	3	.3	6.8	.0	.00	.00	.08	.12	1.8	--	16.0
			1.2	5.7	.0	.02	.00	.07	.10	1.5	--	83.0
AUG 02, 73	1000	3	.3	14.0	.0	.00	.01	.08	.14	1.3	--	--
			1.2	14.0	.0	.00	.01	.07	.14	1.4	--	--
AUG 10, 73	1450	3	.3	12.0	.2	.02	.00	.10	.11	1.2	--	--
			1.2	12.0	.2	.02	.00	.12	.12	1.5	--	--
DEC 07, 71	0930	4	.3	6.0	.1	.10	.02	.07	.07	1.4	23.0	--
			1.8	2.0	.0	.04	.01	.02	.02	1.3	42.0	--
DEC 07, 71	1010	6	.3	6.0	.1	.00	.01	.07	.07	1.4	29.0	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 287 CONTINUED						
DEC 07, 71	1010	8	1.8	3.2	.0	.00	.01	.03	.03	1.3	39.0	--
MAR 14, 72	1115	8	.3	.4	.0	.08	.00	.07	.07	.5	35.0	--
			1.7	.4	.0	.07	.00	.06	.06	.8	--	--
APR 25, 72	1210	8	.5	4.3	.0	.09	.00	.06	.19	1.8	44.0	--
			2.4	4.1	.0	.08	.00	.03	.23	.1	--	--
MAY 16, 72	1340	8	.3	7.1	.1	.22	.01	.12	.12	2.9	16.0	--
			1.7	6.8	.0	.17	.01	.11	.11	3.0	--	--
JUL 17, 72	1555	8	.3	8.6	.0	.00	.00	.09	.11	2.0	--	--
			1.7	6.5	.0	.03	.00	.07	.13	1.2	--	--
SEP 21, 72	1550	8	.3	10.0	.0	.00	.00	.10	.10	3.6	7.0	--
			1.7	10.0	.0	.00	.00	.10	.14	2.7	7.0	--
DEC 12, 72	1020	8	.3	4.6	.4	.06	.00	.07	.07	3.0	--	--
			1.8	4.5	.3	.07	.00	.07	.07	2.4	--	--
MAR 19, 73	1305	8	.3	1.6	.0	.03	.00	.02	.04	1.2	--	--
			2.4	2.4	.0	.06	.00	.02	.15	1.0	--	--
MAY 15, 73	1515	8	.3	11.0	.1	.08	.00	.22	.37	1.9	--	16.0
			1.5	10.0	.1	.05	.00	.20	.38	1.9	--	20.0
AUG 02, 73	1345	8	.3	13.0	.0	.00	.01	.09	.14	1.7	--	--
			1.5	10.0	.0	.00	.00	.06	.12	1.3	--	--
AUG 10, 73	1040	8	.3	12.0	.2	.05	.02	.12	.12	2.5	--	--
			1.5	12.0	.3	.02	.01	.12	.15	2.1	--	--
						LINE 291						
MAR 15, 72	1555	2	.3	.0	.0	.04	.00	.00	.03	.5	--	--
MAY 16, 72	1707	2	.5	5.1	.1	.21	.00	.03	.08	3.2	--	--
AUG 02, 73	1225	2	.3	13.0	.0	.00	.00	.07	.10	1.4	--	--
			1.8	11.0	.0	.00	.01	.07	.10	1.2	--	--
AUG 10, 73	1135	2	.3	12.0	.2	.02	.00	.11	.11	2.0	--	--
			1.8	11.0	.3	.03	.00	.10	.13	1.6	--	--
						LINE 294						
DEC 08, 71	1435	2	1.8	3.9	.0	.00	.00	.04	.04	1.8	--	--
MAR 15, 72	1530	2	.3	.0	.0	.07	.00	.00	.03	1.5	--	--
APR 25, 72	1344	2	.5	3.3	.0	.10	.00	.00	.09	1.2	--	--
MAY 16, 72	1635	2	.3	5.4	.0	.13	.00	.07	.08	2.1	--	--
JUL 18, 72	1200	2	.3	6.5	.0	.12	.00	.05	.07	2.3	--	--
SEP 21, 72	1105	2	.3	5.3	.0	.10	.00	.00	.08	1.4	--	--
			2.1	5.3	.0	.11	.00	.00	.10	1.4	--	--
DEC 13, 72	1040	2	.3	3.2	.1	.03	.00	.04	.04	4.1	--	--
MAR 20, 73	1100	2	1.8	1.6	.0	.00	.00	.00	.13	.8	--	--
MAY 15, 73	1440	2	.3	8.6	.0	.08	.00	.10	.24	1.8	--	--
			1.8	6.4	.0	.21	.00	.06	.13	1.5	--	--
AUG 02, 73	1250	2	.3	12.0	.0	.00	.00	.07	.10	1.4	--	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 294 CONTINUED						
AUG 02, 73	1250	2	1.5	11.0	.0	.00	.01	.06	.10	1.8	--	--
AUG 10, 73	1110	2	.3	12.0	.2	.01	.00	.11	.11	1.4	--	--
			1.5	11.0	.2	.02	.00	.12	.12	1.3	--	--
DEC 08, 71	1405	4	4.3	3.2	.0	.02	.01	.02	.03	1.4	--	--
						LINE 302						
MAR 15, 72	1615	2	.3	.0	.0	.08	.00	.00	.03	1.6	--	--
APR 25, 72	1515	2	.5	3.2	.0	.16	.00	.00	.08	1.2	--	--
JUL 18, 72	1142	2	.3	7.2	.0	.00	.00	.06	.08	1.2	--	--
DEC 13, 72	1155	2	.3	2.0	.0	.02	.00	.02	.02	3.5	--	--
MAR 20, 73	1230	2	1.8	1.6	.0	.00	.00	.00	.19	1.2	--	--
AUG 02, 73	1055	2	.3	13.0	.0	.00	.01	.08	.12	1.8	--	--
			1.5	13.0	.0	.00	.00	.08	.12	1.4	--	--
AUG 10, 73	1240	2	.3	12.0	.2	.02	.00	.09	.09	1.0	--	--
			1.5	12.0	.2	.01	.00	.12	.12	1.2	--	--
DEC 09, 71	0930	3	.5	3.7	.0	.01	.00	.02	.02	1.8	--	--
						LINE 307						
DEC 09, 71	1015	3	.5	2.8	.0	.00	.00	.00	.01	1.8	--	--
MAR 15, 72	1645	3	.3	.0	.0	.06	.00	.00	.03	1.3	--	--
APR 25, 72	0935	3	.3	2.9	.0	.07	.00	.00	.07	5.8	--	--
MAY 16, 72	1000	3	.3	7.2	.2	.06	.02	.03	.10	2.3	--	--
JUL 18, 72	1220	3	.3	7.1	.0	.03	.01	.06	.09	1.8	--	--
SEP 21, 72	1235	3	.3	2.8	.0	.04	.00	.00	.07	1.8	--	--
			1.8	2.6	.0	.08	.00	.00	.09	1.6	--	--
DEC 13, 72	1225	3	.3	.4	.0	.01	.00	.00	.00	3.4	--	--
MAR 20, 73	1300	3	1.5	1.7	.0	.00	.00	.00	.10	1.0	--	--
MAY 15, 73	1155	3	.3	2.5	.0	.07	.00	.03	.06	.8	--	--
			1.8	2.5	.0	.06	.00	.02	.07	.8	--	--
AUG 02, 73	1025	3	.3	13.0	.0	.00	.01	.08	.12	1.4	--	--
			1.8	13.0	.0	.00	.01	.07	.16	.7	--	--
AUG 10, 73	1235	3	.3	12.0	.2	.00	.00	.11	.11	.7	--	--
			1.8	12.0	.2	.01	.00	.11	.13	1.0	--	--
MAR 15, 72	1705	5	.3	.0	.0	.04	.00	.00	.02	2.9	--	--
						LINE 311						
DEC 08, 71	1305	4	1.5	4.2	.0	.00	.04	.06	.08	1.4	--	--
MAR 15, 72	0945	4	.3	.0	.0	.07	.00	.01	.07	1.5	--	--
MAY 16, 72	1450	4	.3	4.5	.1	.20	.00	.09	.09	2.2	--	--
JUL 18, 72	1430	4	.3	4.2	.0	.11	.00	.03	.06	1.8	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 311 CONTINUED						
DEC 13, 72	0915	4	.3	3.2	.0	.02	.00	.04	.04	5.0	--	--
MAR 20, 73	0925	4	1.2	1.5	.0	.00	.00	.00	.11	.7	--	--
NOV 05, 71	1020	5	.3	7.7	.1	.13	.00	.08	.09	1.3	--	--
NOV 08, 71	1400	5	.3	9.0	.1	.08	.00	.20	.20	--	--	--
NOV 09, 71	0700	5	.3	8.5	.1	.01	.00	.12	.12	--	--	--
NOV 09, 71	0900	5	.3	8.2	.1	.00	.00	.12	.12	--	--	--
NOV 09, 71	1800	5	.3	8.2	.0	.00	.00	.11	.11	--	--	--
NOV 09, 71	2400	5	.3	8.1	.1	.00	.00	.10	.10	--	--	--
NOV 10, 71	0730	5	.3	7.9	.0	.00	.00	.09	.09	--	--	--
NOV 10, 71	1615	5	.3	8.2	.1	.00	.00	.09	.09	--	--	--
NOV 11, 71	1415	5	1.5	8.1	.1	.05	.00	.10	.10	1.5	--	--
						LINE 314						
DEC 08, 71	1230	2	1.5	3.3	.0	.04	.00	.02	.03	1.8	36.0	--
MAR 15, 72	1025	2	.3	.0	.0	.04	.00	.00	.02	2.4	34.0	--
MAY 16, 72	1545	2	.5	4.5	.0	.18	.00	.09	.09	2.2	18.0	--
JUL 18, 72	1505	2	.3	8.9	.0	.02	.00	.02	.03	1.9	29.0	--
DEC 13, 72	0945	2	.3	3.2	.0	.03	.00	.03	.03	3.1	--	--
MAR 20, 73	0950	2	1.2	1.1	.0	.00	.00	.00	.08	1.4	--	--
AUG 02, 73	1535	2	.3	9.0	.0	.00	.01	.04	.06	1.1	--	--
			.9	10.0	.0	.00	.01	.04	.06	2.2	--	--
SEP 21, 72	1005	3	.3	.0	.0	.11	.00	.00	.06	1.8	--	--
			1.2	.0	.0	.09	.00	.00	.06	1.9	9.0	--
MAY 15, 73	1635	3	.3	7.8	.0	.03	.00	.08	.15	1.4	--	26.0
			1.2	7.9	.0	.09	.00	.09	.16	1.8	--	--
AUG 10, 73	0905	3	.3	8.7	.2	.02	.00	.07	.07	1.9	--	--
			1.2	7.3	.2	.05	.00	.07	.08	2.3	--	--
						LINE 317						
DEC 08, 71	1130	2	3.0	1.2	.0	.00	.01	.01	.02	1.1	--	--
MAR 15, 72	1055	2	.3	.0	.0	.10	.00	.00	.02	2.3	--	--
MAY 16, 72	1530	2	.3	2.4	.0	.16	.00	.04	.04	2.3	--	--
						LINE 320						
DEC 08, 71	1330	2	5.2	4.4	.1	.00	.01	.04	.05	1.5	--	--
MAY 16, 72	1430	2	.3	5.2	.1	.19	.00	.09	.10	2.2	--	--
JUL 18, 72	1400	2	.3	4.7	.0	.04	.00	.03	.05	1.9	--	--
JUL 18, 72	1550	2	.3	.0	.0	.00	.00	.01	.03	2.2	--	--
DEC 13, 72	0905	2	.3	4.4	.2	.02	.00	.05	.05	4.5	--	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 320 CONTINUED						
DEC 13, 72	0905	2	4.3	4.3	.2	.02	.00	.06	.06	4.2	--	--
						LINE 333						
DEC 09, 71	1035	2	.5	2.0	.0	.00	.00	.01	.01	1.6	41.0	--
MAR 15, 72	0940	2	2.4	1.4	.0	.07	.00	.01	.01	.5	40.0	--
APR 25, 72	1035	2	.3	1.9	.0	.05	.00	.00	.07	1.0	29.0	--
MAY 16, 72	1115	2	.3	3.7	.0	.11	.00	.04	.05	2.5	20.0	--
JUL 18, 72	1405	2	.3	4.4	.0	.05	.00	.04	.05	1.9	27.0	--
			2.4	4.5	.0	.00	.00	.04	.06	1.7	--	--
DEC 13, 72	1515	2	.3	.2	.0	.00	.00	.01	.01	2.4	--	--
MAR 20, 73	1200	2	.5	1.7	.0	.02	.00	.00	.12	.3	--	--
AUG 02, 73	1340	2	.3	13.0	.0	.00	.00	.06	.10	1.9	--	--
			1.8	13.0	.0	.00	.01	.08	.10	.8	--	--
AUG 10, 73	1210	2	.3	12.0	.2	.03	.00	.11	.11	1.3	--	--
			2.1	10.0	.2	.07	.00	.13	.13	1.3	--	--
						LINE 354						
DEC 08, 71	1110	4	.3	1.7	.0	.00	.00	.00	.00	1.3	42.0	--
MAR 15, 72	1140	4	2.1	.0	.0	.04	.00	.01	.01	.5	--	--
APR 25, 72	1200	4	.3	.6	.0	.08	.00	.00	.04	1.0	29.0	--
MAY 16, 72	1255	4	.3	.2	.0	.07	.00	.00	.01	2.1	18.0	--
JUL 18, 72	1521	4	.3	.1	.0	.02	.00	.01	.03	.7	25.0	--
SEP 21, 72	1415	4	.3	.0	.0	.11	.00	.00	.02	2.4	6.0	--
			2.4	.0	.0	.05	.00	.00	.03	2.3	--	--
DEC 13, 72	1355	4	.3	.4	.0	.00	.00	.01	.01	2.0	--	--
MAR 20, 73	0950	4	.5	.9	.0	.05	.00	.00	--	.5	--	--
MAY 15, 73	1000	4	.3	.5	.0	.04	.00	.03	.05	1.1	--	11.0
			1.8	1.3	.0	.03	.00	.02	.04	1.1	--	28.0
AUG 02, 73	1510	4	.3	12.0	.0	.00	.00	.07	.10	1.0	--	--
			1.8	11.0	.0	.00	.01	.07	.13	1.3	--	--
AUG 10, 73	1025	4	.3	10.0	.2	.00	.00	.09	.09	.9	--	--
			1.8	4.7	.2	.01	.00	.08	.08	1.2	--	--
						LINE 360						
MAR 15, 72	1210	3	7.3	.0	.0	.09	.00	.02	.02	.5	41.0	--
APR 25, 72	1330	3	.3	.2	.0	.12	.00	.00	.02	.6	--	--
MAY 16, 72	1410	3	.3	1.7	.0	.08	.02	.01	.02	2.0	--	--
JUL 18, 72	1555	3	.3	.0	.0	.02	.00	.01	.02	.3	--	--
DEC 13, 72	1325	3	.3	1.2	.0	.00	.00	.01	.01	2.5	--	--
MAR 20, 73	0915	3	.3	.5	.1	.11	.00	.00	.03	.5	--	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 360 CONTINUED							
MAY 22, 72	1150	2	.5	10.0	.3	.12	.00	.31	.37	3.2	--	--
					LINE 605							
MAY 15, 72	1430	2	.7	12.0	.1	.10	.00	.30	.30	4.5	--	--
MAY 22, 72	1220	2	.5	14.0	.2	.23	.00	.33	.41	3.2	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
						LINE 10					
DEC 06, 71	1555	2	.3	995	--	--	--	--	--	--	--
			4.0	981	92.0	22.0	69	293	42	130	521
MAR 14, 72	1650	2	.3	995	--	--	--	--	--	--	--
			4.6	986	96.0	14.0	86	289	36	150	548
APR 26, 72	1045	2	.3	958	79.0	12.0	98	236	48	150	529
			4.3	953	--	--	--	--	--	--	--
MAY 15, 72	1525	2	.3	916	83.0	13.0	80	250	44	130	495
			4.3	951	--	--	--	--	--	--	--
JUL 17, 72	1705	2	.3	943	80.0	9.6	100	234	37	160	525
			4.3	956	--	--	--	--	--	--	--
DEC 11, 72	1300	2	.3	897	90.0	11.0	85	299	42	120	511
			4.0	1250	--	--	--	--	--	--	--
MAR 19, 73	1220	2	.3	901	76.0	14.0	93	244	49	140	513
			3.7	931	--	--	--	--	--	--	--
AUG 02, 73	1005	2	.3	872	--	--	--	--	--	--	--
			3.7	934	--	--	--	--	--	--	--
						LINE 50					
MAY 15, 72	1820	2	.3	296	38.0	4.7	12	122	18	12	164
AUG 02, 73	1110	2	.3	1320	--	--	--	--	--	--	--
			3.7	1320	--	--	--	--	--	--	--
AUG 10, 73	1100	2	.3	1360	--	--	--	--	--	--	--
			4.0	1400	--	--	--	--	--	--	--
						LINE 52					
MAY 15, 72	1700	2	.8	2200	36.0	19.0	400	343	49	500	1190
						LINE 80					
DEC 06, 71	1345	2	.3	6290	--	--	--	--	--	--	--
			4.0	17900	--	--	--	--	--	--	--
MAR 14, 72	1630	2	.3	10500	--	--	--	--	--	--	--
			4.0	10800	--	--	--	--	--	--	--
APR 26, 72	0902	2	.3	19400	--	--	--	--	--	--	--
			3.4	19500	--	--	--	--	--	--	--
MAY 15, 72	1745	2	.3	1510	--	--	--	--	--	--	--
			4.0	21000	--	--	--	--	--	--	--
JUL 17, 72	1850	2	.3	3320	--	--	--	--	--	--	--
			3.7	2910	--	--	--	--	--	--	--
SEP 20, 72	1430	2	.3	2790	--	--	--	--	--	--	--
			4.0	2630	--	--	--	--	--	--	--
DEC 12, 72	0925	2	.3	17300	--	--	--	--	--	--	--
			3.4	34300	--	--	--	--	--	--	--
MAR 19, 73	1425	2	.3	9210	--	--	--	--	--	--	--
			3.4	9460	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
					LINE 80 CONTINUED						
MAY 15, 73	1315	2	.3	3820	--	--	--	--	--	--	--
			3.7	12600	--	--	--	--	--	--	--
AUG 02, 73	1145	2	.3	1500	--	--	--	--	--	--	--
			3.4	1500	--	--	--	--	--	--	--
AUG 10, 73	1025	2	.3	1510	--	--	--	--	--	--	--
			4.0	1520	--	--	--	--	--	--	--
					LINE 145						
DEC 07, 71	1330	2	.3	623	--	--	--	--	--	--	--
			3.4	626	72.0	24.0	22	230	46	47	361
MAR 14, 72	0945	2	.3	789	--	--	--	--	--	--	--
			2.7	745	86.0	19.0	47	285	43	76	433
APR 24, 72	1320	2	.3	820	--	--	--	--	--	--	--
			2.1	826	85.0	19.0	59	284	48	89	463
JUL 17, 72	1230	2	.3	727	83.0	18.0	53	266	49	86	440
			2.7	719	--	--	--	--	--	--	--
SEP 20, 72	1605	2	.3	738	78.0	22.0	46	275	48	--	422
			1.8	757	--	--	--	--	--	--	--
DEC 13, 72	1015	2	.3	797	88.0	20.0	54	298	52	76	468
			1.5	795	87.0	21.0	54	300	52	74	468
MAR 19, 73	1620	2	.3	753	84.0	19.0	50	282	51	70	441
			2.4	750	--	--	--	--	--	--	--
MAY 15, 73	1855	2	.3	466	37.0	14.0	45	111	--	60	291
			3.0	687	--	--	--	--	--	--	--
AUG 02, 73	1340	2	.3	614	79.0	16.0	26	250	52	40	356
			4.6	635	--	--	--	--	--	--	--
AUG 10, 73	1400	2	.3	649	81.0	17.0	30	262	49	46	374
			5.2	649	--	--	--	--	--	--	--
					LINE 170						
SEP 20, 72	1705	2	.3	743	--	--	--	--	--	--	--
			2.7	745	--	--	--	--	--	--	--
MAY 15, 73	1630	2	.3	714	--	--	--	--	--	--	--
			3.0	712	--	--	--	--	--	--	--
AUG 02, 73	1430	2	.3	614	--	--	--	--	--	--	--
			3.0	612	--	--	--	--	--	--	--
AUG 10, 73	1325	2	.3	643	--	--	--	--	--	--	--
			3.0	643	--	--	--	--	--	--	--
					LINE 200						
DEC 07, 71	1120	2	.9	646	--	--	--	--	--	--	--
MAR 14, 72	1130	2	.9	781	--	--	--	--	--	--	--
APR 24, 72	1445	2	.3	806	--	--	--	--	--	--	--
MAY 15, 72	1300	2	.3	241	--	--	--	--	--	--	--
JUL 17, 72	1412	2	.3	691	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
					LINE 200 CONTINUED						
SEP 20, 72	1728	2	.3	732	--	--	--	--	--	--	--
DEC 12, 72	1100	2	.3	794	--	--	--	--	--	--	--
MAR 19, 73	1520	2	.3	756	--	--	--	--	--	--	--
MAY 15, 73	1610	2	.3	594	--	--	--	--	--	--	--
AUG 02, 73	1240	2	.3	547	--	--	--	--	--	--	--
AUG 10, 73	1310	2	.3	584	--	--	--	--	--	--	--
					LINE 225						
MAR 14, 72	1210	1	.9	831	--	--	--	--	--	--	--
APR 24, 72	1540	1	.3	3930	--	--	--	--	--	--	--
			.9	10400	140.0	240.0	1800	254	510	3200	5940
MAY 15, 72	1205	1	.3	276	--	--	--	--	--	--	--
JUL 17, 72	1450	1	.3	760	--	--	--	--	--	--	--
DEC 12, 72	1000	1	.3	9810	--	--	--	--	--	--	--
MAR 19, 73	1458	1	.3	1630	--	--	--	--	--	--	--
DEC 07, 71	1045	2	.9	647	--	--	--	--	--	--	--
MAR 14, 72	1230	2	.9	1500	--	--	--	--	--	--	--
APR 24, 72	1530	2	.3	2080	--	--	--	--	--	--	--
DEC 12, 72	0950	2	.3	13500	--	--	--	--	--	--	--
MAR 19, 73	1450	2	.3	1160	--	--	--	--	--	--	--
					LINE 236						
DEC 07, 71	1015	2	.9	5560	--	--	--	--	--	--	--
MAR 14, 72	1500	2	1.1	5860	--	--	--	--	--	--	--
APR 24, 72	1305	2	.3	12900	--	--	--	--	--	--	--
MAY 15, 72	1307	2	.3	5420	--	--	--	--	--	--	--
JUL 17, 72	1335	2	.3	2000	--	--	--	--	--	--	--
DEC 12, 72	1220	2	.3	19300	--	--	--	--	--	--	--
MAR 19, 73	1535	3	.9	8250	--	--	--	--	--	--	--
					LINE 243						
DEC 12, 72	1310	4	.3	21500	200.0	520.0	3800	205	1100	6800	12400
			.9	22300	--	--	--	--	--	--	--
DEC 07, 71	0915	5	.3	936	--	--	--	--	--	--	--
			1.2	10700	120.0	230.0	1900	184	480	3300	6070
MAR 14, 72	1335	5	.3	13100	--	--	--	--	--	--	--
			1.2	14300	150.0	310.0	2400	202	470	4500	7960
APR 24, 72	1443	5	.3	8800	--	--	--	--	--	--	--
			1.2	12500	150.0	290.0	2100	238	610	3800	7130

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
				LINE 243 CONTINUED							
MAY 15, 72	1503	5	.3	270	33.0	4.3	16	113	8	22	154
			1.5	272	--	--	--	--	--	--	--
JUL 17, 72	1205	5	.3	542	26.0	15.0	69	112	46	94	324
			1.2	708	--	--	--	--	--	--	--
SEP 21, 72	1205	5	.3	2150	--	--	--	--	--	--	--
			.9	4790	--	--	--	--	--	--	--
DEC 12, 72	1250	5	.3	17100	180.0	430.0	2900	231	800	5300	9700
			1.2	23200	--	--	--	--	--	--	--
MAR 19, 73	1620	5	.3	10100	--	--	--	--	--	--	--
			1.2	10400	130.0	230.0	1900	236	490	3300	6240
MAY 15, 73	1430	5	.3	1850	--	--	--	--	--	--	--
			1.2	2150	--	--	--	--	--	--	--
AUG 02, 73	0955	5	.3	488	--	--	--	--	--	--	--
			.9	496	--	--	--	--	--	--	--
DEC 07, 71	0940	7	.3	927	--	--	--	--	--	--	--
			1.2	12200	--	--	--	--	--	--	--
MAR 14, 72	1400	7	.3	6490	--	--	--	--	--	--	--
			1.2	9220	120.0	200.0	1600	230	320	2800	5190
APR 24, 72	1406	7	.3	10800	--	--	--	--	--	--	--
			1.2	13400	--	--	--	--	--	--	--
MAY 15, 72	1400	7	.3	317	--	--	--	--	--	--	--
			1.5	1110	--	--	--	--	--	--	--
JUL 17, 72	1220	7	.3	771	--	--	--	--	--	--	--
			1.2	775	--	--	--	--	--	--	--
DEC 12, 72	1255	7	.3	25400	--	--	--	--	--	--	--
			.9	25400	--	--	--	--	--	--	--
MAR 19, 73	1605	7	.3	4990	--	--	--	--	--	--	--
			1.2	7400	--	--	--	--	--	--	--
AUG 02, 73	0945	7	.3	595	--	--	--	--	--	--	--
			.9	647	--	--	--	--	--	--	--
AUG 10, 73	1600	7	.3	622	--	--	--	--	--	--	--
			.9	622	--	--	--	--	--	--	--
				LINE 254							
DEC 07, 71	1325	2	.3	7340	--	--	--	--	--	--	--
			3.4	28400	--	--	--	--	--	--	--
MAR 14, 72	1455	2	.3	19600	--	--	--	--	--	--	--
			1.4	19500	--	--	--	--	--	--	--
APR 25, 72	0848	2	.3	23500	--	--	--	--	--	--	--
			1.5	25000	--	--	--	--	--	--	--
MAY 16, 72	0840	2	.3	1820	--	--	--	--	--	--	--
			1.8	11500	--	--	--	--	--	--	--
JUL 17, 72	1750	2	.3	8530	--	--	--	--	--	--	--
			1.5	9100	--	--	--	--	--	--	--
DEC 12, 72	0830	2	.3	29900	--	--	--	--	--	--	--
			.9	30300	--	--	--	--	--	--	--
MAR 19, 73	1045	2	.3	18900	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
				LINE 254 CONTINUED							
MAR 19, 73	1045	2	1.2	20300	--	--	--	--	--	--	--
AUG 02, 73	1110	2	.3	2610	--	--	--	--	--	--	--
			1.2	2570	--	--	--	--	--	--	--
AUG 10, 73	1625	2	.3	1630	--	--	--	--	--	--	--
			1.2	1620	--	--	--	--	--	--	--
				LINE 264							
SEP 21, 72	1255	2	.3	11700	120.0	300.0	2200	212	580	3800	7120
MAY 15, 73	1240	2	.3	8960	98.0	180.0	1500	168	410	2700	5010
AUG 02, 73	1130	2	.3	501	--	--	--	--	--	--	--
AUG 10, 73	1500	2	.3	1420	52.0	26.0	190	210	63	290	741
DEC 07, 71	1445	4	.3	9050	--	--	--	--	--	--	--
			1.2	11300	120.0	280.0	2000	184	520	3700	6800
MAR 14, 72	1535	4	.5	10700	120.0	280.0	1800	212	360	3400	5980
			1.2	10800	--	--	--	--	--	--	--
APR 25, 72	1013	4	.3	19100	180.0	440.0	3500	202	860	6200	11200
			1.8	19100	--	--	--	--	--	--	--
MAY 16, 72	0935	4	.3	641	40.0	10.0	69	124	24	110	336
			1.8	2510	--	--	--	--	--	--	--
JUL 17, 72	1415	4	.3	9290	--	--	--	--	--	--	--
			1.8	11800	--	--	--	--	--	--	--
SEP 21, 72	1325	4	.3	8960	100.0	280.0	1400	216	380	2800	5120
			1.8	13800	--	--	--	--	--	--	--
DEC 12, 72	1155	4	.3	25000	--	--	--	--	--	--	--
			.9	25000	--	--	--	--	--	--	--
MAR 19, 73	1505	4	.3	11000	--	--	--	--	--	--	--
			1.5	24700	220.0	600.0	5100	182	1300	8900	16200
MAY 15, 73	1210	4	.3	6280	83.0	130.0	1100	177	310	1900	3580
			1.5	6440	--	--	--	--	--	--	--
AUG 02, 73	1150	4	.3	561	67.0	14.0	29	219	46	42	321
			1.5	561	--	--	--	--	--	--	--
AUG 10, 73	1520	4	.3	571	61.0	16.0	34	226	31	51	317
			1.2	581	--	--	--	--	--	--	--
				LINE 274							
DEC 07, 71	1130	2	.3	11400	--	--	--	--	--	--	--
			1.2	17300	150.0	390.0	3100	164	780	5500	9970
MAR 14, 72	1240	2	.3	17000	180.0	410.0	3000	182	560	5600	9740
			.9	17100	--	--	--	--	--	--	--
APR 25, 72	1110	2	.3	22700	210.0	520.0	4300	186	1100	7700	13900
			1.1	23100	--	--	--	--	--	--	--
MAY 16, 72	1045	2	.3	1000	--	--	--	--	--	--	--
			1.2	7830	--	--	--	--	--	--	--
JUL 17, 72	1450	2	.3	9850	--	--	--	--	--	--	--
			1.2	10200	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
				LINE 274 CONTINUED							
DEC 12, 72	1115	2	.3	32300	--	--	--	--	--	--	--
			1.5	32600	--	--	--	--	--	--	--
MAR 19, 73	1425	2	.3	14700	--	--	--	--	--	--	--
			2.1	25400	220.0	610.0	5300	172	1300	9200	16700
DEC 07, 71	1040	5	.3	9390	--	--	--	--	--	--	--
			1.5	18200	--	--	--	--	--	--	--
MAR 14, 72	1155	5	.3	13000	140.0	330.0	2200	200	450	4100	7290
			1.4	13000	--	--	--	--	--	--	--
APR 25, 72	1145	5	.5	23500	--	--	--	--	--	--	--
			1.8	23300	--	--	--	--	--	--	--
MAY 16, 72	1000	5	.3	2110	--	--	--	--	--	--	--
			2.7	7280	--	--	--	--	--	--	--
JUL 17, 72	1525	5	.3	8990	--	--	--	--	--	--	--
			2.0	10700	--	--	--	--	--	--	--
DEC 12, 72	1045	5	.3	27100	--	--	--	--	--	--	--
			2.4	30100	--	--	--	--	--	--	--
MAR 19, 73	1340	5	.3	15700	--	--	--	--	--	--	--
			1.5	16100	--	--	--	--	--	--	--
				LINE 287							
AUG 02, 73	0930	1	.3	2670	--	--	--	--	--	--	--
			3.7	2410	--	--	--	--	--	--	--
MAR 14, 72	0955	3	.3	19300	--	--	--	--	--	--	--
			1.4	21000	200.0	460.0	3900	175	760	7100	12500
APR 25, 72	1608	3	.5	31600	260.0	690.0	5900	172	1200	11000	18800
			1.5	31700	--	--	--	--	--	--	--
MAY 16, 72	1237	3	.3	1630	42.0	32.0	250	114	62	440	904
			1.7	12500	--	--	--	--	--	--	--
JUL 17, 72	1655	3	.3	9900	110.0	210.0	1700	182	500	3000	5650
			1.4	10300	--	--	--	--	--	--	--
SEP 21, 72	1510	3	.3	15800	--	--	--	--	--	--	--
			1.2	15800	--	--	--	--	--	--	--
DEC 12, 72	0925	3	.3	38500	310.0	1000.0	6900	150	2000	13000	22900
			.9	38900	300.0	960.0	7300	149	2000	13000	23600
MAR 19, 73	1200	3	.3	28200	240.0	700.0	6000	166	1500	10000	19000
			1.2	27800	--	--	--	--	--	--	--
MAY 15, 73	1235	3	.3	18000	--	--	--	--	--	--	--
			1.2	29000	--	--	--	--	--	--	--
AUG 02, 73	1000	3	.3	2190	--	--	--	--	--	--	--
			1.2	2170	--	--	--	--	--	--	--
AUG 10, 73	1450	3	.3	1450	--	--	--	--	--	--	--
			1.2	1470	--	--	--	--	--	--	--
DEC 07, 71	0930	4	.3	17000	--	--	--	--	--	--	--
			1.8	16700	160.0	390.0	3100	167	800	5500	10000
DEC 07, 71	1010	8	.3	15300	--	--	--	--	--	--	--
			1.8	33200	--	--	--	--	--	--	--
MAR 14, 72	1115	8	.3	18400	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
					LINE 287 CONTINUED						
MAR 14, 72	1115	8	1.7	23400	--	--	--	--	--	--	--
APR 25, 72	1210	8	.5	24000	--	--	--	--	--	--	--
			2.4	23700	--	--	--	--	--	--	--
MAY 16, 72	1340	8	.3	8390	--	--	--	--	--	--	--
			1.7	10300	--	--	--	--	--	--	--
JUL 17, 72	1555	8	.3	10100	--	--	--	--	--	--	--
			1.7	14700	--	--	--	--	--	--	--
SEP 21, 72	1550	8	.3	16500	--	--	--	--	--	--	--
			1.7	18200	--	--	--	--	--	--	--
DEC 12, 72	1020	8	.3	28300	--	--	--	--	--	--	--
			1.8	28300	--	--	--	--	--	--	--
MAR 19, 73	1305	8	.3	35000	--	--	--	--	--	--	--
			2.4	36700	--	--	--	--	--	--	--
MAY 15, 73	1515	8	.3	4660	--	--	--	--	--	--	--
			1.5	5620	--	--	--	--	--	--	--
AUG 02, 73	1345	8	.3	4810	--	--	--	--	--	--	--
			1.5	17700	--	--	--	--	--	--	--
AUG 10, 73	1040	8	.3	9120	--	--	--	--	--	--	--
			1.5	18400	--	--	--	--	--	--	--
					LINE 291						
MAR 15, 72	1555	2	.3	28100	--	--	--	--	--	--	--
MAY 16, 72	1707	2	.5	16300	--	--	--	--	--	--	--
AUG 02, 73	1225	2	.3	10000	--	--	--	--	--	--	--
			1.8	14400	--	--	--	--	--	--	--
AUG 10, 73	1135	2	.3	3810	--	--	--	--	--	--	--
			1.8	12500	--	--	--	--	--	--	--
					LINE 294						
DEC 08, 71	1435	2	1.8	28200	--	--	--	--	--	--	--
MAR 15, 72	1530	2	.3	27200	--	--	--	--	--	--	--
APR 25, 72	1344	2	.5	29300	--	--	--	--	--	--	--
MAY 16, 72	1635	2	.3	15000	--	--	--	--	--	--	--
JUL 18, 72	1200	2	.3	18700	--	--	--	--	--	--	--
SEP 21, 72	1105	2	.3	20800	--	--	--	--	--	--	--
			2.1	21100	--	--	--	--	--	--	--
DEC 13, 72	1040	2	.3	33700	--	--	--	--	--	--	--
MAR 20, 73	1100	2	1.8	40300	--	--	--	--	--	--	--
MAY 15, 73	1440	2	.3	12100	--	--	--	--	--	--	--
			1.8	21700	--	--	--	--	--	--	--
AUG 02, 73	1250	2	.3	9190	--	--	--	--	--	--	--
			1.5	12000	--	--	--	--	--	--	--
AUG 10, 73	1110	2	.3	6080	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DISSOLVED SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
				LINE 294 CONTINUED							
AUG 10, 73	1110	2	1.5	9080	--	--	--	--	--	--	--
DEC 08, 71	1405	4	4.3	34000	--	--	--	--	--	--	--
				LINE 302							
MAR 15, 72	1615	2	.3	36900	--	--	--	--	--	--	--
APR 25, 72	1515	2	.5	34400	260.0	720.0	6000	174	1400	11000	19100
JUL 18, 72	1142	2	.3	15100	150.0	360.0	3000	176	710	5200	9530
DEC 13, 72	1155	2	.3	38300	300.0	960.0	6800	174	1600	13000	22300
MAR 20, 73	1230	2	1.8	37500	320.0	900.0	7800	168	1900	14000	24900
AUG 02, 73	1055	2	.3	6100	--	--	--	--	--	--	--
			1.5	6380	--	--	--	--	--	--	--
AUG 10, 73	1240	2	.3	1320	--	--	--	--	--	--	--
			1.5	8510	--	--	--	--	--	--	--
DEC 09, 71	0930	3	.5	30800	250.0	710.0	6000	145	1400	11000	19200
				LINE 307							
DEC 09, 71	1015	3	.5	34700	--	--	--	--	--	--	--
MAR 15, 72	1645	3	.3	35200	--	--	--	--	--	--	--
APR 25, 72	0935	3	.3	33000	--	--	--	--	--	--	--
MAY 16, 72	1000	3	.3	8080	--	--	--	--	--	--	--
JUL 18, 72	1220	3	.3	14300	--	--	--	--	--	--	--
SEP 21, 72	1235	3	.3	25900	--	--	--	--	--	--	--
			1.8	27100	--	--	--	--	--	--	--
DEC 13, 72	1225	3	.3	45700	--	--	--	--	--	--	--
MAR 20, 73	1300	3	1.5	39300	--	--	--	--	--	--	--
MAY 15, 73	1155	3	.3	33300	--	--	--	--	--	--	--
			1.8	33300	--	--	--	--	--	--	--
AUG 02, 73	1025	3	.3	3700	--	--	--	--	--	--	--
			1.8	9720	--	--	--	--	--	--	--
AUG 10, 73	1235	3	.3	4490	--	--	--	--	--	--	--
			1.8	6970	--	--	--	--	--	--	--
MAR 15, 72	1705	5	.3	35200	--	--	--	--	--	--	--
				LINE 311							
DEC 08, 71	1305	4	1.5	26900	220.0	650.0	5200	139	1300	9200	16700
MAR 15, 72	0945	4	.3	26900	--	--	--	--	--	--	--
MAY 16, 72	1450	4	.3	19800	--	--	--	--	--	--	--
JUL 18, 72	1430	4	.3	31900	--	--	--	--	--	--	--
DEC 13, 72	0915	4	.3	31700	--	--	--	--	--	--	--
MAR 20, 73	0925	4	1.2	38800	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
				LINE 311 CONTINUED							
NOV 05, 71	1020	5	.3	12500	--	--	--	--	--	--	--
NOV 08, 71	1400	5	.3	6830	--	--	--	--	--	--	--
NOV 09, 71	0700	5	.3	7000	--	--	--	--	--	--	--
NOV 09, 71	0900	5	.3	10600	--	--	--	--	--	--	--
NOV 09, 71	1800	5	.3	8850	--	--	--	--	--	--	--
NOV 09, 71	2400	5	.3	11000	--	--	--	--	--	--	--
NOV 10, 71	0730	5	.3	11300	100.0	270.0	1900	154	480	3500	6370
NOV 10, 71	1615	5	.3	11800	100.0	240.0	2100	154	510	3700	6770
NOV 11, 71	1415	5	1.5	10000	--	--	--	--	--	--	--
				LINE 314							
DEC 08, 71	1230	2	1.5	28700	--	--	--	--	--	--	--
MAR 15, 72	1025	2	.3	37800	300.0	920.0	7500	154	1300	14000	23800
MAY 16, 72	1545	2	.5	26500	220.0	690.0	5000	158	1300	9200	16500
JUL 18, 72	1505	2	.3	44600	350.0	1000.0	8700	140	2100	15400	27600
DEC 13, 72	0945	2	.3	34000	230.0	960.0	5900	185	1600	11000	19800
MAR 20, 73	0950	2	1.2	40300	320.0	1000.0	8400	144	2100	15000	26700
AUG 02, 73	1535	2	.3	28300	240.0	730.0	5000	152	60	10000	16400
			.9	28300	--	--	--	--	--	--	--
SEP 21, 72	1005	3	.3	38200	200.0	920.0	7400	170	1800	13000	23700
			1.2	38200	--	--	--	--	--	--	--
MAY 15, 73	1635	3	.3	15100	140.0	320.0	2800	157	740	4900	9040
AUG 10, 73	0905	3	.3	21700	190.0	520.0	3600	160	43	7500	12100
			1.2	28900	--	--	--	--	--	--	--
				LINE 317							
DEC 08, 71	1130	2	3.0	46700	--	--	--	--	--	--	--
MAR 15, 72	1055	2	.3	40000	--	--	--	--	--	--	--
MAY 16, 72	1530	2	.3	31600	--	--	--	--	--	--	--
				LINE 320							
DEC 08, 71	1330	2	5.2	25400	--	--	--	--	--	--	--
MAY 16, 72	1430	2	.3	18200	--	--	--	--	--	--	--
JUL 18, 72	1550	2	.3	49800	--	--	--	--	--	--	--
JUL 18, 72	1400	2	.3	2660	--	--	--	--	--	--	--
DEC 13, 72	0905	2	.3	27400	--	--	--	--	--	--	--
			4.3	27400	--	--	--	--	--	--	--
				LINE 333							
DEC 09, 71	1035	2	.5	36500	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
				LINE 333 CONTINUED							
MAR 15, 72	0940	2	2.4	43300	340.0	1000.0	8400	136	1500	15000	26800
APR 25, 72	1035	2	.3	40600	--	--	--	--	--	--	--
MAY 16, 72	1115	2	.3	23400	--	--	--	--	--	--	--
JUL 18, 72	1405	2	.3	22800	--	--	--	--	--	--	--
			2.4	23200	--	--	--	--	--	--	--
DEC 13, 72	1515	2	.3	46500	--	--	--	--	--	--	--
MAR 20, 73	1200	2	.5	40000	--	--	--	--	--	--	--
AUG 02, 73	1340	2	.3	3250	--	--	--	--	--	--	--
			1.8	6890	--	--	--	--	--	--	--
AUG 10, 73	1210	2	.3	6120	--	--	--	--	--	--	--
			2.1	26900	--	--	--	--	--	--	--
				LINE 354							
DEC 08, 71	1110	4	.3	43100	--	--	--	--	--	--	--
MAR 15, 72	1140	4	2.1	44600	--	--	--	--	--	--	--
APR 25, 72	1200	4	.3	45300	--	--	--	--	--	--	--
MAY 16, 72	1255	4	.3	40900	--	--	--	--	--	--	--
JUL 18, 72	1521	4	.3	40400	--	--	--	--	--	--	--
SEP 21, 72	1415	4	.3	47300	360.0	1100.0	9500	162	2200	17000	30100
			2.4	51500	--	--	--	--	--	--	--
DEC 13, 72	1355	4	.3	46600	--	--	--	--	--	--	--
MAR 20, 73	0950	4	.5	41000	--	--	--	--	--	--	--
MAY 15, 73	1000	4	.3	36700	--	--	--	--	--	--	--
			1.8	36900	280.0	840.0	7300	122	2000	13000	23200
AUG 02, 73	1510	4	.3	6140	82.0	120.0	1000	193	26	2000	3400
			1.8	17000	--	--	--	--	--	--	--
AUG 10, 73	1025	4	.3	14100	140.0	320.0	2400	180	65	4800	7840
			1.8	35700	--	--	--	--	--	--	--
				LINE 360							
MAR 15, 72	1210	3	7.3	42200	--	--	--	--	--	--	--
APR 25, 72	1330	3	.3	43800	--	--	--	--	--	--	--
MAY 16, 72	1410	3	.3	36700	--	--	--	--	--	--	--
JUL 18, 72	1555	3	.3	50500	--	--	--	--	--	--	--
DEC 13, 72	1325	3	.3	44200	--	--	--	--	--	--	--
MAR 20, 73	0915	3	.3	39600	--	--	--	--	--	--	--
				LINE 601							
MAY 22, 72	1150	2	.5	692	48.0	12.0	77	182	24	110	377
				LINE 605							
MAY 15, 72	1430	2	.7	2230	54.0	46.0	360	186	76	620	1250
MAY 22, 72	1220	2	.5	873	--	--	--	--	--	--	--

TABLE 60--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ALUMI-NUM (AL) (UG/L)	DIS-SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS-SOLVED CAD-MIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
						LINE 145				
SEP 20, 72	1605	2	.3	--	0	--	--	0	--	--
						LINE 200				
SEP 20, 72	1728	2	.3	--	0	--	--	0	--	--
			.9	--	--	--	2	--	--	0
						LINE 214				
MAR 16, 72	0805	2	.3	0	0	0	--	0	0	--
			.9	--	--	--	2	--	--	1
						LINE 236				
MAR 16, 72	0925	2	.3	0	0	0	--	0	0	--
			.9	--	--	--	2	--	--	0
						LINE 264				
SEP 21, 72	1255	2	.3	--	0	--	--	0	--	--
			1.2	--	--	--	2	--	--	0
						LINE 274				
MAR 15, 72	1720	2	.3	0	0	0	--	0	0	--
			.9	--	--	--	2	--	--	1
						LINE 287				
MAR 13, 72	1335	7	.3	490	0	0	--	0	0	--
			1.5	--	--	--	3	--	--	2
SEP 21, 72	1550	8	.3	--	0	--	--	0	--	--
			1.7	--	--	--	2	--	--	0
						LINE 314				
SEP 21, 72	1005	3	.3	--	0	--	--	0	--	--
			1.2	--	--	--	1	--	--	0
						LINE 354				
SEP 21, 72	1415	4	.3	--	0	--	--	0	--	--

TABLE 6D--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CHRO-MIUM (CR) (UG/L)	TOTAL CHRO-MIUM (CR) (UG/L)	DIS-SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS-SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
						LINE 145					
SEP 20, 72	1605	2	.3	0	--	--	--	--	5	--	--
						LINE 200					
SEP 20, 72	1728	2	.3	0	--	--	--	--	5	--	--
			.9	--	--	--	--	2	--	--	6
						LINE 214					
MAR 16, 72	0805	2	.3	0	1	0	0	--	4	4	--
			.9	--	--	--	--	16	--	--	3
						LINE 236					
MAR 16, 72	0925	2	.3	1	1	0	1	--	4	7	--
			.9	--	--	--	--	18	--	--	3
						LINE 264					
SEP 21, 72	1255	2	.3	0	--	--	--	--	6	--	--
			1.2	--	--	--	--	3	--	4	--
						LINE 274					
MAR 15, 72	1720	2	.3	0	--	0	0	--	12	62	--
			.9	--	--	--	--	19	--	--	4
						LINE 287					
MAR 13, 72	1335	7	.3	0	--	0	0	--	4	4	--
			1.5	--	--	--	--	33	--	--	4
SEP 21, 72	1550	8	.3	0	--	--	--	--	6	--	--
			1.7	--	--	--	--	2	--	--	4
						LINE 314					
SEP 21, 72	1005	3	.3	0	--	--	--	--	5	--	--
			1.2	--	--	--	--	3	--	--	4
						LINE 354					
SEP 21, 72	1415	4	.3	0	--	--	--	--	5	--	--

TABLE 60--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CYANIDE (CN) (MG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS-SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS-SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
						LINE 145					
SEP 20, 72	1605	2	.3	--	--	0	--	--	0	--	--
						LINE 200					
SEP 20, 72	1728	2	.3	--	--	0	--	--	0	--	--
			.9	--	--	--	--	16000	--	--	2
						LINE 214					
MAR 16, 72	0805	2	.3	--	--	0	910	--	0	4	--
			.9	--	--	--	--	8900	--	--	12
						LINE 236					
MAR 16, 72	0925	2	.3	--	--	0	1700	--	0	6	--
			.9	--	--	--	--	6700	--	--	9
						LINE 264					
SEP 21, 72	1255	2	.3	--	--	0	--	--	0	--	--
			1.2	--	--	--	--	8200	--	--	4
						LINE 274					
MAR 15, 72	1720	2	.3	--	--	210	2900	--	5	5	--
			.9	--	--	--	--	13000	--	--	14
						LINE 287					
MAR 13, 72	1335	7	.3	--	--	410	1700	--	4	4	--
			1.5	--	--	--	--	13000	--	--	18
SEP 21, 72	1550	8	.3	--	--	0	--	--	0	--	--
			1.7	--	--	--	--	16000	--	--	2
						LINE 314					
SEP 21, 72	1005	3	.3	--	--	0	--	--	0	--	--
			1.2	--	--	--	--	11000	--	--	3
						LINE 354					
SEP 21, 72	1415	4	.3	--	--	0	--	--	0	--	--

TABLE 60--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED LITH-IUM (LI) (UG/L)	DIS-SOLVED MAN-GANESE (MN) (UG/L)	TOTAL MAN-GANESE (MN) (UG/L)	BOTTOM DEPOSIT MAN-GANESE (MN) (UG/GM)	DIS-SOLVED MER-CURY (HG) (UG/L)	TOTAL MER-CURY (HG) (UG/L)	BOTTOM DEPOSIT MER-CURY (HG) (UG/GM)	DIS-SOLVED NICKLE (NI) (UG/L)	DIS-SOLVED STRON-TIUM (SR) (UG/L)
						LINE 145						
SEP 20, 72	1605	2	.3	10	0	--	--	--	--	--	--	700
						LINE 200						
SEP 20, 72	1728	2	.3	10	0	--	--	--	--	--	--	680
			.9	--	--	--	290	--	--	.0	--	--
						LINE 214						
MAR 16, 72	0805	2	.3	20	0	0	-- <	.2	.0	--	0	650
			.9	--	--	--	200	--	--	.0	--	--
						LINE 236						
MAR 16, 72	0925	2	.3	30	0	0	-- <	.2	.0	--	0	1000
			.9	--	--	--	140	--	--	.0	--	--
						LINE 264						
SEP 21, 72	1255	2	.3	40	0	--	--	--	--	--	--	1800
			1.2	--	--	--	180	--	--	.0	--	--
						LINE 274						
MAR 15, 72	1720	2	.3	70	0	60	-- <	.2	.0	--	0	2700
			.9	--	--	--	150	--	--	.1	--	--
						LINE 287						
MAR 13, 72	1335	7	.3	50	0	0	-- <	.2	.0	--	8	1800
			1.5	--	--	--	190	--	--	.0	--	--
SEP 21, 72	1550	8	.3	50	0	--	--	--	--	--	--	2200
			1.7	--	--	--	260	--	--	.0	--	--
						LINE 314						
SEP 21, 72	1005	3	.3	110	0	--	--	--	--	--	--	4500
			1.2	--	--	--	210	--	--	.0	--	--
						LINE 354						
SEP 21, 72	1415	4	.3	130	50	--	--	--	--	--	--	5200

TABLE 6D--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GM)
						LINE 145
SEP 20, 72	1605	2	.3	--	2	--
						LINE 200
SEP 20, 72	1728	2	.3	0	--	--
			.9	--	--	51
						LINE 214
MAR 16, 72	0805	2	.3	60	60	--
			.9	--	--	27
						LINE 236
MAR 16, 72	0925	2	.3	80	100	--
			.9	--	--	19
						LINE 264
SEP 21, 72	1255	2	.3	5	--	--
			1.2	--	--	29
						LINE 274
MAR 15, 72	1720	2	.3	140	160	--
			.9	--	--	34
						LINE 287
MAR 13, 72	1335	7	.3	160	160	--
			1.5	--	--	42
SEP 21, 72	1550	8	.3	2	--	--
			1.7	--	--	47
						LINE 314
SEP 21, 72	1005	3	.3	5	--	--
			1.2	--	--	32
						LINE 354
SEP 21, 72	1415	4	.3	6	--	--

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLORDANE (UG/L)	BOTTOM DEPOSIT CHLORDANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
						LINE 145					
SEP 20, 72	1605	2	.3	.00	--	.0	--	.00	--	.00	--
						LINE 200					
SEP 20, 72	1728	2	.3	.00	--	.0	--	.00	--	.00	--
						LINE 214					
MAR 16, 72	0805	2	.3	.00	--	.0	--	.00	--	.00	--
			.9	--	< .2	--	2.3	--	1.3	--	1.8
						LINE 236					
MAR 16, 72	0925	2	.3	.00	--	.0	--	.00	--	.00	--
			.9	--	< .2	-- <	1.0	-- <	.2	--	.4
						LINE 243					
SEP 21, 72	1205	5	.9	--	< .2	-- <	1.0	-- <	.2	--	1.1
						LINE 264					
SEP 21, 72	1255	2	.3	.00	--	.0	--	.00	--	.00	--
			1.2	--	< .2	-- <	1.0	--	1.0	--	.7
						LINE 274					
MAR 15, 72	1720	2	.3	.00	--	.0	--	.00	--	.00	--
			.9	--	< .2	-- <	1.0	--	1.8	-- <	.2
						LINE 287					
MAR 13, 72	1335	7	.3	.00	--	.0	--	.00	--	.00	--
			1.5	--	< .2	-- <	1.0	-- <	.2	-- <	.2
SEP 21, 72	1550	8	.3	.00	--	.0	--	.00	--	.00	--
			1.7	--	< .2	-- <	1.0	-- <	.2	-- <	.2

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DDT (UG/KG)	TOTAL DIEL-DRIN (UG/L)	BOTTOM DEPOSIT DIEL-DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA-CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR (UG/KG)
						LINE 145					
SEP 20, 72	1605	2	.3	.00	--	.01	--	.00	--	.00	--
						LINE 200					
SEP 20, 72	1728	2	.3	.00	--	.00	--	.00	--	.00	--
						LINE 214					
MAR 16, 72	0805	2	.3	.00	--	.00	--	.00	--	.00	--
			.9	--	2.1	-- < .2	--	-- < .2	--	-- < .2	--
						LINE 236					
MAR 16, 72	0925	2	.3	.00	--	.00	--	.00	--	.00	--
			.9	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--
						LINE 243					
SEP 21, 72	1205	5	.9	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--
						LINE 264					
SEP 21, 72	1255	2	.3	.00	--	.00	--	.00	--	.00	--
			1.2	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--
						LINE 274					
MAR 15, 72	1720	2	.3	.00	--	.00	--	.00	--	.00	--
			.9	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--
						LINE 287					
MAR 13, 72	1335	7	.3	.00	--	.00	--	.00	--	.00	--
			1.5	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--
SEP 21, 72	1550	8	.3	.00	--	.00	--	.00	--	.00	--
			1.7	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL HEPTA-CHLOR EPOXIDE (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR EPOXIDE (UG/KG)	TOTAL LINDANE (UG/L)	BOTTOM DEPOSIT LINDANE (UG/KG)	TOTAL PARA-THION (UG/L)	TOTAL METHYL PARA-THION (UG/L)	TOTAL MALA-THION (UG/L)	TOTAL DIAZ-INON (UG/L)
						LINE 145					
SEP 20, 72	1605	2	.3	.00	--	.00	--	.00	.00	.00	.02
						LINE 200					
SEP 20, 72	1728	2	.3	.00	--	.00	--	.00	.00	.00	.00
						LINE 214					
MAR 16, 72	0805	2	.3	.00	--	.00	--	.00	.00	.00	.02
			.9	-- <	.2	-- <	.2	--	--	--	--
						LINE 236					
MAR 16, 72	0925	2	.3	.00	--	.00	--	.00	.00	.00	.02
			.9	-- <	.2	-- <	.2	--	--	--	--
						LINE 243					
SEP 21, 72	1205	5	.9	-- <	.2	-- <	.2	--	--	--	--
						LINE 264					
SEP 21, 72	1255	2	.3	.00	--	.00	--	.00	.00	.00	.01
			1.2	-- <	.2	-- <	.2	--	--	--	--
						LINE 274					
MAR 15, 72	1720	2	.3	.00	--	.00	--	.00	.00	.00	.01
			.9	-- <	.2	-- <	.2	--	--	--	--
						LINE 287					
MAR 13, 72	1335	7	.3	.00	--	.00	--	.00	.00	.00	.01
			1.5	-- <	.2	-- <	.2	--	--	--	--
SEP 21, 72	1550	8	.3	.00	--	.00	--	.00	.00	.00	.00
			1.7	-- <	.2	-- <	.2	--	--	--	--

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL PCB (UG/L)	BOTTOM DEPOSIT PCB (UG/KG)	TOTAL 2,4-D (UG/L)	BOTTOM DEPOSIT 2,4-D (UG/KG)	TOTAL 2,4,5-T (UG/L)	BOTTOM DEPOSIT 2,4,5-T (UG/KG)	TOTAL SILVEX (UG/L)	BOTTOM DEPOSIT SILVEX (UG/KG)
						LINE 145					
SEP 20, 72	1605	2	.3	< .1	--	.00	--	.00	--	.00	--
						LINE 200					
SEP 20, 72	1728	2	.3	< .1	--	.00	--	.00	--	.00	--
						LINE 214					
MAR 16, 72	0805	2	.3	--	--	.00	--	.00	--	.00	--
			.9	--	--	-- <	.9	-- <	.3	-- <	.3
						LINE 236					
MAR 16, 72	0925	2	.3	--	--	.00	--	.00	--	.00	--
			.9	< 10.0	--	-- <	1.8	-- <	.7	-- <	.7
						LINE 243					
SEP 21, 72	1205	5	.3	--	--	.50	--	.00	--	.00	--
						LINE 264					
SEP 21, 72	1255	2	.3	< .1	--	.00	--	.00	--	.00	--
						LINE 274					
MAR 15, 72	1720	2	.3	--	--	.00	--	.00	--	.00	--
			.9	--	--	-- <	1.8	-- <	.7	-- <	.7
						LINE 287					
MAR 13, 72	1335	7	.3	--	--	.03	--	.00	--	.00	--
			1.5	--	--	-- <	3.4	-- <	1.1	-- <	1.2
SEP 21, 72	1550	8	.3	< .1	--	.00	--	.00	--	.00	--
						LINE 314					
SEP 21, 72	1005	3	.3	< .1	--	.00	--	.00	--	.00	--
			1.2	--	--	-- <	1.2	-- <	.4	-- <	.4
						LINE 354					
SEP 21, 72	1415	4	.3	< .1	--	.00	--	.00	--	.00	--
			2.4	--	--	-- <	.9	-- <	.3	-- <	.3

Mission-Aransas Estuary

The Mission-Aransas estuary covers an area of about 160 square miles (410 square kilometers) and consists of the tidal parts of Mission River, Aransas River, Copano Creek and other tributaries, Mission Bay, Copano Bay, Aransas Bay, St. Charles Bay, Carlos Bay, part of Redfish Bay, parts of the Intracoastal Waterway, Lydia Ann Channel, and Aransas Pass (Figure 8). Water depth at mlw is less than 2 feet (0.6 meter) in Mission Bay, less than 8 feet (2.4 meters) in Copano Bay, less than 13 feet (4.0 meters) in Aransas Bay, less than 5 feet (1.5 meters) in St. Charles Bay, 4 feet (1.2 meters) or less in Carlos and Redfish Bays, about 15 feet



Figure 8.—Data-Collection Sites in the Mission-Aransas Estuary

(4.6 meters) in the Intracoastal Waterway, about 20 feet (6.1 meters) in the Lydia Ann Channel, and more than 40 feet (12.2 meters) in Aransas Pass.

Water-quality data (Table 7) were collected during January, March, May, June, July, September, and November 1972, and February, April, and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 7 and on Figure 8.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Mission-Aransas Estuary
Change in Line Numbers

OLD	NEW	OLD	NEW
1	15	Carlos Bay	115
4	44	12	120
5	54	13	133
6	65	14	141
7	77	14-site 4	172-site 10
8	89	15	170
9	96	16	165
10	100		
New line	104		
11	110		

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 15					
NOV 05, 71	0825	2	.6	5900	25.0	8.2	7.1	89	--	--
			1.7	5800	23.5	8.1	7.7	89	--	--
NOV 11, 71	1105	2	.6	7000	24.0	8.5	7.8	92	--	--
			1.5	8600	24.0	8.4	7.8	92	--	--
MAR 30, 72	1450	2	.3	18000	18.8	8.1	6.3	93	--	13
			1.2	18000	18.6	8.1	9.7	109	--	--
MAY 30, 72	1545	2	.3	6000	28.6	8.4	7.7	103	--	46
			1.2	6000	28.8	8.4	7.3	95	--	--
JUL 24, 72	1610	2	.3	13000	30.5	8.5	11.7	162	--	66
			1.2	13000	30.4	8.6	13.3	162	--	--
SEP 18, 72	1603	2	.3	19000	30.1	8.2	8.1	112	--	48
			1.5	19000	30.1	8.2	8.3	115	--	--
NOV 15, 72	1135	2	.3	17000	15.8	8.1	7.3	78	--	71
			1.5	17000	15.8	8.2	7.3	78	--	--
FEB 20, 73	1600	2	.3	30000	12.7	8.0	9.4	99	--	163
			1.5	27000	12.5	8.1	11.2	117	--	--
APR 19, 73	1240	2	.3	28000	22.1	--	7.8	98	--	67
			1.5	28000	22.1	--	7.4	92	--	--
MAY 16, 73	1240	2	.3	26000	22.3	8.5	9.1	112	--	96
			1.2	26000	22.2	8.5	9.1	112	--	--
					LINE 44					
NOV 11, 71	0945	1	.9	4900	20.0	8.6	8.8	96	--	--
MAR 30, 72	1635	1	.3	18000	19.1	8.0	8.6	97	--	13
			1.5	18000	18.9	8.0	9.6	108	--	--
MAY 30, 72	1230	1	.3	3400	28.9	8.3	7.7	99	--	43
			1.2	3400	28.1	8.2	7.3	94	--	--
			2.1	3400	28.1	8.2	6.9	88	--	--
JUL 24, 72	1340	1	.3	9400	29.6	8.6	11.4	152	--	55
			1.5	9500	29.5	8.6	11.4	152	--	--
			2.7	9800	29.2	8.4	9.5	125	--	--
SEP 18, 72	1425	1	.3	14000	30.1	8.4	7.8	107	--	56
			2.1	14000	30.2	8.4	6.4	115	--	--
NOV 15, 72	0940	1	.3	17000	14.5	8.0	7.8	80	--	23
			2.1	17000	14.3	8.0	7.8	80	--	--
FEB 20, 73	1350	1	.3	22000	12.5	8.0	10.7	106	--	145
			1.5	23000	12.2	8.0	10.6	106	--	--
			2.1	22000	12.4	8.0	11.0	111	--	--
APR 19, 73	1025	1	.3	25000	21.6	--	8.5	105	--	72
			1.5	25000	21.7	--	8.6	106	--	--
MAY 16, 73	1035	1	.3	28000	21.1	8.4	7.9	98	--	74
			1.2	24000	20.9	8.5	8.1	98	--	--
NOV 05, 71	1030	2	.6	3700	24.0	8.2	8.1	95	--	--
			1.8	3700	23.5	8.2	8.2	95	--	--
			.6	4500	24.0	8.4	7.9	93	--	--
			1.5	4500	24.0	8.4	7.9	93	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 44 CONTINUED					
NOV 05, 71	1030	2	2.6	9500	24.0	8.4	8.0	94	--	--
NOV 11, 71	0925	2	.6	9700	20.0	8.0	8.3	90	--	--
			1.5	9800	20.0	8.1	8.4	91	--	--
MAR 30, 72	1620	2	.3	18000	15.4	8.2	8.1	85	--	13
			1.8	18000	15.8	8.2	9.8	104	--	--
MAY 30, 72	1130	2	.3	2200	28.4	8.6	6.8	87	--	30
			.9	2200	28.2	8.6	6.0	77	--	--
JUL 24, 72	1305	2	.3	11000	30.1	8.7	8.5	115	--	48
			1.2	21000	30.0	8.4	6.6	93	--	--
SEP 18, 72	1335	2	.3	15000	30.1	8.5	8.3	114	--	30
			.9	15000	30.2	8.5	8.4	115	--	--
NOV 15, 72	0915	2	.3	17000	12.5	8.3	9.0	89	--	20
			.9	17000	12.5	8.3	9.0	89	--	--
FEB 20, 73	1330	2	.3	25000	14.3	8.1	11.3	119	--	46
			.9	25000	14.6	8.1	10.8	115	--	--
APR 19, 73	1045	2	.3	25000	22.0	--	8.5	105	--	33
			1.2	25000	22.0	--	8.4	104	--	--
MAY 16, 73	1055	2	.3	28000	21.1	8.6	7.8	96	--	46
			.9	28000	20.5	8.6	7.3	89	--	--
					LINE 54					
NOV 05, 71	1000	1	.6	3600	24.0	8.2	8.0	94	--	--
			1.8	3600	24.0	8.1	8.2	96	--	--
NOV 11, 71	0955	1	.6	6800	20.5	8.5	8.6	94	--	--
			1.5	6800	20.0	8.5	8.6	93	--	--
			2.4	6800	20.0	8.5	8.3	90	--	--
MAR 30, 72	1525	1	.3	20000	19.2	8.0	7.6	86	--	10
			1.8	22000	19.1	8.0	9.4	108	--	--
MAY 30, 72	1300	1	.3	3700	28.8	8.2	7.6	99	--	43
			2.1	4000	28.8	8.0	6.3	82	--	--
JUL 24, 72	1415	1	.3	9000	30.0	8.6	11.9	161	--	56
			1.2	9000	29.9	8.6	11.5	155	--	--
			2.4	9500	29.2	8.2	6.2	82	--	--
SEP 18, 72	1440	1	.3	16000	30.0	8.2	8.2	112	--	74
			2.1	21000	30.0	7.6	3.1	44	--	--
NOV 15, 72	1005	1	.3	20000	14.9	8.0	7.8	82	--	28
			1.8	20000	15.2	8.0	7.7	81	--	--
FEB 20, 73	1410	1	.3	26000	12.4	8.0	10.6	108	--	124
			1.5	26000	12.1	8.0	10.6	107	--	--
			2.1	27000	12.3	8.0	10.7	110	--	--
APR 19, 73	1110	1	.3	28000	21.7	--	8.8	110	--	75
			1.5	28000	21.6	--	8.8	110	--	--
			2.1	28000	21.7	--	8.9	111	--	--
MAY 16, 73	1120	1	.3	25000	22.6	8.5	8.9	111	--	61
			1.5	25000	21.5	8.5	8.5	104	--	--
			2.1	25000	21.5	8.6	7.9	96	--	--
NOV 05, 71	0950	2	.6	9000	24.0	8.1	8.0	94	--	--
			1.5	9000	24.0	8.1	8.0	94	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 54 CONTINUED					
NOV 05, 71	0950	2	2.4	4000	24.0	8.1	8.2	96	--	--
NOV 11, 71	1015	2	.6	4700	21.5	8.5	8.3	93	--	--
			1.5	4700	21.5	8.5	8.3	93	--	--
			2.4	4700	21.0	8.5	8.5	94	--	--
MAR 30, 72	1540	2	.3	17000	19.3	8.1	8.1	92	--	15
			2.1	18000	19.1	8.1	9.4	106	--	--
MAY 30, 72	1330	2	.3	3700	29.6	8.3	7.9	104	--	46
			2.1	4000	29.2	8.2	7.3	95	--	--
JUL 24, 72	1435	2	.3	8900	29.8	8.7	11.5	155	--	48
			2.1	8900	29.8	8.7	12.3	166	--	--
SEP 18, 72	1715	2	.3	17000	30.0	8.2	8.0	111	--	86
			2.1	19000	30.0	8.2	7.9	110	--	--
NOV 15, 72	1025	2	.3	17000	15.0	8.1	7.8	81	--	30
			1.8	17000	14.7	8.2	7.7	79	--	--
FEB 20, 73	1427	2	.5	25000	12.2	8.0	10.9	110	--	119
			1.5	25000	12.0	8.0	11.2	113	--	--
			2.1	27000	11.7	8.1	11.5	119	--	--
APR 19, 73	1120	2	.3	28000	21.7	--	8.1	101	--	36
			1.5	28000	21.6	--	8.0	100	--	--
			2.1	28000	21.6	--	8.2	102	--	--
MAY 16, 73	1135	2	.3	27000	22.6	8.4	8.6	109	--	74
			1.5	27000	21.7	8.5	8.7	109	--	--
			2.1	27000	21.8	8.5	8.8	110	--	--
NOV 05, 71	0920	3	.3	4700	24.0	8.1	8.2	96	--	--
			1.5	4700	24.0	8.1	8.0	94	--	--
			2.4	4800	23.5	8.1	7.7	89	--	--
NOV 11, 71	1025	3	.6	4100	22.5	8.6	8.3	94	--	--
			1.8	4100	22.5	8.6	7.9	90	--	--
MAR 30, 72	1545	3	.3	16000	18.8	8.1	7.2	81	--	13
			1.5	16000	18.9	8.1	9.0	101	--	--
MAY 30, 72	1400	3	.3	2900	30.2	8.2	7.7	103	--	38
			1.8	3100	29.3	8.1	7.8	103	--	--
JUL 24, 72	1445	3	.3	9900	30.0	8.6	12.4	168	--	43
			1.5	9900	30.0	8.6	13.0	176	--	--
SEP 18, 72	1725	3	.3	16000	30.2	8.2	7.8	107	--	56
			.9	16000	30.1	8.2	8.1	111	--	--
NOV 15, 72	1030	3	.3	17000	15.2	8.2	7.7	80	--	38
			1.5	17000	15.1	8.2	7.5	78	--	--
FEB 20, 73	1450	3	.3	25000	12.2	8.0	10.8	109	--	109
			1.5	25000	12.2	8.0	10.3	104	--	--
APR 19, 73	1135	3	.3	26000	22.1	--	8.1	100	--	28
			1.5	26000	22.0	--	8.2	101	--	--
MAY 16, 73	1150	3	.3	25000	22.2	8.4	9.4	116	--	--
			.9	26000	21.2	8.4	9.1	111	--	--
					LINE 65					
NOV 05, 71	1130	1	.6	6500	24.5	8.2	8.3	98	--	--
			1.5	6500	24.0	8.2	8.3	98	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 65 CONTINUED						
NOV 05, 71	1130	1	2.1	6500	24.0	8.2	6.4	99	--	--
NOV 11, 71	1200	1	.6	7000	22.0	8.7	8.6	98	--	--
			1.8	7400	22.0	8.7	8.8	100	--	--
MAR 30, 72	1415	1	.3	--	19.3	8.1	--	--	--	20
			1.8	25000	19.4	8.1	8.7	102	--	--
MAY 30, 72	1445	1	.3	5300	29.6	8.2	7.8	104	--	56
			2.1	5100	29.4	8.1	6.8	91	--	--
JUL 24, 72	1525	1	.3	10000	30.0	8.6	11.7	158	--	61
			.9	10000	30.0	8.6	12.2	165	--	--
			1.5	10000	30.0	8.6	12.2	165	--	--
			1.8	11000	29.9	8.6	11.8	159	--	--
			2.1	17000	29.6	7.9	5.6	78	--	--
SEP 18, 72	1515	1	.3	18000	30.0	8.1	8.0	111	--	61
			2.1	17000	30.0	8.1	8.2	114	--	--
NOV 15, 72	1050	1	.3	19000	15.5	8.0	7.5	79	--	41
			1.5	19000	15.3	8.0	7.5	79	--	--
FEB 20, 73	1515	1	.3	31000	12.2	8.0	9.9	103	--	140
			1.8	31000	12.2	8.0	10.3	107	--	--
APR 19, 73	1200	1	.3	30000	21.7	--	8.1	103	--	104
			1.8	28000	21.7	--	8.1	101	--	--
MAY 16, 73	1210	1	.3	25000	22.9	8.4	9.0	112	--	81
			1.8	25000	21.7	8.5	8.8	109	--	--
NOV 05, 71	0745	2	.6	7100	22.0	6.7	7.9	90	--	--
			1.5	8400	22.0	6.7	7.9	90	--	--
			2.4	9500	22.0	6.6	8.2	93	--	--
NOV 05, 71	1140	2	.6	7400	24.5	8.2	8.5	101	--	--
			1.5	7400	24.0	8.2	8.4	99	--	--
			2.1	8800	24.0	8.2	7.9	93	--	--
NOV 11, 71	1145	2	.6	6300	22.0	8.7	8.9	101	--	--
			1.5	6300	22.0	8.7	8.9	101	--	--
			2.4	6500	22.0	8.7	8.9	101	--	--
MAR 30, 72	1420	2	.3	24000	19.8	8.1	8.5	100	--	18
			2.1	24000	19.6	8.1	9.5	110	--	--
MAY 30, 72	1500	2	.3	5600	29.5	8.3	7.8	104	--	66
			1.8	4400	29.4	8.0	6.3	63	--	--
JUL 24, 72	1540	2	.3	14000	30.0	8.6	11.6	159	--	81
			1.8	15000	30.0	8.6	11.5	158	--	--
SEP 18, 72	1525	2	.3	19000	30.0	8.1	8.1	112	--	81
			1.5	19000	29.8	8.1	7.7	107	--	--
NOV 15, 72	1105	2	.3	17000	15.5	8.0	7.5	79	--	41
			1.2	17000	15.4	8.0	7.5	79	--	--
FEB 20, 73	1523	2	.3	25000	12.3	8.0	10.1	103	--	142
			1.5	25000	12.3	8.0	10.3	105	--	--
APR 19, 73	1206	2	.3	33000	21.7	--	7.9	101	--	76
			1.5	33000	21.7	--	7.8	100	--	--
			2.1	33000	21.7	--	6.0	103	--	--
MAY 16, 73	1215	2	.3	25000	22.6	8.5	9.3	116	--	89
			1.5	25000	22.0	8.5	9.3	115	--	--
NOV 05, 71	0755	3	.6	6400	23.0	7.1	8.1	93	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT-ANCE (MICRO-MHOS) (FIELD)	TEMPER-ATURE (DEG. C)	PH	DIS-SOLVED OXYGEN (MG/L)	PERCENT SATUR-ATION	TUR-BIDITY (JTU)	TRANS-PARENCY SECCHI DISK (CM)
					LINE 65 CONTINUED					
NOV 05, 71	0755	3	1.5	6500	23.0	7.0	6.0	92	--	--
			2.4	6500	22.5	6.9	6.0	91	--	--
NOV 11, 71	1135	3	.6	5500	22.5	6.7	6.8	100	--	--
			1.5	5500	22.5	6.7	6.8	100	--	--
			2.4	6000	22.5	6.7	6.7	99	--	--
MAR 30, 72	1430	3	.3	21000	19.5	8.1	7.8	90	--	18
			2.1	21000	19.1	8.1	8.9	101	--	--
MAY 30, 72	1515	3	.3	4400	29.7	8.2	7.9	104	--	56
			2.1	4500	29.4	8.2	6.9	91	--	--
JUL 24, 72	1545	3	.3	13000	29.9	8.6	11.8	162	--	74
			2.1	13000	29.8	8.6	13.2	181	--	--
SEP 18, 72	1655	3	.3	20000	30.0	8.2	8.1	114	--	91
			1.8	20000	30.0	8.2	8.4	118	--	--
NOV 15, 72	1115	3	.3	17000	15.7	8.1	7.5	79	--	46
			1.8	17000	15.6	8.1	7.4	78	--	--
FEB 20, 73	1532	3	.3	24000	12.3	8.0	9.9	100	--	124
			1.5	22000	12.2	8.0	10.0	99	--	--
			2.1	22000	12.2	8.1	10.8	107	--	--
APR 19, 73	1215	3	.3	33000	21.8	--	7.7	99	--	112
			1.5	33000	21.8	--	7.8	100	--	--
			2.1	33000	21.8	--	7.9	101	--	--
MAY 16, 73	1225	3	.3	21000	22.7	8.4	8.8	109	--	79
			1.8	26000	21.7	8.5	8.7	107	--	--
NOV 05, 71	0805	4	.6	4600	24.0	7.4	6.0	93	--	--
			1.5	4600	23.5	7.3	6.0	93	--	--
			2.3	4800	23.5	7.3	6.0	93	--	--
NOV 11, 71	1120	4	.6	4000	23.5	8.6	8.4	98	--	--
			2.0	5100	23.5	8.5	8.5	99	--	--
MAR 30, 72	1440	4	.3	18000	19.1	8.1	8.2	92	--	15
			1.8	21000	18.8	8.1	9.7	110	--	--
MAY 30, 72	1530	4	.3	4400	30.2	8.3	7.8	104	--	51
			1.2	4500	30.1	8.2	6.9	92	--	--
JUL 24, 72	1555	4	.3	11000	30.2	8.6	12.0	162	--	69
			1.5	11000	30.0	8.6	12.6	170	--	--
SEP 18, 72	1640	4	.3	21000	30.2	8.4	10.4	146	--	76
			1.8	21000	30.1	8.3	10.1	142	--	--
NOV 15, 72	1120	4	.3	17000	15.7	8.2	7.4	78	--	53
			1.8	17000	15.7	8.2	7.3	77	--	--
FEB 20, 73	1542	4	.3	24000	12.3	8.0	9.8	99	--	127
			1.8	24000	12.3	8.0	10.1	102	--	--
APR 19, 73	1225	4	.3	30000	22.1	--	7.9	100	--	37
			1.5	28000	22.0	--	8.1	101	--	--
MAY 16, 73	1230	4	.3	27000	23.2	8.3	8.9	113	--	94
			1.8	26000	21.8	8.3	8.5	105	--	--
					LINE 77					
NOV 05, 71	1210	1	.6	11000	24.0	8.1	8.4	99	--	--
			1.8	11000	24.0	8.1	8.6	101	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 100 CONTINUED						
MAR 30, 72	1240	2	.9	31000	16.6	8.0	10.3	117	--	--
MAY 30, 72	1720	2	.3	12000	29.7	8.5	8.7	118	--	48
			1.2	12000	29.5	8.5	8.5	115	--	--
JUL 24, 72	1810	2	.3	16000	30.0	8.6	10.7	147	--	53
			1.2	16000	30.0	8.5	10.7	147	--	--
SEP 18, 72	1840	2	.3	30000	30.0	8.4	11.2	165	45.	--
			.8	28000	30.0	8.4	11.3	164	60.	--
NOV 15, 72	1435	2	.3	23000	15.5	8.2	8.4	90	--	74
			1.1	24000	15.5	8.2	8.6	95	--	--
FEB 20, 73	1745	2	.3	30000	12.7	8.2	10.7	113	--	132
			1.5	30000	12.7	8.2	10.6	112	--	--
			2.1	30000	12.7	8.2	10.9	115	--	--
APR 19, 73	1340	2	.3	23000	21.9	--	8.9	109	--	51
			1.2	23000	21.9	--	9.5	116	--	--
MAY 16, 73	1455	2	.3	17000	24.5	8.6	10.4	130	--	41
			1.2	23000	23.2	8.5	10.0	123	--	--
				LINE 104						
NOV 05, 71	0940	2	.3	13000	23.2	8.2	7.3	87	--	36
			1.5	8500	23.0	8.2	7.2	85	--	--
			2.7	12000	22.9	8.1	6.9	82	--	--
			4.9	14000	23.0	8.1	6.9	82	--	--
NOV 11, 71	1440	2	.6	13000	24.5	8.5	8.2	98	--	--
			1.7	25000	24.5	8.5	8.1	96	--	--
MAR 30, 72	1030	2	.3	36000	17.2	8.1	7.0	82	--	8
			1.2	36000	17.0	8.1	10.8	127	--	--
MAY 30, 72	1830	2	.3	17000	28.8	8.4	8.0	110	--	51
			1.2	17000	28.7	8.4	7.8	107	--	--
JUN 01, 72	0810	2	.3	12000	23.8	8.0	5.8	71	--	--
			1.5	12000	23.8	8.0	4.7	57	--	--
JUL 24, 72	1640	2	.5	21000	30.6	8.4	8.5	121	20.	25
			1.7	41000	29.9	8.2	6.2	95	60.	--
SEP 18, 72	1700	2	.3	40000	30.0	8.4	10.6	163	20.	--
			.9	40000	30.0	8.4	10.7	165	20.	--
NOV 15, 72	1235	2	.3	29000	14.5	8.2	10.1	110	50.	66
			1.2	29000	14.5	8.2	10.9	118	270.	--
FEB 20, 73	1540	2	.3	34000	12.1	8.3	8.9	94	30.	112
			1.5	34000	12.3	8.3	9.0	96	35.	--
MAY 16, 73	1415	2	.3	16000	24.1	8.3	8.8	109	--	46
			.9	17000	22.3	8.2	7.7	93	--	--
			1.2	25000	22.0	8.2	7.0	86	--	--
MAR 30, 72	1120	4	.3	28000	17.5	8.2	8.1	93	--	5
			1.5	28000	17.3	8.3	9.3	107	--	--
MAY 30, 72	1410	4	.3	14000	29.7	8.3	7.7	104	--	65
			1.5	16000	29.0	8.2	6.8	92	--	--
JUL 24, 72	1656	4	.5	21000	30.5	8.4	7.8	111	19.	62
			1.5	29000	29.4	8.2	6.9	98	75.	--
SEP 18, 72	1730	4	.3	36000	29.8	8.4	10.6	161	50.	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 104 CONTINUED										
SEP 18, 72	1730	4	1.8	36000	29.8	8.4	10.3	156	85.	--
NOV 15, 72	1340	4	.3	27000	15.1	8.2	9.9	109	60.	53
			1.7	27000	15.3	8.2	10.1	111	35.	--
FEB 20, 73	1615	4	.3	34000	12.0	8.3	8.9	94	35.	127
			1.5	33000	12.2	8.2	9.0	95	40.	--
MAY 16, 73	1410	4	.3	13000	24.4	8.5	10.5	128	--	36
			1.8	17000	21.9	8.3	7.6	92	--	--
MAR 30, 72	1125	6	.3	32000	16.2	8.2	7.1	80	--	10
			1.5	32000	16.0	8.2	9.6	107	--	--
MAY 30, 72	1420	6	.3	13000	29.1	8.4	7.9	105	--	66
			1.5	14000	29.1	8.3	7.3	97	--	--
JUL 24, 72	1706	6	.5	20000	30.2	8.4	8.1	114	8.	--
			1.8	21000	30.4	8.4	7.8	110	10.	--
SEP 18, 72	1740	6	.3	36000	29.9	8.4	10.6	161	--	--
			1.8	36000	29.9	8.4	10.6	161	30.	--
NOV 15, 72	1255	6	.3	19000	15.6	8.1	7.8	82	--	119
			1.8	22000	15.0	8.2	8.2	87	--	--
FEB 20, 73	1620	6	.3	32000	11.9	8.2	8.6	90	30.	155
			1.8	32000	12.2	8.2	8.6	90	35.	--
APR 19, 73	1330	6	.3	33000	21.7	--	8.1	103	--	52
			1.5	33000	21.7	--	8.5	108	--	--
			2.1	33000	21.7	--	8.0	101	--	--
MAY 16, 73	1400	6	.3	15000	23.0	8.5	9.6	116	--	36
			1.5	21000	21.7	8.3	7.9	95	--	--
MAR 30, 72	1245	8	.3	26000	19.2	8.2	7.8	91	--	23
			1.8	31000	19.1	8.2	8.9	106	--	--
MAY 30, 72	1435	8	.3	12000	28.9	8.4	8.1	108	--	66
			1.8	14000	29.0	8.3	7.1	95	--	--
JUL 24, 72	1732	8	.5	20000	29.8	8.4	8.0	113	10.	79
			1.5	20000	29.7	8.4	6.7	94	11.	--
			2.1	22000	29.7	8.2	7.1	100	50.	--
SEP 18, 72	1850	8	.3	31000	29.8	8.4	9.6	141	10.	--
			2.1	31000	29.8	8.4	10.2	150	10.	--
NOV 15, 72	1245	8	.3	21000	16.5	8.1	7.4	60	--	86
			1.8	21000	16.4	8.1	7.3	79	--	--
FEB 20, 73	1630	8	.3	33000	11.5	8.2	8.4	88	35.	183
			1.8	33000	11.7	8.2	8.5	89	30.	--
APR 19, 73	1323	8	.3	28000	21.8	--	8.2	102	--	69
			1.5	28000	21.7	--	7.5	94	--	--
			2.1	28000	21.6	--	6.9	86	--	--
MAY 16, 73	1355	8	.3	16000	23.7	8.5	10.1	123	--	51
			.9	24000	22.6	8.4	9.2	114	--	--
			1.8	25000	22.3	8.4	8.7	107	--	--
MAR 30, 72	1250	10	.3	22000	19.3	8.1	7.4	85	--	18
			.9	23000	19.2	8.1	7.7	88	--	--
			2.1	25000	19.1	8.1	8.3	96	--	--
MAY 30, 72	1445	10	.3	10000	29.0	8.3	7.8	103	--	66
			2.1	12000	29.1	8.2	6.7	89	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 104 CONTINUED										
JUL 29, 72	1725	10	.5	20000	29.8	8.4	8.3	117	17.	88
			1.5	21000	29.6	8.4	8.0	113	7.	--
			2.1	22000	29.2	8.2	6.9	96	26.	--
SEP 18, 72	1855	10	.3	23000	29.7	8.4	8.9	125	15.	--
			.9	26000	29.5	8.4	10.1	144	15.	--
			2.1	27000	29.2	8.3	8.0	114	15.	--
NOV 15, 72	1240	10	.3	22000	16.5	8.1	7.4	81	--	84
			2.1	22000	16.3	8.1	7.2	79	--	--
FEB 20, 73	1633	10	.3	33000	12.7	8.0	10.0	106	--	163
			1.5	33000	12.6	8.0	9.9	105	--	--
			2.7	33000	12.5	8.0	10.3	110	--	--
APR 19, 73	1315	10	.3	28000	21.9	--	6.5	81	--	76
			1.5	28000	21.8	--	7.1	89	--	--
			2.4	28000	21.8	--	7.2	90	--	--
MAY 16, 73	1345	10	.3	24000	23.9	8.6	9.2	116	--	--
			2.1	25000	22.7	8.5	8.7	109	--	--
LINE 110										
NOV 11, 71	1455	2	.6	7000	25.0	8.6	7.2	85	--	--
			1.5	7800	25.0	8.6	7.2	85	--	--
			3.0	12000	25.0	8.5	6.0	70	--	--
			4.6	18000	24.0	8.5	7.4	86	--	--
JAN 27, 72	1535	2	.3	24000	20.9	8.1	11.9	135	--	43
			1.2	24000	20.7	8.1	12.1	136	--	--
			2.4	24000	20.9	8.1	12.3	140	--	--
			4.3	23000	20.7	8.0	13.2	149	--	--
MAR 30, 72	1655	2	.3	24000	17.4	8.2	7.3	82	--	10
			1.5	24000	17.4	8.2	7.5	84	--	--
			4.3	25000	16.8	8.2	9.5	107	--	--
MAY 30, 72	1745	2	.3	12000	28.6	8.5	8.5	113	--	44
			1.5	16000	28.4	8.4	7.3	97	--	--
			4.3	16000	28.2	8.4	6.6	88	--	--
JUL 29, 72	1835	2	.3	12000	30.1	8.6	10.6	145	--	41
			2.1	19000	29.4	8.4	8.2	112	--	--
			4.3	30000	29.1	8.4	6.7	97	--	--
SEP 18, 72	1715	2	.3	39000	29.8	8.4	10.8	164	10.	--
			1.5	40000	28.9	8.4	9.5	144	10.	--
			3.0	40000	28.8	8.4	8.4	127	15.	--
			4.3	40000	28.9	8.3	7.6	115	20.	--
NOV 15, 72	1400	2	.3	26000	13.8	8.2	10.5	111	75.	33
			1.5	26000	13.8	8.2	10.3	108	85.	--
			3.0	26000	13.8	8.2	9.3	98	95.	--
			4.4	26000	13.8	8.2	9.6	101	95.	--
FEB 20, 73	1600	2	.3	29000	11.6	8.5	9.3	95	40.	97
			1.5	29000	11.6	8.5	9.4	96	45.	--
			3.0	29000	11.7	8.5	9.3	95	45.	--
			4.3	29000	12.0	8.5	9.3	96	45.	--
MAY 16, 73	1435	2	.3	11000	23.7	8.5	10.3	123	--	23
			1.5	11000	21.7	8.4	8.7	101	--	--
			3.0	11000	21.5	8.4	8.5	99	--	--
			4.0	11000	21.5	8.4	8.5	99	--	--
LINE 115										
NOV 05, 71	1120	3	.3	13000	23.2	8.1	7.9	94	--	66

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 115 CONTINUED										
NOV 05, 71	1120	3	1.2	13000	23.2	8.1	6.1	96	--	--
JUN 01, 72	0825	3	.3	14000	23.8	8.2	6.5	79	--	47
			.9	14000	23.6	8.1	6.5	78	--	--
SEP 18, 72	1550	3	.3	40000	30.0	8.4	9.3	143	35.	--
			1.1	39000	30.2	8.4	9.4	142	35.	--
NOV 05, 71	1113	4	.3	12000	23.2	8.1	7.1	85	--	61
			.6	12000	23.2	8.1	7.1	85	--	--
			1.2	13000	23.2	8.1	6.8	82	--	--
MAR 30, 72	1000	4	.3	35000	17.0	8.0	7.0	82	--	8
			1.2	35000	16.3	7.9	8.2	95	--	--
JUN 01, 72	0835	4	.3	14000	24.5	8.2	6.6	80	--	46
			.9	14000	24.4	8.2	6.6	80	--	--
JUL 24, 72	1817	4	.3	16000	30.4	8.4	8.5	116	45.	25
			.9	16000	30.4	8.4	7.9	108	95.	--
NOV 15, 72	1200	4	.3	29000	14.2	8.2	9.9	106	65.	41
			.9	29000	14.2	8.2	10.9	117	65.	--
FEB 20, 73	1525	4	.3	30000	12.2	8.4	9.0	94	40.	112
			.9	32000	12.3	8.4	9.4	99	50.	--
MAY 15, 73	1700	4	.3	16000	22.9	8.4	9.4	113	90.	46
			.9	16000	22.8	8.3	11.4	137	200.	--
NOV 05, 71	1110	5	.3	14000	23.2	8.1	7.6	90	--	71
			1.2	14000	23.2	8.1	7.7	92	--	--
NOV 11, 71	1425	5	.6	12000	25.5	8.7	8.5	102	--	--
			1.5	13000	26.0	8.6	8.2	100	--	--
MAR 30, 72	1005	5	.3	36000	17.1	8.0	7.0	82	--	8
			1.2	36000	17.0	8.0	8.7	102	--	--
JUN 01, 72	0840	5	.3	14000	24.6	8.2	5.9	73	--	46
			1.2	14000	24.5	8.2	5.9	72	--	--
JUL 24, 72	1800	5	.3	17000	30.3	8.5	8.0	111	61.	41
			1.4	17000	30.3	8.5	8.3	115	38.	--
SEP 18, 72	1600	5	.3	43000	29.7	8.4	7.9	123	35.	--
			1.2	42000	29.8	8.4	8.4	131	35.	--
NOV 15, 72	1210	5	.3	30000	14.2	8.2	9.9	108	60.	56
			1.1	30000	14.1	8.2	9.8	107	120.	--
FEB 20, 73	1530	5	.3	33000	12.1	8.3	9.1	96	40.	99
			1.2	33000	12.2	8.3	9.1	96	40.	--
MAY 15, 73	1710	5	.3	17000	22.8	8.4	10.1	123	70.	46
			.9	18000	22.8	8.4	10.3	126	90.	--
NOV 05, 71	1105	6	.3	19000	23.2	8.1	7.4	90	--	74
			1.2	19000	23.1	8.1	7.5	91	--	--
MAR 30, 72	1015	6	.3	--	17.1	8.0	--	--	--	8
			1.2	36000	16.9	8.1	8.8	104	--	--
JUN 01, 72	0845	6	.3	13000	24.6	8.2	6.7	83	--	43
			1.2	13000	24.5	8.2	6.8	83	--	--
JUL 24, 72	1811	6	.3	18000	30.4	8.4	7.6	106	20.	62
			1.2	18000	30.4	8.4	7.3	101	25.	--
NOV 15, 72	1220	6	.3	27000	14.0	8.2	9.2	99	55.	51

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 115 CONTINUED						
NOV 15, 72	1220	6	.9	27000	14.0	8.2	9.2	99	60.	--
MAY 15, 73	1715	6	.3	20000	22.8	8.4	10.0	123	75.	--
			.9	19000	22.8	8.4	11.3	137	75.	--
NOV 05, 71	1040	7	.3	17000	22.9	8.1	7.7	94	--	76
			.9	17000	22.9	8.1	7.7	94	--	--
JAN 27, 72	1605	7	.3	27000	22.4	8.0	13.1	154	--	66
			.9	27000	22.4	8.1	13.5	159	--	--
JUN 01, 72	0850	7	.3	10000	24.2	8.1	6.3	76	--	48
			.9	11000	24.4	8.1	6.2	75	--	--
JAN 27, 72	1620	9	.3	24000	21.4	8.1	13.5	155	--	58
			1.2	24000	21.6	8.1	13.8	160	--	--
				LINE 120						
NOV 05, 71	1225	1	.3	17000	23.5	8.0	7.8	96	--	61
			1.5	17000	23.4	8.0	7.7	95	--	--
			3.0	19000	23.2	8.0	7.3	89	--	--
			4.3	19000	23.2	7.9	7.3	89	--	--
NOV 11, 71	1435	1	.3	14000	23.3	8.6	10.8	130	--	74
			.9	14000	23.2	8.6	10.7	127	--	--
			1.8	22000	23.1	8.5	8.9	110	--	--
			2.4	25000	23.1	8.4	8.5	106	--	--
			4.0	28000	23.1	8.4	6.4	81	--	--
JAN 27, 72	1645	1	.3	24000	19.8	8.2	12.2	135	--	102
			1.2	24000	19.8	8.2	12.9	144	--	--
			2.4	24000	19.9	8.2	13.2	147	--	--
			4.0	24000	19.9	8.2	13.4	149	--	--
MAY 10, 72	1305	1	.3	15000	28.6	8.2	7.5	101	--	64
			1.5	14000	28.4	8.2	7.0	92	--	--
			2.7	14000	28.3	8.2	6.7	88	--	--
			4.0	14000	28.3	8.2	6.7	88	--	--
JUL 24, 72	1603	1	.5	33000	29.8	8.4	8.6	128	5.	102
			1.5	39000	29.4	8.4	8.0	119	8.	--
			3.0	39000	29.2	8.4	7.9	118	11.	--
			4.9	39000	29.2	8.4	7.1	106	11.	--
SEP 18, 72	1525	1	.3	37000	29.7	8.4	8.5	127	15.	--
			1.5	39000	29.4	8.4	9.5	142	30.	--
			3.0	39000	29.4	8.4	9.8	146	30.	--
			5.2	39000	29.8	8.4	9.4	142	50.	--
NOV 15, 72	1125	1	.6	27000	14.3	8.2	9.7	102	65.	36
			1.5	26000	14.4	8.2	9.3	99	70.	--
			3.0	26000	14.3	8.2	9.3	98	100.	--
			4.6	26000	14.5	8.2	9.3	99	90.	--
			5.2	26000	14.5	8.2	9.9	105	140.	--
FEB 20, 73	1450	1	.3	35000	11.1	8.3	8.2	85	30.	183
			1.5	35000	10.9	8.2	8.3	86	30.	--
			3.0	40000	10.4	8.2	7.5	79	30.	--
			5.2	40000	10.5	8.2	7.3	77	80.	--
MAY 16, 73	1145	1	.3	20000	23.4	8.2	8.8	110	20.	56
			1.5	23000	23.0	8.1	7.7	95	25.	--
			3.0	26000	23.1	8.1	6.9	86	50.	--
			4.9	26000	23.4	8.0	6.2	78	80.	--
NOV 05, 71	1245	2	.3	14000	23.7	8.1	7.9	96	--	61
			1.5	15000	23.6	8.1	7.9	96	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 120 CONTINUED										
NOV 05, 71	1245	2	2.7	15000	23.5	8.1	7.8	95	--	--
NOV 11, 71	1420	2	.3	12000	23.5	8.5	10.1	122	--	64
			.9	12000	23.4	8.5	10.4	125	--	--
			1.8	12000	23.2	8.5	10.5	125	--	--
JAN 27, 72	1700	2	.3	25000	19.8	8.2	13.0	145	--	163
			1.2	25000	19.8	8.2	13.7	154	--	--
			2.1	25000	19.9	8.2	13.8	155	--	--
MAY 30, 72	1300	2	.3	13000	28.6	8.3	7.3	97	--	70
			1.2	15000	28.4	8.2	6.6	88	--	--
			2.4	15000	28.7	8.0	5.1	69	--	--
JUL 24, 72	1550	2	.5	28000	29.9	8.4	9.7	139	1.	91
			1.5	29000	29.7	8.4	9.4	135	0.	--
			2.7	35000	29.5	8.4	8.0	118	38.	--
SEP 18, 72	1515	2	.3	34000	29.7	8.4	9.0	134	8.	--
			2.1	34000	29.9	8.3	9.4	140	30.	--
NOV 15, 72	1115	2	.3	22000	14.7	8.1	9.2	97	45.	66
			1.5	22000	14.7	8.1	9.1	96	50.	--
			2.4	22000	14.7	8.1	9.4	99	70.	--
FEB 20, 73	1440	2	.3	34000	10.9	8.2	8.4	87	30.	168
			1.5	34000	10.9	8.2	8.4	87	30.	--
			2.4	34000	11.0	8.2	8.6	89	30.	--
MAY 16, 73	1200	2	.3	22000	23.4	8.1	8.3	104	15.	76
			1.5	24000	23.0	8.1	7.8	96	20.	--
			2.4	23000	23.8	8.0	6.3	80	40.	--
NOV 05, 71	1300	3	.3	13000	23.9	8.0	7.7	94	--	61
			1.2	13000	23.7	8.0	7.9	95	--	--
			2.4	13000	23.7	8.0	8.0	96	--	--
NOV 11, 71	1410	3	.3	12000	23.4	8.5	10.3	124	--	74
			1.5	14000	23.1	8.5	10.7	128	--	--
			3.0	13000	23.2	8.4	7.7	92	--	--
JAN 27, 72	1250	3	.3	21000	19.7	8.1	11.4	124	--	104
			1.2	23000	19.5	8.1	11.9	130	--	--
			2.1	23000	19.2	8.0	12.8	139	--	--
MAR 30, 72	1720	3	.3	28000	18.9	8.0	6.1	72	--	18
			1.2	28000	18.9	8.0	6.4	75	--	--
			2.4	27000	18.9	8.0	8.3	98	--	--
MAY 30, 72	1235	3	.3	12000	28.6	8.3	7.7	103	--	61
			1.2	12000	28.2	8.3	7.5	99	--	--
			1.5	12000	28.2	8.2	6.7	88	--	--
			1.8	11000	28.2	8.2	6.6	86	--	--
			2.1	11000	28.2	8.2	6.6	86	--	--
			2.4	11000	28.3	8.2	6.1	83	--	--
JUL 24, 72	1534	3	.5	22000	29.8	8.4	9.4	134	2.	142
			1.5	23000	29.6	8.4	9.6	135	5.	--
			3.0	34000	29.2	8.3	7.4	109	37.	--
SEP 18, 72	1455	3	.3	30000	29.9	8.4	9.5	140	0.	--
			1.5	31000	29.8	8.4	10.2	150	2.	--
			2.7	35000	29.5	8.3	9.4	140	40.	--
NOV 15, 72	1105	3	.6	22000	13.6	8.1	9.4	97	40.	64
			1.5	22000	14.7	8.1	9.4	98	50.	--
			2.4	24000	14.8	8.2	10.0	106	55.	--
FEB 20, 73	1435	3	.3	34000	10.7	8.2	8.5	87	25.	152

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 120 CONTINUED						
FEB 20, 73	1435	3	1.5	34000	10.7	8.2	8.5	87	30.	--
			2.7	35000	10.8	8.2	8.4	88	25.	--
MAY 16, 73	1215	3	.3	23000	22.8	8.1	8.4	104	10.	91
			1.5	23000	22.9	8.1	8.1	100	15.	--
			2.4	22000	23.2	8.1	7.7	95	15.	--
NOV 05, 71	1315	4	.3	12000	23.9	8.1	8.1	99	--	69
			1.2	12000	23.9	8.1	8.1	99	--	--
			2.1	12000	23.8	8.1	8.1	99	--	--
NOV 11, 71	1345	4	.3	10000	23.6	8.4	11.1	132	--	81
			1.2	11000	23.3	8.4	11.1	132	--	--
JUL 24, 72	1525	4	.3	20000	29.7	8.4	10.8	152	2.	127
			1.5	20000	29.4	8.4	9.8	136	3.	--
			2.7	29000	28.9	8.1	5.8	83	16.	--
SEP 18, 72	1445	4	.3	31000	29.9	8.4	9.8	144	0.	--
			1.5	31000	30.0	8.4	10.6	156	5.	--
			2.4	32000	30.1	8.4	11.2	165	5.	--
NOV 15, 72	1055	4	.3	25000	15.0	8.2	9.5	103	40.	89
			1.5	25000	14.9	8.2	9.8	105	35.	--
			2.7	25000	14.7	8.2	10.1	107	50.	--
FEB 20, 73	1425	4	.3	34000	10.8	8.2	8.6	89	25.	155
			1.8	35000	11.0	8.2	9.1	93	25.	--
MAY 16, 73	1225	4	.3	24000	23.5	8.2	10.0	125	0.	107
			1.5	24000	23.5	8.2	9.8	122	5.	--
			2.4	23000	23.3	8.2	9.4	118	5.	--
				LINE 133						
NOV 05, 71	1410	1	.3	19000	23.8	8.1	8.2	104	--	71
			.9	20000	23.7	8.1	8.4	105	--	--
			1.5	19000	23.6	8.1	8.4	105	--	--
NOV 11, 71	1515	1	.3	18000	23.4	8.6	10.9	135	--	94
			1.5	18000	23.4	8.6	10.8	133	--	--
			2.4	22000	23.3	8.5	9.4	118	--	--
			3.0	31000	23.5	8.4	6.7	87	--	--
JAN 27, 72	1215	1	.3	33000	19.2	8.1	11.9	130	--	188
			1.5	34000	19.1	8.1	11.9	130	--	--
			3.0	33000	18.9	8.1	12.4	136	--	--
MAY 30, 72	1150	1	.3	18000	27.9	8.4	7.5	101	--	95
			1.5	20000	27.6	8.4	7.2	97	--	--
			2.1	22000	27.3	8.4	6.2	84	--	--
			2.4	26000	27.4	8.1	3.7	51	--	--
			3.0	29000	27.6	8.0	2.5	35	--	--
JUL 24, 72	1446	1	.3	34000	29.3	8.4	9.1	134	0.	126
			1.5	35000	29.1	8.4	9.7	143	0.	--
			2.1	35000	29.3	8.4	8.6	128	0.	--
NOV 15, 72	1015	1	.3	29000	14.9	8.1	8.7	96	80.	28
			1.5	29000	14.8	8.2	8.9	98	90.	--
			2.7	29000	14.5	8.2	9.2	100	100.	--
FEB 20, 73	1345	1	.3	38000	11.1	8.2	9.4	99	30.	185
			1.8	36000	11.7	8.2	9.6	101	35.	--
APR 19, 73	1120	1	.3	36000	22.0	7.6	8.1	104	20.	102
			2.4	36000	22.0	7.6	8.9	114	30.	--
NOV 05, 71	1400	2	.3	17000	23.7	8.0	7.7	94	--	61

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 133 CONTINUED						
NOV 05, 71	1400	2	1.8	17000	23.7	8.0	7.8	95	--	--
			3.7	18000	23.7	7.9	7.1	88	--	--
NOV 11, 71	1500	2	.3	15000	23.7	8.6	11.2	137	--	79
			1.2	15000	23.6	8.6	10.9	133	--	--
			2.4	16000	23.3	8.6	10.3	127	--	--
			3.0	34000	23.8	8.4	6.3	84	--	--
			3.7	37000	23.2	8.3	4.7	62	--	--
JAN 27, 72	1225	2	.3	27000	19.3	8.1	11.7	129	--	127
			1.5	29000	18.8	8.1	12.0	131	--	--
			3.0	29000	18.7	8.1	11.7	127	--	--
MAY 30, 72	1200	2	.3	18000	28.4	8.5	7.3	99	--	88
			1.5	22000	27.9	8.4	6.6	90	--	--
			2.7	28000	27.7	8.1	3.6	50	--	--
			3.0	29000	27.7	8.0	3.0	42	--	--
			3.4	30000	27.8	8.0	2.5	36	--	--
			3.7	30000	28.2	8.0	1.7	24	--	--
JUL 24, 72	1457	2	.3	30000	29.8	8.4	9.6	141	22.	142
			1.5	32000	29.5	8.4	9.9	146	15.	--
			3.0	41000	29.0	8.4	6.6	130	40.	--
			4.6	41000	29.1	8.3	6.0	91	13.	--
			5.2	40000	29.4	8.2	4.7	71	22.	--
NOV 15, 72	1025	2	.6	27000	14.9	8.2	8.9	98	80.	38
			1.5	27000	15.0	8.2	9.0	99	85.	--
			3.0	27000	15.0	8.2	8.7	96	80.	--
			4.0	29000	14.6	8.2	9.5	103	100.	--
FEB 20, 73	1400	2	.3	38000	10.6	8.2	8.9	94	25.	168
			1.5	38000	10.6	8.2	9.0	95	25.	--
			3.0	40000	10.6	8.2	8.7	92	30.	--
			5.2	40000	10.8	8.2	8.7	93	30.	--
APR 19, 73	1140	2	.6	32000	21.9	7.6	10.9	138	15.	86
			2.1	32000	21.8	7.6	10.7	135	20.	--
			4.6	32000	22.0	7.5	10.7	135	20.	--
NOV 05, 71	1340	3	.3	16000	23.9	8.1	8.6	106	--	51
			1.2	16000	23.9	8.1	8.6	106	--	--
NOV 11, 71	1445	3	.3	14000	23.2	8.6	11.3	135	--	76
			.6	14000	23.1	8.6	11.2	133	--	--
			1.2	14000	22.9	8.6	11.3	135	--	--
JAN 27, 72	1235	3	.3	21000	19.7	8.1	12.8	140	--	94
			1.2	22000	19.8	8.1	13.2	147	--	--
MAR 30, 72	1745	3	.3	31000	19.5	8.1	7.4	89	--	46
			1.5	31000	18.7	8.1	8.2	98	--	--
MAY 30, 72	1215	3	.3	15000	28.6	8.4	7.3	99	--	76
			1.2	18000	28.9	8.4	7.2	99	--	--
JUL 24, 72	1507	3	.3	28000	29.9	8.4	9.4	136	0.	109
			1.5	28000	30.0	8.4	8.9	129	0.	--
NOV 15, 72	1035	3	.6	25000	15.1	8.2	8.8	95	110.	25
			1.5	25000	14.8	8.2	9.1	99	115.	--
FEB 20, 73	1405	3	.3	34000	10.6	8.2	8.4	86	25.	150
			1.5	34000	10.7	8.2	8.4	86	25.	--
APR 19, 73	1150	3	.6	32000	22.4	7.6	11.0	139	35.	56
			1.5	32000	22.5	7.6	10.6	136	35.	--
				LINE 141						
NOV 05, 71	1435	1	.3	22000	24.0	8.2	7.8	99	--	61

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 141 CONTINUED					
NOV 05, 71	1435	1	1.2	25000	23.9	8.1	7.3	94	--	--
			1.8	29000	23.9	8.0	6.4	83	--	--
			2.4	31000	23.9	8.0	5.8	76	--	--
NOV 11, 71	1530	1	.3	18000	23.2	8.6	10.7	130	--	79
			1.5	22000	22.9	8.6	11.0	136	--	--
			2.7	22000	22.7	8.6	10.7	132	--	--
JAN 27, 72	1200	1	.3	36000	18.0	8.1	11.3	122	--	213
			1.5	39000	17.9	8.1	11.5	124	--	--
			2.7	44000	17.4	8.0	12.5	136	--	--
MAY 30, 72	1125	1	.3	20000	26.9	8.4	7.4	99	--	102
			1.8	20000	26.8	8.4	7.2	96	--	--
			2.1	22000	27.0	8.4	6.8	91	--	--
			2.4	25000	27.5	8.2	5.5	75	--	--
JUL 24, 72	1422	1	.3	34000	29.6	8.4	9.9	148	3.	196
			1.5	35000	29.5	8.4	9.8	146	3.	--
			3.0	39000	29.1	8.3	7.4	110	75.	--
SEP 18, 72	1345	1	.3	45000	26.0	8.5	7.7	117	32.	--
			1.5	45000	27.8	8.5	7.4	112	28.	--
			2.4	45000	27.7	8.5	7.5	114	30.	--
NOV 15, 72	0953	1	.3	28000	14.8	8.2	7.9	87	120.	28
			1.5	29000	14.7	8.2	8.4	91	130.	--
			2.4	29000	14.4	8.2	9.5	103	110.	--
FEB 20, 73	1330	1	.3	38000	11.2	8.2	9.5	100	--	152
			1.5	38000	11.4	8.2	9.6	102	25.	--
			2.7	38000	11.5	8.2	9.6	102	25.	--
APR 19, 73	1100	1	.3	36000	21.7	7.6	12.1	155	20.	97
			1.5	36000	21.7	7.6	11.9	153	20.	--
			3.4	37000	22.2	7.6	11.4	146	20.	--
MAY 16, 73	1105	1	.3	28000	22.4	8.2	8.2	102	15.	71
			1.5	28000	21.8	8.2	8.0	100	20.	--
			2.7	28000	21.3	8.2	8.4	104	40.	--
NOV 05, 71	1450	2	.3	20000	24.1	8.2	7.6	96	--	69
			1.5	20000	24.1	8.2	7.6	96	--	--
			2.4	23000	24.0	8.1	7.0	89	--	--
			3.0	35000	24.2	8.0	6.0	80	--	--
NOV 11, 71	1540	2	.3	18000	23.2	8.6	10.6	129	--	79
			1.5	20000	23.0	8.6	10.6	131	--	--
			2.7	22000	22.9	8.5	10.2	126	--	--
JAN 27, 72	1140	2	.3	30000	19.3	8.1	11.5	127	--	213
			1.5	34000	18.6	8.1	11.7	128	--	--
			2.7	43000	18.5	8.1	11.9	131	--	--
MAY 30, 72	1110	2	.3	23000	27.4	8.5	7.4	100	--	123
			1.5	24000	27.5	8.4	7.2	97	--	--
			2.7	29000	28.3	8.3	7.2	101	--	--
JUL 24, 72	1410	2	.3	33000	29.5	8.4	10.3	151	5.	117
			1.5	36000	29.2	8.4	10.0	145	7.	--
			2.7	37000	29.3	8.4	9.4	147	20.	--
SEP 18, 72	1405	2	.3	44000	28.7	8.5	7.8	120	30.	--
			1.5	46000	28.7	8.5	7.9	122	28.	--
			2.7	47000	28.9	8.5	7.2	116	35.	--
NOV 15, 72	0940	2	.3	27000	14.8	8.2	8.8	97	90.	36
			1.5	27000	14.8	8.2	8.9	98	90.	--
			3.0	29000	14.5	8.2	9.3	101	90.	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 141 CONTINUED					
FEB 20, 73	1320	2	.3	38000	11.6	8.2	7.9	84	30.	163
			1.5	38000	11.6	8.2	7.9	84	25.	--
			3.0	37000	11.9	8.2	7.8	83	25.	--
APR 19, 73	1045	2	.3	36000	22.0	7.6	8.8	113	20.	91
			1.5	36000	21.8	7.6	9.6	123	20.	--
			3.4	36000	21.8	7.6	9.8	126	20.	--
MAY 16, 73	1050	2	.3	27000	22.2	8.2	8.2	102	10.	122
			1.5	28000	22.2	8.2	8.1	101	20.	--
			3.0	28000	22.3	8.2	7.4	92	35.	--
NOV 05, 71	1605	3	.3	20000	24.0	8.2	7.9	100	--	74
			1.2	23000	23.9	8.1	7.9	100	--	--
			2.4	23000	23.9	8.1	7.8	99	--	--
NOV 11, 71	1550	3	.3	17000	23.2	8.6	11.3	138	--	81
			1.2	17000	22.9	8.6	11.4	139	--	--
			2.4	18000	22.8	8.6	10.9	133	--	--
			3.4	19000	22.7	8.5	10.7	130	--	--
JAN 27, 72	1055	3	.3	26000	18.9	8.1	10.0	107	--	183
			1.5	33000	18.9	8.1	10.1	108	--	--
			4.0	44000	18.5	7.9	10.5	114	--	--
MAY 30, 72	1000	3	.3	22000	27.3	8.5	7.4	100	--	131
			1.5	25000	27.4	8.5	7.1	97	--	--
			3.4	41000	27.5	8.2	6.1	88	--	--
JUL 24, 72	1252	3	.3	30000	28.2	8.4	10.1	144	--	127
			1.5	33000	27.8	8.4	10.0	145	6.	--
			3.0	34000	27.7	8.2	7.4	106	23.	--
			4.0	35000	27.9	8.1	5.0	72	70.	--
SEP 18, 72	1415	3	.3	43000	27.8	8.5	7.8	116	5.	--
			1.5	44000	27.8	8.5	8.2	124	5.	--
			3.4	46000	27.6	8.5	7.0	106	18.	--
NOV 15, 72	0827	3	.6	32000	14.8	8.2	9.4	104	75.	41
			1.5	32000	14.8	8.2	9.4	104	75.	--
			3.4	32000	15.2	8.2	10.2	113	105.	--
FEB 20, 73	1210	3	.3	38000	11.0	8.2	7.8	82	20.	157
			1.5	38000	11.0	8.2	7.8	82	20.	--
			3.7	38000	11.6	8.2	7.6	81	40.	--
APR 19, 73	0940	3	.3	34000	21.6	7.5	8.3	106	15.	99
			1.8	35000	21.6	7.5	8.6	110	15.	--
			4.0	36000	21.5	7.5	9.0	115	20.	--
MAY 16, 73	1040	3	.3	28000	22.7	8.2	7.5	95	10.	64
			1.5	28000	22.7	8.2	7.5	95	10.	--
			3.0	28000	22.7	8.2	7.4	94	5.	--
NOV 05, 71	1630	4	.3	20000	24.1	8.5	9.4	119	--	61
			1.5	20000	24.0	8.5	9.4	119	--	--
			2.4	21000	23.8	8.4	8.0	101	--	--
			3.0	23000	23.6	8.3	7.3	91	--	--
			4.9	24000	23.5	8.3	6.4	80	--	--
NOV 11, 71	1605	4	.3	22000	23.3	8.8	11.2	140	--	71
			1.2	21000	23.4	8.8	11.1	139	--	--
			2.4	20000	23.3	8.8	10.6	132	--	--
			4.9	24000	23.0	8.7	10.0	123	--	--
					LINE 165					
NOV 05, 71	1715	2	.3	27000	24.0	8.3	7.6	99	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 165 CONTINUED						
NOV 05, 71	1715	2	1.5	29000	24.0	8.2	7.3	96	--	--
			3.0	31000	23.9	8.1	7.1	93	--	--
			4.6	32000	23.9	8.1	7.1	93	--	--
			6.1	32000	23.9	8.1	7.2	95	--	--
NOV 11, 71	1645	2	.3	19000	23.1	8.7	11.9	143	--	79
			.9	22000	22.7	8.7	11.9	149	--	--
			1.8	24000	22.8	8.6	12.0	148	--	--
			3.7	33000	22.8	8.6	10.6	138	--	--
JAN 27, 72	1120	2	.3	34000	18.9	8.1	10.5	113	--	178
			1.5	34000	18.9	8.1	10.6	114	--	--
			3.0	34000	18.8	8.1	11.1	120	--	--
			5.2	36000	18.9	8.1	12.4	137	--	--
MAY 30, 72	1050	2	.3	54000	26.4	8.1	6.0	91	--	178
			1.8	54000	26.4	8.3	6.2	94	--	--
			3.7	54000	26.5	8.1	6.8	103	--	--
JUL 24, 72	1337	2	.3	50000	29.8	8.2	9.0	145	25.	99
			1.5	50000	29.6	8.2	9.6	155	6.	--
			3.0	50000	29.6	8.2	9.0	145	9.	--
			4.6	50000	29.4	8.2	9.0	143	9.	--
			6.2	53000	29.6	8.2	8.5	137	68.	--
SEP 18, 72	1310	2	.3	54000	29.8	8.4	6.0	100	20.	--
			1.5	55000	29.8	8.4	5.4	90	10.	--
			3.0	55000	29.7	8.4	6.4	105	10.	--
			5.2	55000	29.9	8.4	7.4	123	10.	--
NOV 15, 72	0910	2	.3	31000	14.5	8.2	9.2	101	50.	59
			1.5	31000	14.3	8.2	9.2	100	50.	--
			3.0	32000	13.8	8.2	9.3	101	45.	--
			4.6	32000	13.3	8.2	9.2	98	50.	--
			5.5	32000	12.8	8.2	10.4	111	55.	--
FEB 20, 73	1250	2	.3	38000	10.8	8.2	8.6	91	35.	119
			1.5	38000	10.9	8.2	8.8	93	30.	--
			3.0	38000	11.4	8.2	8.6	91	40.	--
			5.2	38000	12.4	8.2	7.4	80	55.	--
APR 19, 73	1020	2	.3	40000	20.3	7.6	10.7	137	30.	56
			1.5	40000	20.3	7.6	10.4	133	35.	--
			3.0	40000	20.3	7.6	10.3	132	40.	--
			7.3	40000	20.3	7.6	10.3	132	55.	--
MAY 16, 73	1005	2	.3	36000	23.1	8.2	6.8	89	10.	155
			1.5	36000	23.1	8.2	6.9	91	10.	--
			3.0	36000	23.1	8.2	6.7	88	10.	--
			5.5	36000	23.1	8.2	6.7	88	15.	--
				LINE 170						
MAY 30, 72	1035	2	.3	25000	27.5	8.4	6.8	93	--	102
			1.8	27000	27.6	8.3	6.3	88	--	--
			3.7	28000	27.8	8.3	6.3	89	--	--
JUL 24, 72	1316	4	.3	33000	29.8	8.4	8.3	124	10.	140
			1.5	43000	29.7	8.4	8.9	139	10.	--
			3.0	49000	29.6	8.3	8.5	137	10.	--
			4.6	49000	29.7	8.2	8.5	137	25.	--
NOV 15, 72	0850	4	.3	32000	13.9	8.2	9.1	99	80.	43
			1.5	32000	14.2	8.2	9.2	100	80.	--
			3.0	32000	14.7	8.2	9.1	100	80.	--
			4.3	32000	14.6	8.2	9.5	104	90.	--
FEB 20, 73	1235	4	.3	38000	11.6	8.2	7.7	82	20.	152

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 170 CONTINUED					
FEB 20, 73	1235	4	1.5	38000	11.6	8.2	7.6	81	20.	--
			3.0	38000	11.7	8.2	7.7	82	20.	--
			4.6	38000	12.5	8.2	7.5	82	20.	--
APR 19, 73	1000	4	.3	38000	21.7	7.5	6.5	110	10.	109
			.9	38000	21.8	7.5	7.7	100	10.	--
			1.5	38000	21.6	7.4	9.9	129	5.	--
			3.0	38000	21.5	7.4	10.0	130	10.	--
			5.2	38000	21.5	7.4	10.2	131	15.	--
					LINE 172					
JAN 27, 72	1030	10	.3	34000	19.7	8.0	6.3	88	--	81
			1.5	36000	19.5	8.0	6.7	93	--	--
			3.0	36000	19.2	8.0	9.1	96	--	--
			4.6	38000	19.4	8.0	10.9	120	--	--
MAY 30, 72	0920	10	.3	20000	27.6	8.5	7.0	95	--	127
			1.5	21000	27.6	8.6	6.8	92	--	--
			3.0	24000	27.7	8.8	7.2	97	--	--
			5.2	38000	27.4	8.7	6.5	94	--	--
JUL 24, 72	1228	10	.3	29000	29.9	8.4	9.1	132	--	104
			1.5	30000	29.5	8.4	8.1	119	--	--
			3.0	33000	29.1	8.3	6.2	91	--	--
			4.1	33000	29.0	8.1	3.6	53	--	--
NOV 15, 72	0800	10	.3	32000	14.8	8.3	8.4	93	50.	86
			1.5	33000	14.8	8.2	8.7	98	50.	--
			3.0	33000	14.8	8.2	8.7	98	55.	--
			4.6	33000	14.7	8.2	9.1	101	45.	--
			5.2	33000	14.2	8.2	10.3	113	70.	--
FEB 20, 73	1155	10	.3	36000	10.6	8.1	7.8	81	30.	94
			1.5	36000	11.7	8.1	8.0	84	30.	--
			3.0	36000	11.7	8.1	8.0	84	35.	--
			4.9	37000	12.3	8.1	8.4	90	40.	--
APR 19, 73	0925	10	.3	36000	21.8	7.3	7.0	90	20.	112
			2.1	36000	21.8	7.3	7.0	90	20.	--
			4.6	36000	21.8	7.3	7.0	90	20.	--

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 15						
NOV 05, 71	0825	2	.6	12.0	.1	.08	.00	.06	.06	2.0	24.0	--
NOV 11, 71	1105	2	1.5	11.0	.1	.00	.00	.05	.05	1.3	24.0	--
MAR 30, 72	1450	2	.3	11.0	.0	.16	.01	.05	.10	1.6	37.0	--
MAY 30, 72	1545	2	.3	14.0	.1	.04	.01	.04	.08	1.9	32.0	--
JUL 24, 72	1610	2	.3	12.0	.0	.01	.00	.03	.05	2.0	35.0	--
SEP 18, 72	1603	2	.3	13.0	.0	.00	.00	.03	.04	2.4	13.0	--
NOV 15, 72	1135	2	.3	11.0	.0	.03	.00	.00	.03	2.4	--	--
FEB 20, 73	1600	2	.3	3.5	.0	.00	.00	.00	.02	1.9	--	--
APR 19, 73	1240	2	.3	6.6	.0	.00	.00	.00	.04	1.8	--	--
MAY 16, 73	1240	2	.3	7.3	.0	.01	.00	.02	.06	1.2	--	14.0
						LINE 44						
NOV 05, 71	1030	2	1.8	12.0	.1	.08	.00	.08	.09	2.0	23.0	--
NOV 11, 71	0925	2	1.5	12.0	.2	.00	.00	.05	.07	2.3	26.0	--
MAR 30, 72	1620	2	.3	11.0	.0	.01	.01	.04	.09	2.2	38.0	--
MAY 30, 72	1130	2	.3	17.0	.0	.07	.00	.16	.18	4.5	31.0	--
JUL 24, 72	1305	2	.3	12.0	.0	.12	.00	.04	.04	3.0	36.0	--
SEP 18, 72	1335	2	.3	14.0	.0	.12	.00	.00	.06	4.0	25.0	19.0
NOV 15, 72	0915	2	.3	13.0	.0	.14	.00	.00	.07	2.9	--	--
FEB 20, 73	1330	2	.3	4.2	.0	.00	.00	.00	.03	3.9	--	--
APR 19, 73	1045	2	.3	8.7	.0	.00	.00	.01	.05	2.4	--	--
MAY 16, 73	1055	2	.3	8.3	.0	.15	.00	.04	.06	1.6	--	16.0
						LINE 54						
NOV 05, 71	1000	1	1.8	12.0	.1	.08	.00	.08	.08	1.8	46.0	--
NOV 11, 71	0955	1	2.4	11.0	.2	.00	.00	.05	.06	1.6	24.0	--
MAR 30, 72	1525	1	.3	9.2	.0	.29	.01	.06	.10	.8	--	--
			1.8	9.4	.0	.42	.01	.05	.11	1.2	--	--
MAY 30, 72	1300	1	.3	11.0	.0	.06	.01	.03	.07	2.3	22.0	--
			2.1	11.0	.1	.06	.00	.03	.11	2.2	--	--
JUL 24, 72	1415	1	.3	12.0	.0	.06	.00	.05	.05	2.2	17.0	--
			2.4	12.0	.1	.23	.01	.06	.07	1.9	17.0	--
SEP 18, 72	1440	1	.3	12.0	.0	.12	.00	.00	.04	2.3	11.0	14.0
			2.1	11.0	.0	.05	.00	.00	.00	2.5	14.0	17.0
NOV 15, 72	1005	1	.3	9.0	.0	.06	.00	.00	.06	1.7	--	--
			1.8	9.8	.0	.00	.00	.00	.07	2.0	--	--
FEB 20, 73	1410	1	.3	4.0	.0	.00	.00	.01	.02	1.5	--	--

TABLE 78--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED ORTHO PHOS-PHORUS (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 54 CONTINUED						
FEB 20, 73	1410	1	2.1	4.1	.0	.00	.00	.01	.02	1.5	--	--
APR 19, 73	1110	1	.3	7.5	.0	.00	.00	.01	.04	1.6	--	--
			2.1	6.4	.0	.00	.00	.01	.05	1.2	--	--
MAY 16, 73	1120	1	.3	6.1	.0	.04	.00	.03	.05	.7	--	14.0
			2.1	6.0	.0	.04	.00	.03	.05	.9	--	11.0
NOV 05, 71	0920	3	2.4	12.0	.1	.08	.00	.06	.08	1.6	19.0	--
NOV 11, 71	1025	3	1.8	12.0	.1	.00	.00	.06	.06	1.8	--	--
MAR 30, 72	1545	3	1.5	12.0	.0	.31	.01	.07	.11	1.5	53.0	--
MAY 30, 72	1400	3	.3	13.0	.0	.06	.00	.06	.08	2.3	26.0	--
JUL 24, 72	1445	3	.3	12.0	.0	.01	.00	.04	.04	1.8	32.0	--
NOV 15, 72	1030	3	.3	9.9	.0	.00	.00	.00	.04	1.8	--	--
FEB 20, 73	1450	3	.3	5.0	.0	.00	.00	.01	.02	1.9	--	--
APR 19, 73	1135	3	.3	7.7	.0	.00	.00	.03	.07	1.8	--	--
						LINE 77						
JAN 27, 72	1400	1	2.4	6.3	.0	.06	.00	.02	.04	--	--	--
NOV 08, 71	0800	2	4.0	9.4	.0	.00	.00	.05	.05	--	--	--
NOV 08, 71	1100	2	4.0	9.2	.0	.00	.00	.05	.05	--	--	--
NOV 08, 71	1700	2	3.8	11.0	.0	.00	.00	.05	.05	--	--	--
NOV 08, 71	2000	2	4.0	9.8	.0	.00	.00	.05	.05	--	--	--
NOV 09, 71	0500	2	4.0	9.5	.0	.00	.00	.05	.05	--	--	--
NOV 09, 71	1100	2	4.0	9.9	.0	.00	.00	.05	.05	--	--	--
NOV 09, 71	1700	2	4.0	10.0	.0	.04	.00	.06	.06	--	--	--
NOV 09, 71	2100	2	4.0	8.2	.0	.11	.00	.06	.06	--	--	--
NOV 10, 71	0500	2	4.0	8.9	.0	.06	.00	.06	.06	--	--	--
NOV 10, 71	1100	2	4.0	10.0	.0	.05	.00	.07	.07	--	--	--
NOV 10, 71	1600	2	4.0	11.0	.0	.03	.00	.06	.06	--	--	--
MAR 30, 72	1400	2	.3	6.3	.0	.38	.01	.05	.06	.9	--	--
			2.7	5.0	.0	.29	.00	.05	.07	1.0	--	--
MAY 30, 72	1600	2	.3	9.6	.0	.10	.00	.04	.08	2.3	--	--
			3.0	9.6	.0	.14	.01	.00	.02	1.9	--	--
JUL 24, 72	1640	2	.3	10.0	.0	.00	.00	.02	.06	2.0	--	--
			3.4	10.0	.0	.06	.00	.06	.07	1.8	--	--
NOV 15, 72	1230	2	.3	9.4	.0	.03	.00	.00	.05	2.1	--	--
			3.4	7.5	.0	.00	.00	.00	.05	2.4	--	--
FEB 20, 73	1620	2	.3	3.6	.0	.00	.00	.00	.02	1.7	--	--
			3.0	3.2	.0	.00	.00	.00	.02	1.5	--	--
APR 19, 73	1305	2	.3	4.4	.0	.00	.00	.02	.05	1.8	--	--
			3.0	4.3	.0	.00	.00	.02	.05	1.2	--	--
						LINE 89						
NOV 05, 71	0835	2	.3	18.0	.2	.13	.00	.01	.07	1.3	34.0	--

TABLE 78--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 89 CONTINUED						
NOV 11, 71	1530	2	.6	15.0	.1	.03	.00	.06	.06	1.0	--	--
			1.5	16.0	.4	1.30	.00	.02	.05	1.6	--	--
JAN 27, 72	1440	2	1.2	10.0	.0	.06	.00	.03	.04	1.5	34.0	--
MAR 30, 72	1155	2	.9	9.0	.0	.02	.00	.01	.13	1.8	51.0	--
MAY 30, 72	1630	2	.3	20.0	.1	.06	.00	.04	.07	2.5	34.0	--
JUL 24, 72	1735	2	.3	16.0	.0	.00	.00	.02	.03	1.8	31.0	--
SEP 18, 72	1805	2	.3	13.0	.0	.06	.00	.00	.02	1.8	23.0	--
NOV 15, 72	1355	2	.3	12.0	.0	.01	.00	.00	.02	2.4	--	--
FEB 20, 73	1720	2	.3	4.8	.0	.07	.00	.00	.04	2.2	--	--
APR 19, 73	1400	2	.3	9.5	.0	.00	.00	.01	.04	1.9	--	--
MAY 16, 73	1515	2	.3	9.2	.0	.05	.00	.01	.04	1.7	--	20.0
						LINE 104						
NOV 05, 71	0940	2	.3	9.2	.1	.14	.00	.10	.13	1.3	16.0	--
			4.9	7.8	.1	.12	.00	.08	.12	1.4	--	--
MAR 30, 72	1030	2	1.2	3.8	.0	.01	.01	.05	.21	1.7	--	--
MAY 30, 72	1830	2	.3	8.6	.0	.00	.00	.04	.09	2.5	--	--
JUL 24, 72	1640	2	.5	10.0	.0	.17	.00	.06	.07	3.0	--	--
NOV 15, 72	1235	2	.3	3.3	.0	.04	.00	.06	.06	1.7	--	--
FEB 20, 73	1540	2	.3	1.3	.0	.00	.00	.01	.02	1.1	--	--
MAR 30, 72	1125	6	1.5	4.5	.0	.47	.00	.04	.15	1.6	--	--
MAY 30, 72	1420	6	.3	9.1	.0	.06	.00	.40	.42	2.8	--	--
JUL 24, 72	1706	6	.5	9.0	.0	.17	.00	.05	.06	1.8	--	--
NOV 15, 72	1255	6	.3	9.8	.0	.03	.00	.00	.03	2.1	--	--
FEB 20, 73	1620	6	.3	1.7	.0	.02	.00	.01	.02	1.2	--	--
APR 19, 73	1330	6	.3	4.5	.0	.00	.00	.02	.06	1.9	--	--
						LINE 110						
NOV 11, 71	1455	2	.6	8.8	.2	.13	.00	.12	.12	2.3	--	--
			4.6	7.8	.1	.47	.00	.12	.13	1.8	--	--
JAN 27, 72	1535	2	.3	4.0	.0	.08	.00	.06	.07	1.6	--	--
			4.3	3.9	.0	.09	.00	.06	.07	1.7	29.0	--
MAR 30, 72	1055	2	.3	4.4	.0	.00	.01	.04	.23	1.3	--	--
			4.3	4.8	.0	.64	.01	.05	.24	1.3	36.0	--
MAY 30, 72	1745	2	.3	3.8	.0	.04	.00	.10	.15	2.0	--	--
			4.3	8.9	.1	.10	.00	.08	.26	3.4	--	--
JUL 24, 72	1835	2	.3	8.5	.0	.04	.00	.09	.09	2.0	16.0	--
			4.3	5.0	.0	.05	.00	.05	.07	1.7	--	--
NOV 15, 72	1400	2	.3	3.8	.0	.02	.00	.06	.08	2.8	--	--
			4.4	4.0	.0	.00	.00	.06	.09	1.2	--	--

TABLE 78--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 110 CONTINUED							
FEB 20, 73	1600	2	.3	.8	.0	.00	.00	.01	.05	2.8	--	--
			4.3	.9	.0	.00	.00	.01	.06	2.6	--	--
					LINE 115							
NOV 11, 71	1425	5	1.5	7.4	.0	.08	.00	.08	.08	1.5	--	--
MAR 30, 72	1005	5	1.2	4.2	.0	.01	.01	.05	.27	.8	--	--
JUN 01, 72	0840	5	.3	9.0	.0	.08	.00	.11	.12	2.6	--	--
JUL 24, 72	1800	5	.3	10.0	.0	.20	.00	.08	.08	1.8	--	--
SEP 18, 72	1600	5	.3	.0	.0	.11	.01	.00	.04	1.7	3.0	--
			1.2	.0	.0	.10	.02	.00	.05	1.5	6.0	--
NOV 15, 72	1210	5	.3	3.0	.0	.00	.00	.05	.06	2.5	--	--
FEB 20, 73	1530	5	.3	.9	.0	.00	.00	.01	.04	1.2	--	--
MAY 15, 73	1710	5	.3	7.0	.0	.00	.00	.08	.11	1.8	--	14.0
			.9	6.8	.0	.05	.00	.07	.12	2.2	--	18.0
JAN 27, 72	1605	7	.9	3.2	.0	.08	.00	.03	.05	1.6	30.0	--
					LINE 120							
NOV 05, 71	1225	1	.3	7.6	.0	.08	.00	.05	.06	1.4	--	--
			4.3	7.0	.1	.03	.00	.06	.09	1.3	--	--
NOV 11, 71	1435	1	.3	7.3	.0	.00	.00	.07	.08	1.6	--	--
			4.0	5.7	.2	.08	.00	.06	.06	1.4	--	--
JAN 27, 72	1645	1	.3	3.9	.0	.09	.00	.01	.04	1.7	--	--
			4.0	3.8	.0	.07	.00	.02	.04	1.7	30.0	--
MAY 30, 72	1305	1	.3	8.6	.0	.06	.01	.03	.08	2.5	28.0	--
			4.0	8.2	.0	.12	.01	.02	.02	3.0	--	--
JUL 24, 72	1603	1	.5	7.0	.0	.12	.00	.02	.04	2.3	--	--
			4.9	6.0	.0	.11	.00	.02	.03	1.7	20.0	--
SEP 18, 72	1525	1	.3	.3	.0	.05	.00	.00	.03	1.2	--	--
			5.2	.0	.0	.12	.01	.00	.05	1.5	--	--
NOV 15, 72	1125	1	.6	4.1	.0	.01	.00	.05	.06	1.4	--	--
			5.2	3.6	.0	.00	.00	.06	.09	2.5	--	--
FEB 20, 73	1450	1	.3	.6	.0	.02	.00	.01	.02	1.1	--	--
			5.2	2.2	.0	.02	.00	.01	.13	1.3	--	--
MAY 16, 73	1145	1	.3	6.4	.0	.07	.00	.07	.08	1.3	--	--
			4.9	5.6	.0	.08	.00	.06	.12	1.7	--	--
NOV 05, 71	1300	3	.3	9.1	.0	.06	.00	.05	.06	1.4	18.0	--
			2.4	9.0	.1	.06	.00	.05	.06	1.4	--	--
NOV 11, 71	1410	3	.3	9.3	.0	.00	.00	.04	.05	1.7	--	--
			3.0	8.6	.0	.00	.00	.05	.06	1.4	--	--
JAN 27, 72	1250	3	.3	5.3	.0	.06	.00	.01	.04	1.3	34.0	--
			2.1	4.3	.0	.03	.00	.01	.04	1.3	--	--
MAR 30, 72	1720	3	.3	5.7	.0	.35	.01	.04	.06	1.0	25.0	--
			2.4	5.8	.0	.44	.01	.05	.07	1.0	--	--
MAY 30, 72	1235	3	.3	--	--	--	--	--	--	--	32.0	--

TABLE 78--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 120 CONTINUED						
MAY 30, 72	1235	3	2.4	9.3	.0	.05	.01	.07	.10	1.9	--	--
JUL 24, 72	1534	3	.5	9.1	.0	.14	.00	.03	.04	1.6	26.0	--
			3.0	5.5	.0	.09	.00	.05	.15	2.7	--	--
SEP 18, 72	1455	3	.3	3.5	.0	.04	.00	.00	.04	2.1	--	--
			2.7	2.5	.0	.12	.01	.00	.06	2.3	--	--
NOV 15, 72	1105	3	.6	7.5	.0	.07	.00	.00	.04	1.8	--	--
			2.4	6.7	.0	.04	.00	.00	.05	2.0	--	--
FEB 20, 73	1435	3	.3	1.5	.0	.00	.00	.01	.02	1.0	--	--
			2.7	1.7	.0	.00	.00	.01	.04	.8	--	--
MAY 16, 73	1215	3	.3	5.5	.0	.07	.00	.04	.05	1.1	--	--
			2.4	5.2	.0	.02	.00	.04	.06	1.0	--	--
						LINE 141						
NOV 05, 71	1435	1	.3	6.9	.1	.06	.00	.04	.06	1.7	12.0	--
			2.4	3.9	.1	.02	.00	.03	.05	1.3	--	--
NOV 11, 71	1530	1	.3	7.3	.0	.00	.00	.04	.05	1.4	--	--
			2.7	6.6	.0	.00	.00	.04	.05	1.4	--	--
JAN 27, 72	1200	1	.3	2.6	.0	.05	.00	.00	.03	1.6	--	--
			2.7	1.5	.0	.04	.00	.01	.04	1.6	46.0	--
MAY 30, 72	1125	1	.3	7.9	.0	.20	.00	.06	.07	2.3	23.0	--
			2.4	6.4	.0	.05	.01	.04	.09	3.0	--	--
JUL 24, 72	1422	1	.3	5.5	.0	.01	.00	.01	.04	5.3	25.0	--
			3.0	6.1	.0	.02	.00	.07	.14	1.7	--	--
SEP 18, 72	1345	1	.3	.0	.0	.11	.00	.00	.02	2.1	--	--
			2.4	.0	.0	.17	.00	.00	.02	1.6	--	--
NOV 15, 72	0953	1	.3	3.5	.0	.06	.00	.00	.10	6.0	--	--
			2.4	3.1	.0	.05	.00	.00	.08	2.6	--	--
FEB 20, 73	1330	1	.3	1.1	.0	.00	.00	.00	.02	1.8	--	--
			2.7	2.0	.0	.13	.00	.00	.02	.9	--	--
APR 19, 73	1100	1	.3	3.1	.0	.00	.00	.00	.03	1.5	--	--
			3.4	4.9	.0	.00	.00	.01	.03	1.2	--	--
MAY 16, 73	1105	1	.3	4.3	.0	.00	.00	.03	.05	1.8	--	--
			2.7	4.6	.0	.00	.00	.02	.04	1.7	--	--
NOV 05, 71	1605	3	.3	7.2	.0	.08	.00	.04	.05	1.3	--	--
			2.4	6.3	.0	.01	.00	.04	.04	1.5	--	--
NOV 11, 71	1550	3	.3	8.0	.0	.00	.00	.05	.06	1.6	--	--
			3.4	7.3	.0	.16	.00	.05	.06	1.4	--	--
JAN 27, 72	1055	3	.3	3.4	.0	.09	.00	.00	.04	1.2	--	--
			4.0	2.2	.0	.07	.00	.01	.04	1.7	--	--
MAY 30, 72	1000	3	.3	6.9	.0	.00	.00	.02	.05	1.8	--	--
			3.4	4.4	.0	.02	.00	.08	.08	1.5	--	--
JUL 24, 72	1252	3	.3	7.0	.0	.04	.00	.02	.05	2.0	--	--
			4.0	7.0	.0	.07	.00	.09	.09	2.7	--	--
SEP 18, 72	1415	3	.3	.0	.0	.03	.00	.00	.02	1.5	3.0	--
			3.4	.0	.0	.05	.00	.00	.02	1.4	5.0	--
NOV 15, 72	0827	3	.6	3.3	.0	.03	.00	.00	.04	2.1	--	--

TABLE 76--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 141 CONTINUED							
NOV 15, 72	0827	3	3.4	.0	.0	.06	.00	.00	.07	2.7	--	--
FEB 20, 73	1210	3	.3	1.4	.0	.03	.00	.00	.02	1.0	--	--
			3.7	1.5	.0	.02	.00	.00	.02	.9	--	--
APR 19, 73	0940	3	.3	3.5	.0	.00	.00	.01	.04	.9	--	--
			4.0	4.8	.0	.00	.00	.01	.05	.9	--	--
MAY 16, 73	1040	3	.3	4.3	.0	.01	.00	.03	.04	.9	--	14.0
			3.0	4.3	.0	.10	.00	.03	.05	1.0	--	14.0
NOV 05, 71	1630	4	.3	6.0	.0	.12	.00	.03	.05	2.6	24.0	--
			4.9	6.8	.1	.05	.00	.04	.06	2.2	--	--
NOV 11, 71	1605	4	.3	6.5	.0	.06	.00	.03	.06	2.5	--	--
			4.9	6.6	.0	.00	.00	.03	.05	2.2	--	--
					LINE 165							
NOV 05, 71	1715	2	.3	6.7	.0	.03	.00	.01	.06	1.5	29.0	--
			6.1	3.7	.1	.05	.00	.01	.04	1.2	--	--
NOV 08, 71	0840	2	.3	1.4	.0	.06	.03	.01	.02	--	--	--
NOV 08, 71	0908	2	.3	1.4	.0	.07	.03	.01	.03	--	--	--
NOV 08, 71	1500	2	.3	5.6	.0	.00	.00	.02	.06	--	--	--
NOV 08, 71	2105	2	.3	2.5	.0	.03	.02	.02	.05	--	--	--
			.3	2.5	.0	.00	.02	.02	.05	--	--	--
NOV 09, 71	0210	2	.3	1.6	.0	.03	.03	.01	.03	--	--	--
NOV 09, 71	0935	2	.3	4.1	.0	.00	.01	.02	.02	--	--	--
NOV 09, 71	1515	2	.3	6.2	.0	.09	.01	.03	.04	--	--	--
NOV 10, 71	0400	2	.3	4.0	.0	.09	.01	.02	.03	--	--	--
NOV 10, 71	1000	2	.3	6.8	.0	.02	.01	.03	.04	--	--	--
NOV 10, 71	1635	2	.3	7.6	.0	.03	.01	.03	.04	--	--	--
NOV 11, 71	1645	2	.3	7.1	.0	.04	.00	.04	.05	2.0	--	--
			3.7	3.9	.0	.00	.00	.03	.03	1.8	--	--
JAN 27, 72	1120	2	.3	2.6	.0	.04	.00	.00	.03	1.7	--	--
			5.2	2.5	.0	.06	.00	.01	.03	1.7	35.0	--
MAY 30, 72	1050	2	.3	1.1	.0	.12	.00	.02	.02	1.3	--	--
			3.7	.9	.0	.04	.00	.02	.02	1.3	--	--
JUL 24, 72	1337	2	.3	.0	.0	.02	.00	.00	.03	.8	36.0	--
			6.2	1.5	.0	.05	.01	.02	.04	.4	--	--
NOV 15, 72	0910	2	.3	3.2	.0	.02	.00	.00	.03	1.9	--	--
			5.5	2.7	.0	.01	.00	.00	.03	1.9	--	--
FEB 20, 73	1250	2	.3	1.3	.0	.00	.00	.00	.01	.9	--	--
			5.2	1.2	.0	.00	.00	.00	.02	1.0	--	--
APR 19, 73	1020	2	.3	2.1	.0	.00	.00	.01	.05	1.0	--	--
			7.3	2.8	.0	.00	.01	.01	.05	.9	--	--
					LINE 172							
JAN 27, 72	1030	10	.3	3.2	.0	.08	.00	.00	.03	1.9	--	--

TABLE 76--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 172 CONTINUED							
JAN 27, 72	1030	10	4.6	2.9	.0	.05	.00	.00	.03	1.7	44.0	--
MAY 30, 72	0920	10	.3	6.4	.0	.05	.00	.02	.08	1.8	24.0	--
			5.2	9.1	.0	.12	.00	.03	.04	1.3	--	--
JUL 24, 72	1228	10	.3	6.7	.0	.01	.00	.01	.03	1.9	31.0	--
			4.1	5.0	.0	.07	.00	.01	.01	2.6	--	--
NOV 15, 72	0800	10	.3	3.0	.0	.01	.00	.00	.02	1.6	--	--
			5.2	2.8	.0	.06	.00	.00	.02	.9	--	--
FEB 20, 73	1155	10	.3	1.1	.0	.03	.00	.00	.02	1.1	--	--
			4.9	1.7	.0	.00	.00	.00	.02	1.1	--	--
APR 19, 73	0925	10	.3	6.2	.0	.00	.00	.00	.03	1.1	--	--
			4.6	3.2	.0	.00	.00	.00	.03	.8	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
						LINE 15					
NOV 05, 71	0825	2	.6	6020	67.0	100.0	1000	120	200	1700	3180
NOV 11, 71	1105	2	1.5	8760	88.0	170.0	1400	122	340	2600	4670
MAR 30, 72	1450	2	.3	18500	180.0	380.0	3400	164	700	6100	10900
MAY 30, 72	1545	2	.3	6020	59.0	100.0	1000	112	220	1800	3300
JUL 24, 72	1610	2	.3	12900	120.0	270.0	2400	134	540	4200	7600
SEP 18, 72	1603	2	.3	19800	170.0	440.0	3900	138	880	6800	12300
NOV 15, 72	1135	2	.3	17200	150.0	360.0	3300	132	550	5900	10300
FEB 20, 73	1600	2	.3	30700	250.0	680.0	6200	145	2000	10000	19500
APR 19, 73	1240	2	.3	28200	240.0	700.0	5800	148	1900	10000	18400
MAY 16, 73	1240	2	.3	27200	240.0	650.0	5400	151	1300	9600	17200
						LINE 44					
NOV 05, 71	1030	2	1.8	3680	64.0	61.0	590	122	96	1100	1950
NOV 11, 71	0925	2	1.5	4610	82.0	55.0	810	136	110	1400	2540
MAR 30, 72	1620	2	.3	17800	170.0	400.0	3200	168	520	5900	10300
MAY 30, 72	1130	2	.3	3120	65.0	36.0	530	160	72	890	1690
JUL 24, 72	1305	2	.3	11400	160.0	160.0	2100	150	320	3700	6550
SEP 18, 72	1335	2	.3	14600	--	--	--	--	--	--	--
NOV 15, 72	0915	2	.3	16200	170.0	330.0	3100	149	650	5400	9760
FEB 20, 73	1330	2	.3	24800	260.0	580.0	4800	144	1000	8800	15500
APR 19, 73	1045	2	.3	25700	280.0	570.0	5400	155	1200	9600	17200
MAY 16, 73	1055	2	.3	29000	--	--	--	--	--	--	--
						LINE 54					
NOV 05, 71	1000	1	1.8	3520	--	--	--	--	--	--	--
NOV 11, 71	0955	1	2.4	6780	76.0	120.0	1200	118	240	2000	3720
MAR 30, 72	1525	1	.3	21100	--	--	--	--	--	--	--
			1.8	21600	--	--	--	--	--	--	--
MAY 30, 72	1300	1	.3	3740	--	--	--	--	--	--	--
			2.1	4040	--	--	--	--	--	--	--
JUL 24, 72	1415	1	.3	9080	--	--	--	--	--	--	--
			2.4	9580	--	--	--	--	--	--	--
SEP 18, 72	1440	1	.3	16600	140.0	430.0	3300	134	720	6000	10700
			2.1	22300	--	--	--	--	--	--	--
NOV 15, 72	1005	1	.3	20100	--	--	--	--	--	--	--
			1.8	20700	--	--	--	--	--	--	--
FEB 20, 73	1410	1	.3	26400	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DISSOLVED SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
				LINE 54 CONTINUED							
FEB 20, 73	1410	1	2.1	27200	--	--	--	--	--	--	--
APR 19, 73	1110	1	.3	28400	--	--	--	--	--	--	--
			2.1	28300	--	--	--	--	--	--	--
MAY 16, 73	1120	1	.3	25800	230.0	600.0	5000	152	1300	8800	16000
			2.1	25800	--	--	--	--	--	--	--
NOV 05, 71	0920	3	2.4	4550	60.0	75.0	800	111	160	1400	2540
NOV 11, 71	1025	3	1.8	407	--	--	--	--	--	--	--
MAR 30, 72	1545	3	1.5	17100	160.0	340.0	3200	160	660	5600	10000
MAY 30, 72	1400	3	.3	2880	42.0	39.0	460	114	85	770	1470
JUL 24, 72	1445	3	.3	10300	140.0	180.0	1800	139	390	3200	5880
NOV 15, 72	1030	3	.3	16800	160.0	360.0	3200	137	660	5700	10200
FEB 20, 73	1450	3	.3	25000	230.0	560.0	4800	142	1200	8500	15300
APR 19, 73	1135	3	.3	27100	250.0	650.0	5700	141	1400	10000	18200
				LINE 77							
JAN 27, 72	1400	1	2.4	18800	--	--	--	--	--	--	--
NOV 08, 71	0800	2	4.0	12000	100.0	250.0	2100	120	490	3800	6780
NOV 08, 71	1100	2	4.0	12000	100.0	260.0	2100	120	480	3800	6770
NOV 08, 71	1700	2	3.8	8150	84.0	160.0	1400	118	310	2500	4540
NOV 08, 71	2000	2	4.0	10600	100.0	270.0	2000	128	500	3600	6570
NOV 09, 71	0500	2	4.0	10100	100.0	250.0	2000	131	510	3600	6570
NOV 09, 71	1100	2	4.0	9900	90.0	220.0	1800	120	400	3200	5700
NOV 09, 71	1700	2	4.0	8310	82.0	160.0	1500	120	340	2600	4670
NOV 09, 71	2100	2	4.0	13000	120.0	300.0	2300	124	540	4200	7480
NOV 10, 71	0500	2	4.0	13800	120.0	340.0	2500	120	600	4500	8100
NOV 10, 71	1100	2	4.0	8960	82.0	210.0	1500	120	340	2800	4960
NOV 10, 71	1600	2	4.0	8270	82.0	230.0	1300	120	310	2600	4570
MAR 30, 72	1400	2	.3	25100	--	--	--	--	--	--	--
			2.7	26200	--	--	--	--	--	--	--
MAY 30, 72	1600	2	.3	10500	--	--	--	--	--	--	--
			3.0	11000	--	--	--	--	--	--	--
JUL 24, 72	1640	2	.3	19600	--	--	--	--	--	--	--
			3.4	22100	--	--	--	--	--	--	--
NOV 15, 72	1230	2	.3	18600	--	--	--	--	--	--	--
			3.4	21800	--	--	--	--	--	--	--
FEB 20, 73	1620	2	.3	31400	--	--	--	--	--	--	--
			3.0	32700	--	--	--	--	--	--	--
APR 19, 73	1305	2	.3	29600	--	--	--	--	--	--	--
			3.0	33100	--	--	--	--	--	--	--
				LINE 89							
NOV 05, 71	0835	2	.3	3390	42.0	64.0	560	124	130	960	1840

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
					LINE 89 CONTINUED						
NOV 11, 71	1530	2	.6	4650	52.0	130.0	730	134	180	1400	2550
			1.5	5100	--	--	--	--	--	--	--
JAN 27, 72	1440	2	1.2	9810	94.0	200.0	1700	151	560	2800	5400
MAR 30, 72	1155	2	.9	17800	160.0	390.0	3100	172	800	5500	10000
MAY 30, 72	1630	2	.3	2580	32.0	38.0	440	126	93	700	1380
JUL 24, 72	1735	2	.3	4500	50.0	81.0	830	156	170	1400	2610
SEP 18, 72	1805	2	.3	14300	--	--	--	--	--	--	--
NOV 15, 72	1355	2	.3	11200	110.0	270.0	2100	164	500	3800	6900
FEB 20, 73	1720	2	.3	23200	210.0	560.0	4500	168	1100	8000	14500
APR 19, 73	1400	2	.3	25600	250.0	650.0	5200	173	1500	9200	16900
MAY 16, 73	1515	2	.3	22800	--	--	--	--	--	--	--
						LINE 104					
NOV 05, 71	0940	2	.3	13000	110.0	270.0	2800	115	540	4800	8560
			4.9	13800	--	--	--	--	--	--	--
MAR 30, 72	1030	2	1.2	36200	--	--	--	--	--	--	--
MAY 30, 72	1830	2	.3	17200	--	--	--	--	--	--	--
JUL 24, 72	1640	2	.5	20700	--	--	--	--	--	--	--
NOV 15, 72	1235	2	.3	29200	--	--	--	--	--	--	--
FEB 20, 73	1540	2	.3	35300	--	--	--	--	--	--	--
MAR 30, 72	1125	6	1.5	32000	--	--	--	--	--	--	--
MAY 30, 72	1420	6	.3	12100	--	--	--	--	--	--	--
JUL 24, 72	1706	6	.5	20700	--	--	--	--	--	--	--
NOV 15, 72	1255	6	.3	18800	--	--	--	--	--	--	--
FEB 20, 73	1620	6	.3	32600	--	--	--	--	--	--	--
APR 19, 73	1330	6	.3	29900	--	--	--	--	--	--	--
						LINE 110					
NOV 11, 71	1455	2	.6	7050	--	--	--	--	--	--	--
			4.6	17400	--	--	--	--	--	--	--
JAN 27, 72	1535	2	.3	24800	--	--	--	--	--	--	--
			4.3	24600	--	--	--	--	--	--	--
MAR 30, 72	1055	2	.3	26500	--	--	--	--	--	--	--
			4.3	26200	--	--	--	--	--	--	--
MAY 30, 72	1745	2	.3	12400	--	--	--	--	--	--	--
			4.3	15800	--	--	--	--	--	--	--
JUL 24, 72	1835	2	.3	12400	--	--	--	--	--	--	--
			4.3	32900	--	--	--	--	--	--	--
NOV 15, 72	1400	2	.3	26300	--	--	--	--	--	--	--
			4.4	26000	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
					LINE 110 CONTINUED						
FEB 20, 73	1600	2	.3	28400	--	--	--	--	--	--	--
			4.3	28500	--	--	--	--	--	--	--
					LINE 115						
NOV 11, 71	1425	5	1.5	12800	--	--	--	--	--	--	--
MAR 30, 72	1005	5	1.2	35700	--	--	--	--	--	--	--
JUN 01, 72	0840	5	.3	16900	--	--	--	--	--	--	--
JUL 24, 72	1800	5	.3	16400	--	--	--	--	--	--	--
SEP 18, 72	1600	5	.3	42600	320.0	1100.0	8600	148	2100	15000	27600
			1.2	42100	--	--	--	--	--	--	--
NOV 15, 72	1210	5	.3	29900	--	--	--	--	--	--	--
FEB 20, 73	1530	5	.3	33900	--	--	--	--	--	--	--
MAY 15, 73	1710	5	.3	17100	150.0	380.0	3100	158	790	5500	9990
			.9	18100	--	--	--	--	--	--	--
JAN 27, 72	1605	7	.9	29200	240.0	720.0	5400	146	1200	9800	17400
					LINE 120						
NOV 05, 71	1225	1	.3	16900	140.0	360.0	3100	128	740	5400	9860
			4.3	18500	--	--	--	--	--	--	--
NOV 11, 71	1435	1	.3	14100	120.0	320.0	2500	150	620	4400	8090
			4.0	28300	--	--	--	--	--	--	--
JAN 27, 72	1645	1	.3	25500	--	--	--	--	--	--	--
			4.0	25400	220.0	540.0	4700	149	1100	8200	14900
MAY 30, 72	1305	1	.3	13800	120.0	280.0	2600	134	600	4400	8080
			4.0	15600	--	--	--	--	--	--	--
JUL 24, 72	1603	1	.5	33100	--	--	--	--	--	--	--
			4.9	38900	--	--	--	--	--	--	--
SEP 18, 72	1525	1	.3	36900	--	--	--	--	--	--	--
			5.2	39300	--	--	--	--	--	--	--
NOV 15, 72	1125	1	.6	26600	--	--	--	--	--	--	--
			5.2	26300	--	--	--	--	--	--	--
FEB 20, 73	1450	1	.3	35200	--	--	--	--	--	--	--
			5.2	40500	--	--	--	--	--	--	--
MAY 16, 73	1145	1	.3	18400	--	--	--	--	--	--	--
			4.9	25000	--	--	--	--	--	--	--
NOV 05, 71	1300	3	.3	13100	--	--	--	--	--	--	--
			2.4	13400	--	--	--	--	--	--	--
NOV 11, 71	1410	3	.3	12100	100.0	260.0	2100	124	500	3800	6870
			3.0	13300	--	--	--	--	--	--	--
JAN 27, 72	1250	3	.3	20200	180.0	430.0	3900	150	940	6800	12300
			2.1	23500	--	--	--	--	--	--	--
MAR 30, 72	1720	3	.3	27700	230.0	670.0	5500	162	1600	9600	17700
			2.4	27100	--	--	--	--	--	--	--
MAY 30, 72	1235	3	.3	11300	100.0	230.0	2000	132	470	3600	6500

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
					LINE 120 CONTINUED						
MAY 30, 72	1235	3	2.4	12200	--	--	--	--	--	--	--
JUL 24, 72	1534	3	.5	21300	--	--	--	--	--	--	--
SEP 18, 72	1455	3	.3	29600	--	--	--	--	--	--	--
			2.7	34600	--	--	--	--	--	--	--
NOV 15, 72	1105	3	.6	21800	--	--	--	--	--	--	--
			2.4	24400	--	--	--	--	--	--	--
FEB 20, 73	1435	3	.3	34800	--	--	--	--	--	--	--
			2.7	34800	--	--	--	--	--	--	--
MAY 16, 73	1215	3	.3	22900	--	--	--	--	--	--	--
			2.4	23600	--	--	--	--	--	--	--
					LINE 141						
NOV 05, 71	1435	1	.3	21600	--	--	--	--	--	--	--
			2.4	31400	--	--	--	--	--	--	--
NOV 11, 71	1530	1	.3	18000	--	--	--	--	--	--	--
			2.7	22500	--	--	--	--	--	--	--
JAN 27, 72	1200	1	.3	36000	--	--	--	--	--	--	--
			2.7	44500	--	--	--	--	--	--	--
MAY 30, 72	1125	1	.3	18900	--	--	--	--	--	--	--
			2.4	23900	--	--	--	--	--	--	--
JUL 24, 72	1422	1	.3	34300	--	--	--	--	--	--	--
			3.0	39100	--	--	--	--	--	--	--
SEP 18, 72	1345	1	.3	45400	--	--	--	--	--	--	--
			2.4	45300	--	--	--	--	--	--	--
NOV 15, 72	0953	1	.3	28400	--	--	--	--	--	--	--
			2.4	29200	--	--	--	--	--	--	--
FEB 20, 73	1330	1	.3	39600	--	--	--	--	--	--	--
			2.7	39600	--	--	--	--	--	--	--
APR 19, 73	1100	1	.3	37100	--	--	--	--	--	--	--
			3.4	36900	--	--	--	--	--	--	--
MAY 16, 73	1105	1	.3	27400	--	--	--	--	--	--	--
			2.7	27500	--	--	--	--	--	--	--
NOV 05, 71	1605	3	.3	20700	--	--	--	--	--	--	--
			2.4	22900	--	--	--	--	--	--	--
NOV 11, 71	1550	3	.3	16400	--	--	--	--	--	--	--
			3.4	19000	--	--	--	--	--	--	--
JAN 27, 72	1055	3	.3	26800	--	--	--	--	--	--	--
			4.0	43700	--	--	--	--	--	--	--
MAY 30, 72	1000	3	.3	22400	--	--	--	--	--	--	--
			3.4	41400	--	--	--	--	--	--	--
JUL 24, 72	1252	3	.3	30100	--	--	--	--	--	--	--
			4.0	34600	--	--	--	--	--	--	--
SEP 18, 72	1415	3	.3	43400	320.0	1100.0	8900	154	2100	16000	28300
			3.4	45500	--	--	--	--	--	--	--
NOV 15, 72	0827	3	.6	32300	--	--	--	--	--	--	--
			3.4	32300	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
						LINE 141 CONTINUED					
FEB 20, 73	1210	3	.3	38000	--	--	--	--	--	--	--
			3.7	39300	--	--	--	--	--	--	--
APR 19, 73	0940	3	.3	35600	--	--	--	--	--	--	--
			4.0	36400	--	--	--	--	--	--	--
MAY 16, 73	1040	3	.3	28500	240.0	660.0	5500	155	1400	9700	17500
			3.0	27800	--	--	--	--	--	--	--
NOV 05, 71	1630	4	.3	19500	--	--	--	--	--	--	--
			4.9	23800	--	--	--	--	--	--	--
NOV 11, 71	1605	4	.3	22000	--	--	--	--	--	--	--
			4.9	23300	--	--	--	--	--	--	--
						LINE 165					
NOV 05, 71	1715	2	.3	26600	210.0	720.0	4900	138	1300	9000	16100
			6.1	31700	--	--	--	--	--	--	--
NOV 08, 71	0840	2	.3	46000	370.0	1400.0	9200	139	2300	17000	30600
NOV 08, 71	0908	2	.3	46200	350.0	1100.0	9700	142	2300	17000	30500
NOV 08, 71	1500	2	.3	29300	240.0	690.0	6000	110	1400	11000	19100
NOV 08, 71	2105	2	.3	42000	340.0	1200.0	8300	139	2100	15000	27100
NOV 09, 71	0210	2	.3	46400	380.0	1300.0	9400	140	2400	17000	30500
NOV 09, 71	0935	2	.3	36000	280.0	870.0	7400	139	1800	13000	23400
NOV 09, 71	1515	2	.3	26200	220.0	670.0	5200	134	1300	9400	16900
NOV 10, 71	0400	2	.3	34600	280.0	840.0	7000	139	1700	12000	22300
NOV 10, 71	1000	2	.3	22600	190.0	590.0	4600	132	1100	8200	14700
NOV 10, 71	1635	2	.3	19700	180.0	530.0	3700	132	940	6800	12200
NOV 11, 71	1645	2	.3	18800	--	--	--	--	--	--	--
			3.7	33600	--	--	--	--	--	--	--
JAN 27, 72	1120	2	.3	34200	260.0	740.0	6500	148	1300	12000	20500
			5.2	36200	--	--	--	--	--	--	--
MAY 30, 72	1050	2	.3	54600	390.0	1200.0	11000	150	2500	19000	33700
			3.7	54400	--	--	--	--	--	--	--
JUL 24, 72	1337	2	.3	52900	420.0	1300.0	11000	146	2600	19000	34400
			6.2	52800	--	--	--	--	--	--	--
NOV 15, 72	0910	2	.3	31300	--	--	--	--	--	--	--
			5.5	32100	--	--	--	--	--	--	--
FEB 20, 73	1250	2	.3	40800	--	--	--	--	--	--	--
			5.2	40800	--	--	--	--	--	--	--
APR 19, 73	1020	2	.3	40800	350.0	1000.0	9000	137	2200	16000	28500
			7.3	41000	--	--	--	--	--	--	--
						LINE 172					
JAN 27, 72	1030	10	.3	34300	--	--	--	--	--	--	--
			4.6	37700	--	--	--	--	--	--	--
MAY 30, 72	0920	10	.3	20600	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
				LINE 172 CONTINUED							
MAY 30, 72	0920	10	5.2	37900	--	--	--	--	--	--	--
JUL 24, 72	1228	10	.3	28600	--	--	--	--	--	--	--
			4.1	33200	--	--	--	--	--	--	--
NOV 15, 72	0800	10	.3	32500	--	--	--	--	--	--	--
			5.2	32700	--	--	--	--	--	--	--
FEB 20, 73	1155	10	.3	37300	--	--	--	--	--	--	--
			4.9	37300	--	--	--	--	--	--	--
APR 19, 73	0925	10	.3	36200	--	--	--	--	--	--	--
			4.6	36000	--	--	--	--	--	--	--

TABLE 70--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ALUMI-NUM (AL) (UG/L)	DIS-SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS-SOLVED CAD-MIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
						LINE 15				
SEP 18, 72	1603	2	.3	--	0	--	--	0	--	--
			1.5	--	--	--	1	--	--	0
						LINE 44				
SEP 18, 72	1335	2	.3	--	0	--	--	0	--	--
			.9	--	--	--	0	--	--	0
						LINE 89				
SEP 18, 72	1805	2	.3	--	0	--	--	0	--	--
			1.2	--	--	--	2	--	--	0
						LINE 115				
SEP 18, 72	1600	5	.3	--	0	--	--	0	--	--
						LINE 141				
SEP 18, 72	1415	3	.3	--	0	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CHRO-MIUM (CR) (UG/L)	TOTAL CHRO-MIUM (CR) (UG/L)	DIS-SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS-SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
						LINE 15					
SEP 18, 72	1603	2	.3	0	--	--	--	--	8	--	--
			1.5	--	--	--	--	3	--	--	3
						LINE 44					
SEP 18, 72	1335	2	.3	0	--	--	--	--	3	--	--
			.9	--	--	--	--	2	--	--	4
						LINE 89					
SEP 18, 72	1805	2	.3	0	--	--	--	--	7	--	--
			1.2	--	--	--	--	1	--	--	6
						LINE 115					
SEP 18, 72	1600	5	.3	0	--	--	--	--	4	--	--
						LINE 141					
SEP 18, 72	1415	3	.3	0	--	--	--	--	4	--	--

TABLE 7D--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CYANIDE (CN) (MG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS-SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS-SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
						LINE 15					
SEP 18, 72	1603	2	.3	--	--	0	--	--	0	--	--
			1.5	--	--	--	--	8300	--	--	3
						LINE 44					
SEP 18, 72	1335	2	.3	--	--	0	--	--	0	--	--
			.9	--	--	--	--	7400	--	--	7
						LINE 89					
SEP 18, 72	1805	2	.3	--	--	0	--	--	2	--	--
			1.2	--	--	--	--	24000	--	--	3
						LINE 115					
SEP 18, 72	1600	5	.3	--	--	0	--	--	0	--	--
						LINE 141					
SEP 18, 72	1415	3	.3	--	--	0	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED LITH-IUM (LI) (UG/L)	DIS-SOLVED MAN-GANESE (MN) (UG/L)	TOTAL MAN-GANESE (MN) (UG/L)	BOTTOM DEPOSIT MAN-GANESE (MN) (UG/GM)	DIS-SOLVED MER-CURY (HG) (UG/L)	TOTAL MER-CURY (HG) (UG/L)	BOTTOM DEPOSIT MER-CURY (HG) (UG/GM)	DIS-SOLVED NICKLE (NI) (UG/L)	DIS-SOLVED STRON-TIUM (SR) (UG/L)
						LINE 15						
SEP 18, 72	1603	2	.3	80	0	--	--	--	--	--	--	3500
			1.5	--	--	--	90	--	--	.0	--	--
						LINE 44						
SEP 18, 72	1335	2	.3	200	0	--	--	--	--	--	--	10000
			.9	--	--	--	160	--	--	.0	--	--
						LINE 89						
SEP 18, 72	1805	2	.3	40	0	--	--	--	--	--	--	1900
			1.2	--	--	--	230	--	--	.0	--	--
						LINE 115						
SEP 18, 72	1600	5	.3	120	60	--	--	--	--	--	--	5000
						LINE 141						
SEP 18, 72	1415	3	.3	130	0	--	--	--	--	--	--	5000

TABLE 7D--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GM)
						LINE 15
SEP 18, 72	1603	2	.3	4	--	--
			1.5	--	--	23
						LINE 44
SEP 18, 72	1335	2	.3	0	--	--
			.9	--	--	28
						LINE 89
SEP 18, 72	1805	2	.3	4	--	--
			1.2	--	--	63
						LINE 141
SEP 18, 72	1415	3	.3	16	--	--

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLORDANE (UG/L)	BOTTOM DEPOSIT CHLORDANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
						LINE 15					
NOV 05, 71	0825	2	1.7	-- < .2		-- < 1.0		-- < .2		-- < .2	
SEP 18, 72	1603	2	.3	.00	--	.0	--	.00	--	.00	--
			1.5	-- < .2		-- < 1.0		-- < .2		-- < .2	
						LINE 44					
NOV 05, 71	1030	2	2.6	-- < .2		-- < 1.0		--	7.6	--	19.0
SEP 18, 72	1335	2	.3	.00	--	.0	--	.00	--	.00	--
						LINE 54					
NOV 05, 71	0920	3	2.4	-- < .2		-- < 1.0		--	3.4	--	12.0
						LINE 89					
SEP 18, 72	1805	2	.3	.00	--	.0	--	.00	--	.00	--
			1.2	-- < .2		-- < 1.0		-- < .2		--	2.5
						LINE 115					
SEP 18, 72	1600	5	.3	.00	--	.0	--	.00	--	.00	--
			1.2	-- < .2		-- < 1.0		-- < .2		-- < .2	
						LINE 141					
SEP 18, 72	1415	3	.3	.00	--	.0	--	.00	--	.00	--

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DDT (UG/KG)	TOTAL DIEL-DRIN (UG/L)	BOTTOM DEPOSIT DIEL-DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA-CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR (UG/KG)
						LINE 15					
NOV 05, 71	0825	2	1.7	-- <	.2	-- <	.2	-- <	.2	-- <	.2
SEP 18, 72	1603	2	.3	.00	--	.00	--	.00	--	.00	--
			1.5	-- <	.2	-- <	.2	-- <	.2	-- <	.2
						LINE 44					
NOV 05, 71	1030	2	2.6	-- <	.2	-- <	.2	-- <	.2	-- <	.2
SEP 18, 72	1335	2	.3	.00	--	.00	--	.00	--	.00	--
						LINE 54					
NOV 05, 71	0920	3	2.4	-- <	.2	-- <	.2	-- <	.2	-- <	.2
						LINE 89					
SEP 18, 72	1805	2	.3	.00	--	.00	--	.00	--	.00	--
			1.2	-- <	.2	-- <	.2	-- <	.2	-- <	.2
						LINE 115					
SEP 18, 72	1600	5	.3	.00	--	.00	--	.00	--	.00	--
			1.2	-- <	.2	-- <	.2	-- <	.2	-- <	.2
						LINE 141					
SEP 18, 72	1415	3	.3	.00	--	.00	--	.00	--	.00	--

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL HEPTACHLOR EPOXIDE (UG/L)	BOTTOM DEPOSIT HEPTACHLOR EPOXIDE (UG/KG)	TOTAL LINDANE (UG/L)	BOTTOM DEPOSIT LINDANE (UG/KG)	TOTAL PARATHION (UG/L)	TOTAL METHYL PARATHION (UG/L)	TOTAL MALATHION (UG/L)	TOTAL DIAZINON (UG/L)
						LINE 15					
NOV 05, 71	0825	2	1.7	-- <	.2	-- <	.2	--	--	--	--
SEP 18, 72	1603	2	.3	.00	--	.00	--	--	--	--	--
			1.5	-- <	.2	-- <	.2	--	--	--	--
						LINE 44					
NOV 05, 71	1030	2	2.6	-- <	.2	-- <	.2	--	--	--	--
SEP 18, 72	1335	2	.3	.00	--	.00	--	.00	.00	.00	.00
						LINE 54					
NOV 05, 71	0920	3	2.4	-- <	.2	-- <	.2	--	--	--	--
						LINE 69					
SEP 18, 72	1805	2	.3	.00	--	.00	--	.00	.00	.00	.00
			1.2	-- <	.2	-- <	.2	--	--	--	--
						LINE 115					
SEP 18, 72	1600	5	.3	.00	--	.00	--	.00	.00	.00	.00
			1.2	-- <	.2	-- <	.2	--	--	--	--
						LINE 141					
SEP 18, 72	1415	3	.3	.00	--	.00	--	.00	.00	.00	.00

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL PCB (UG/L)	BOTTOM DEPOSIT PCB (UG/KG)	TOTAL 2,4-D (UG/L)	BOTTOM DEPOSIT 2,4-D (UG/KG)	TOTAL 2,4,5-T (UG/L)	BOTTOM DEPOSIT 2,4,5-T (UG/KG)	TOTAL SILVEX (UG/L)	BOTTOM DEPOSIT SILVEX (UG/KG)
					LINE 15						
NOV 05, 71	0825	2	.6	< .5	--	.00	--	.00	--	.00	--
SEP 18, 72	1603	2	.3	< .1	--	.00	--	.00	--	.00	--
			1.5	--	< 2.0	--	--	--	--	--	--
					LINE 44						
NOV 05, 71	1030	2	.6	< .5	--	.00	--	.00	--	.00	--
SEP 18, 72	1335	2	.3	< .1	--	.00	--	.00	--	.00	--
					LINE 54						
NOV 05, 71	0920	3	.3	< .5	--	.00	--	.00	--	.00	--
					LINE 89						
SEP 18, 72	1805	2	.3	< .1	--	.00	--	.00	--	.00	--
			1.2	--	< 2.0	--	< 2.7	--	< .8	--	< .8
					LINE 115						
SEP 18, 72	1600	5	.3	.0	--	.00	--	.00	--	.00	--
			1.2	--	< 2.0	--	< 2.6	--	< .7	--	< .7
					LINE 141						
SEP 18, 72	1415	3	.3	< .1	--	.00	--	.00	--	.00	--

Nueces Estuary

The Nueces estuary covers an area of about 200 square miles (520 square kilometers) and consists of the tidal parts of the Nueces River and other tributaries, Nueces Bay, Tule Lake Channel, Corpus Christi Bay, part of Redfish Bay, Corpus Christi Ship Channel, Aransas Pass, and parts of the Intracoastal Waterway (Figure 9). Water depth at mlw is less than 13 feet (4.0 meters) in Corpus Christi Bay; less than 3 feet (1.0 meter) in Nueces Bay; more than 40 feet (12.2 meters) in Aransas Pass, Corpus Christi Ship Channel, and Tule Lake Channel; and about 15 feet (4.6 meters) in the Intracoastal Waterway. A part of Redfish Bay is about 10 feet (3.0 meters) deep, but about one-fourth of it is only 1 foot (0.3 meter) deep (mlw).

Water-quality data (Table 8) were collected during January, March, May, June, July, September, and November 1972, and February, April, and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 8 and on Figure 9.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Nueces Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	13	13a	127
2	22	13a-site 1	131
3	38	14	142
4	47-site 4	14a	147
4a	47-site 2	15	159
5	53	16	168
6	64	Laguna Madre 1	170
7	71	Laguna Madre 2	183
8	83		
9	93	Gulf of Mexico 17-site 2	901-site 70
10	108		
11	118		
12	122		
12a	205		
13	200		



Figure 9.—Data-Collection Sites in the Nueces Estuary

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 13					
NOV 05, 71	0950	2	.3	340	21.7	7.7	7.1	80	--	--
			1.5	340	21.7	7.7	7.1	80	--	--
			3.0	340	21.7	7.7	7.0	79	--	--
			6.1	340	21.6	7.6	7.2	81	--	--
NOV 11, 71	1225	2	.3	400	23.8	7.7	--	--	--	--
			3.0	400	23.8	7.7	--	--	--	--
			5.5	410	24.0	7.3	--	--	--	--
MAR 27, 72	1520	2	.3	1600	29.1	8.2	9.5	122	--	56
			1.5	2000	28.1	8.1	7.1	91	--	--
			3.7	2800	28.9	7.9	5.2	68	--	--
JUN 01, 72	1545	2	.3	1100	32.0	7.8	8.3	86	--	48
			1.2	1100	31.2	7.8	8.9	115	--	--
			2.4	1100	31.4	7.8	7.8	107	--	--
JUL 25, 72	1440	2	.3	14000	32.1	8.4	9.7	137	--	25
			.9	15000	31.9	8.5	9.0	127	--	--
SEP 19, 72	1510	2	.3	1100	31.3	8.4	8.6	115	--	--
			1.5	1100	31.3	8.4	8.6	115	--	--
			3.4	1100	31.4	8.2	8.3	84	--	--
NOV 16, 72	1445	2	.3	1200	20.3	8.2	9.4	103	--	--
			1.5	1300	20.2	8.2	9.5	103	--	--
			3.4	1600	20.5	8.2	9.6	105	--	--
FEB 21, 73	1445	2	.3	1300	12.3	7.9	10.2	95	--	58
			1.5	1300	12.3	7.8	9.5	89	--	--
			3.0	2200	12.3	7.6	8.3	78	--	--
			4.0	2600	12.3	7.2	5.3	50	--	--
APR 18, 73	1620	2	.3	1900	20.6	--	11.4	127	--	53
			1.5	1900	20.6	--	11.4	127	--	--
			3.7	2000	20.6	--	11.5	128	--	--
MAY 17, 73	1320	2	.3	1100	26.6	8.3	8.8	109	--	--
			1.5	1100	26.1	8.4	7.7	94	--	--
			3.0	1100	26.2	8.4	7.6	93	--	--
					LINE 22					
NOV 05, 71	1025	2	.3	340	23.0	7.5	7.0	80	--	--
			1.5	340	22.9	7.5	7.0	80	--	--
			3.7	340	22.7	7.2	6.8	78	--	--
MAR 29, 72	1610	2	.3	4800	24.6	8.5	10.1	122	--	33
			1.2	4400	24.5	8.5	10.1	120	--	--
			2.1	4200	24.5	8.4	9.8	117	--	--
JUL 25, 72	1455	2	.3	2200	31.6	8.3	9.9	136	--	58
			.9	2200	32.0	8.3	10.5	144	--	--
			1.8	5000	30.5	7.8	6.4	86	--	--
			2.1	11000	30.0	7.8	3.8	51	--	--
NOV 16, 72	0855	2	.3	1700	17.5	8.2	9.3	97	--	43
			1.5	1900	17.3	8.2	8.8	97	--	--
			1.8	19000	20.2	7.7	1.8	21	--	--
			2.1	21000	20.8	7.6	.1	1	--	--
			2.7	24000	22.3	7.4	.5	6	--	--
APR 18, 73	1355	2	.3	23000	20.7	--	13.1	156	--	43
			.9	23000	20.7	--	12.9	154	--	--
			1.8	24000	20.7	--	12.3	146	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 901 CONTINUED					
NOV 16, 72	0805	2	6.1	44000	17.5	8.2	7.8	98	65	--
			9.1	44000	17.4	8.2	7.9	96	60	--
			12.2	44000	17.3	8.2	8.4	104	65	--
FEB 21, 73	0800	2	.6	41000	11.1	--	9.8	104	40	61
			1.5	41000	11.1	--	10.0	106	40	--
			3.0	41000	11.3	--	10.2	109	60	--
			6.1	41000	11.3	--	10.4	111	60	--
			9.1	41000	11.4	--	10.5	113	60	--
			12.2	41000	11.3	--	11.0	117	60	--
APR 18, 73	0810	2	.3	42000	19.4	8.0	6.5	82	45	43
			1.5	42000	19.4	8.0	6.5	82	45	--
			3.0	42000	19.4	8.0	6.4	81	50	--
			6.1	43000	19.4	8.0	6.4	81	60	--
			9.1	43000	19.4	8.0	6.5	82	65	--
			12.2	43000	19.4	8.0	6.8	86	95	--
			15.2	43000	19.2	8.0	6.9	86	90	--
MAY 16, 73	0945	2	.3	36000	22.4	8.3	7.1	92	--	183
			1.5	36000	22.8	8.3	7.1	93	10	--
			3.0	36000	22.8	8.2	7.1	93	10	--
			6.1	36000	22.8	8.2	6.9	91	10	--
			9.1	36000	22.8	8.2	7.0	92	5	--
			12.2	36000	22.7	8.2	7.2	94	10	--
			19.8	37000	22.7	8.2	7.0	91	20	--
APR 18, 72	1520	70	.6	44000	21.8	8.1	7.1	96	10	128
			3.0	44000	21.7	8.1	6.8	92	15	--
			6.1	44000	21.4	8.2	6.9	92	15	--
			9.1	44000	21.3	8.2	6.9	92	20	--
			14.0	44000	21.4	8.2	6.9	92	30	--
					LINE 902					
SEP 19, 72	1050	2	.6	54000	28.8	8.2	9.0	145	0	--
			3.0	54000	28.9	8.2	9.8	158	0	--
			6.1	54000	28.9	8.2	10.2	165	0	--
			9.1	54000	28.7	8.2	11.0	177	0	--
			13.7	55000	28.7	8.2	11.4	184	0	--
					LINE 910					
SEP 19, 72	1005	2	.6	44000	28.9	8.2	6.4	100	0	--
			3.0	44000	28.8	8.2	6.5	102	0	--
			6.1	44000	28.8	8.2	6.6	103	0	--
			9.1	44000	28.5	8.2	6.6	102	0	--
			12.2	44000	28.0	8.2	7.1	108	0	--
			15.2	44000	28.4	8.2	7.4	114	0	--
			19.8	39000	28.4	8.1	10.5	154	0	--
MAY 16, 73	0900	2	.6	37000	22.2	8.3	7.1	91	0	318
			3.0	37000	22.1	8.3	7.1	91	0	--
			6.1	37000	22.1	8.3	7.0	90	0	--
			9.1	37000	22.1	8.2	6.9	88	0	--
			12.2	39000	22.1	8.2	6.7	87	0	--
			19.8	39000	22.1	8.2	6.7	87	0	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 183 CONTINUED										
JUL 25, 72	1031	3	1.5	48000	29.1	8.5	9.6	150	3	--
			3.0	48000	29.1	8.5	9.7	152	3	--
			4.6	48000	29.2	8.5	10.2	159	20	--
NOV 16, 72	1045	3	.3	46000	15.0	8.4	7.1	85	30	170
			1.5	46000	15.0	8.4	7.0	83	25	--
			3.0	46000	15.0	8.4	7.1	85	25	--
			4.6	47000	15.1	8.4	7.1	86	30	--
			5.5	47000	16.1	8.4	7.7	94	35	--
FEB 21, 73	0955	3	.3	45000	11.8	--	7.9	88	20	183
			1.5	45000	11.9	--	8.2	91	20	--
			3.0	45000	11.8	--	8.1	90	20	--
			4.9	45000	11.8	--	8.3	92	20	--
APR 18, 73	1035	3	.3	40000	20.9	7.9	8.2	106	20	135
			1.5	42000	21.1	8.0	9.6	126	20	--
			3.0	43000	21.1	8.0	10.6	139	30	--
			5.5	43000	21.1	8.0	11.0	145	40	--
MAY 17, 73	1135	3	.3	45000	23.4	8.5	6.6	92	20	91
			1.5	44000	23.4	8.5	6.5	90	20	--
			3.0	43000	23.4	8.4	6.5	89	20	--
			5.2	43000	23.8	8.4	6.2	86	30	--
LINE 200										
NOV 05, 71	1356	2	.3	11000	23.9	8.4	9.6	116	--	30
			1.5	11000	24.1	8.4	9.4	113	--	--
JAN 26, 72	1500	2	.3	27000	19.6	8.4	10.7	127	--	81
			1.2	27000	19.7	8.4	10.6	125	--	--
MAR 28, 72	1515	2	.3	37000	25.6	8.2	8.4	111	--	61
			1.5	39000	25.9	8.2	8.5	120	--	--
MAY 31, 72	1450	2	.3	37000	27.6	8.2	7.5	107	--	102
			1.5	37000	27.4	8.2	7.4	106	--	--
JUL 25, 72	1427	2	.3	43000	30.7	8.3	11.7	186	3	102
			.9	45000	30.9	8.3	12.5	202	5	--
NOV 16, 72	1350	2	.3	45000	16.1	8.2	7.3	88	80	28
			.9	45000	16.4	8.2	7.0	85	110	--
APR 18, 73	1525	2	.6	43000	21.4	8.1	11.5	151	60	64
			1.5	43000	21.4	8.1	11.7	154	70	--
LINE 901										
NOV 11, 71	0710	2	.5	47000	22.2	8.2	6.7	92	--	226
			3.0	47000	22.5	8.1	6.6	92	--	--
			6.1	47000	22.6	8.1	6.7	93	--	--
			9.1	48000	22.7	8.1	6.7	93	--	--
			12.2	48000	22.9	8.2	6.7	93	--	--
			17.1	48000	22.9	8.1	6.8	94	--	--
JUL 25, 72	0822	2	.5	49000	28.7	8.1	6.3	130	0	137
			1.5	49000	28.6	8.1	7.4	116	3	--
			3.0	50000	28.5	8.0	7.4	116	2	--
			4.6	50000	28.6	8.0	7.0	109	10	--
			6.1	50000	28.5	8.0	7.0	109	2	--
			9.1	50000	28.6	8.0	7.6	119	2	--
			13.1	50000	28.4	8.0	8.6	134	3	--
NOV 16, 72	0805	2	1.5	43000	16.9	8.3	8.0	98	65	41
			3.0	43000	17.3	8.3	7.9	96	65	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 22 CONTINUED					
APR 18, 73	1355	2	2.0	34000	20.7	--	2.8	35	--	--
			2.4	41000	20.7	--	.0	0	--	--
					LINE 38					
JUL 25, 72	1540	2	.3	1100	31.9	8.3	11.1	149	--	51
			2.1	1100	30.0	7.9	8.0	104	--	--
			4.0	2400	29.5	7.1	1.9	25	--	--
SEP 19, 72	1315	2	.3	21000	30.2	8.6	8.3	117	--	46
			.6	23000	30.1	8.6	8.1	116	--	--
NOV 16, 72	0840	2	.3	3900	16.4	8.2	10.5	107	--	30
			.9	3900	16.3	8.2	10.7	109	--	--
APR 18, 73	1335	2	.3	41000	20.9	--	9.8	127	--	47
			1.1	41000	20.9	--	9.9	127	--	--
					LINE 53					
JAN 25, 72	1305	1	.3	30000	16.7	7.6	8.4	95	--	10
			1.2	30000	16.7	7.6	8.6	98	--	--
MAR 27, 72	1050	1	.3	36000	25.7	8.1	7.0	97	--	--
			.9	36000	26.0	8.1	7.3	101	--	--
JUN 01, 72	1340	1	.3	11000	27.0	8.3	7.8	99	--	43
			1.2	11000	27.1	8.3	7.9	99	--	--
JUN 25, 72	0930	1	1.2	31000	29.1	8.5	6.5	94	--	--
JUL 25, 72	0930	1	.3	34000	29.1	8.6	6.6	97	--	38
			1.2	35000	29.1	8.5	6.4	94	--	--
SEP 19, 72	1250	1	.3	47000	30.0	8.3	7.0	113	--	38
			.9	47000	30.0	8.3	7.3	118	--	--
NOV 16, 72	0955	1	.3	41000	15.7	8.1	9.3	112	--	48
			1.2	43000	15.8	8.1	9.9	118	--	--
FEB 21, 73	1226	1	.3	44000	11.3	7.7	8.1	89	--	41
			1.5	44000	11.3	7.7	8.9	98	--	--
APR 18, 73	1315	1	.3	45000	20.6	7.1	8.2	108	--	33
			1.2	45000	20.6	7.1	8.6	113	--	--
MAY 17, 73	1210	1	.3	47000	23.8	8.2	6.8	96	--	36
			.9	47000	22.6	8.3	6.3	88	--	--
NOV 05, 71	1100	2	.3	6900	21.6	8.2	7.5	86	--	--
			1.5	6900	22.9	8.0	7.4	87	--	--
NOV 11, 71	1000	2	.3	9000	21.4	7.8	--	--	--	--
			1.2	11000	19.6	7.8	--	--	--	--
JAN 25, 72	1255	2	.3	32000	16.8	7.3	8.7	100	--	13
			.9	32000	16.6	7.4	9.6	109	--	--
MAR 27, 72	1045	2	.3	32000	25.8	8.1	6.9	96	--	15
			1.2	35000	25.7	8.1	6.9	96	--	--
JUN 01, 72	1335	2	.3	14000	26.9	8.3	8.4	108	--	43
			1.2	14000	27.0	8.2	7.4	95	--	--
JUL 25, 72	0920	2	.3	35000	29.1	8.5	6.5	96	--	46
			1.2	36000	29.0	8.5	6.4	94	--	--
SEP 19, 72	1225	2	.3	47000	30.0	8.3	6.4	103	--	41

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 53 CONTINUED					
SEP 19, 72	1225	2	.9	47000	30.0	8.3	6.7	108	--	--
NOV 16, 72	0950	2	.3	44000	15.7	8.1	9.3	112	--	38
			1.2	43000	15.8	8.0	9.9	118	--	--
FEB 21, 73	1219	2	.3	42500	11.4	7.9	8.4	91	--	36
			1.5	41000	11.4	7.8	8.6	92	--	--
APR 18, 73	1310	2	.3	45000	21.0	7.2	8.5	113	--	--
			1.2	45000	20.5	7.2	8.8	116	--	--
MAY 17, 73	1200	2	.3	46000	23.6	8.3	6.4	89	--	28
			1.2	46000	22.5	8.3	5.8	78	--	--
JAN 25, 72	1245	3	.3	32000	16.7	7.1	8.5	97	--	10
			1.2	32000	16.8	7.3	9.1	105	--	--
MAR 27, 72	1040	3	.3	36000	25.7	8.1	6.8	94	--	10
			1.2	38000	25.9	8.1	7.1	100	--	--
JUN 01, 72	1330	3	.3	13000	27.0	8.3	8.5	109	--	48
			1.2	14000	27.0	8.3	8.0	102	--	--
JUL 25, 72	0915	3	.3	37000	29.2	8.5	6.2	91	--	38
			1.2	37000	29.2	8.5	6.8	100	--	--
SEP 19, 72	1220	3	.3	47000	30.0	8.4	7.2	116	--	46
			1.2	47000	30.0	8.4	7.5	121	--	--
NOV 16, 72	0945	3	.3	43000	16.1	8.1	9.1	108	--	32
			1.2	43000	15.9	8.0	9.1	108	--	--
FEB 21, 73	1210	3	.3	42000	12.6	7.7	7.7	86	--	25
			1.5	44000	12.5	7.7	8.0	90	--	--
APR 18, 73	1302	3	.3	45000	20.6	7.2	8.4	111	--	36
			1.5	45000	20.7	7.1	8.4	111	--	--
MAY 17, 73	1020	3	.3	44000	22.5	8.1	6.4	86	--	36
			1.2	43000	22.6	8.1	6.6	89	--	--
NOV 05, 71	1130	4	.3	490	21.8	8.3	8.0	91	--	--
			1.5	610	21.8	8.3	8.3	94	--	--
JAN 25, 72	1235	4	.3	33000	16.7	7.1	8.4	97	--	10
			1.2	33000	16.8	7.1	8.5	99	--	--
MAR 27, 72	1025	4	.3	36000	25.7	8.1	6.8	94	--	10
			1.2	32000	25.7	8.1	6.7	92	--	--
JUN 01, 72	1325	4	.3	14000	27.0	8.3	8.7	111	--	48
			.9	14000	27.0	8.2	8.6	110	--	--
JUL 25, 72	0910	4	.3	39000	29.3	8.4	7.0	104	--	48
			1.2	39000	29.2	8.4	7.6	113	--	--
SEP 19, 72	1200	4	.3	47000	30.0	8.4	7.0	113	--	48
			1.2	47000	30.0	8.4	7.2	116	--	--
NOV 16, 72	0940	4	.3	44000	16.4	8.1	7.8	95	--	23
			.9	44000	16.5	8.0	7.8	95	--	--
FEB 21, 73	1200	4	.3	44000	11.7	7.7	8.0	88	--	30
			.9	44000	11.7	7.7	8.3	91	--	--
APR 18, 73	1255	4	.3	44000	20.9	7.1	8.6	115	--	41
			1.1	44000	21.0	7.1	9.1	121	--	--
MAY 17, 73	1015	4	.3	43000	23.2	8.0	6.2	85	--	38

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 53 CONTINUED					
MAY 17, 73	1015	4	.9	43000	23.2	8.0	6.4	88	--	--
JAN 25, 72	1220	5	.3	33000	16.7	7.5	8.7	100	--	10
			.6	32000	16.8	8.0	9.6	113	--	--
MAR 27, 72	1020	5	.3	39000	25.1	8.2	7.0	96	--	10
			1.2	39000	24.7	8.1	6.9	95	--	--
JUN 01, 72	1320	5	.3	19000	27.2	8.2	8.8	116	--	15
			.9	21000	27.1	8.2	8.8	117	--	--
JUL 25, 72	0900	5	.3	37000	29.4	8.3	7.3	109	--	42
			.9	40000	30.7	8.0	4.2	66	--	--
SEP 19, 72	1150	5	.3	47000	30.0	8.4	7.2	116	--	38
			.9	47000	30.0	8.4	7.8	126	--	--
NOV 16, 72	0935	5	.3	43000	20.9	7.9	8.6	113	--	41
			.8	43000	19.9	7.8	9.4	121	--	--
FEB 21, 73	1150	5	.3	44000	11.8	7.6	7.9	88	--	--
			.9	44000	11.7	7.7	8.8	97	--	--
APR 18, 73	1250	5	.3	44000	21.6	7.1	8.2	112	--	47
			.9	44000	21.4	7.1	8.7	119	--	--
MAY 17, 73	1010	5	.3	43000	23.0	8.0	6.4	88	--	33
			.9	43000	23.0	8.1	6.0	82	--	--
					LINE 64					
NOV 05, 71	1200	9	.3	1800	21.8	8.3	7.9	91	--	--
			1.5	1800	21.8	8.3	8.1	93	--	--
			3.0	2600	21.6	8.2	7.9	90	--	--
			4.6	2700	21.7	8.1	7.8	89	--	--
			6.1	3000	22.0	7.9	7.6	87	--	--
NOV 08, 71	0840	9	.3	--	21.5	--	--	--	--	--
NOV 09, 71	2100	9	.3	--	20.5	--	--	--	--	--
NOV 11, 71	1030	9	.3	6200	20.6	8.0	--	--	--	--
			1.5	14000	20.7	7.7	--	--	--	--
			3.0	15000	20.8	7.7	--	--	--	--
			6.1	16000	21.1	7.7	--	--	--	--
JAN 25, 72	1340	9	.3	36000	16.4	7.9	8.3	97	--	15
			1.5	43000	16.4	7.9	8.3	100	--	--
			3.0	36000	16.4	7.9	8.7	101	--	--
			6.1	36000	16.5	7.9	9.2	107	--	--
MAR 27, 72	1000	9	.3	39000	24.3	8.1	6.7	91	--	33
			1.5	39000	24.2	8.0	6.6	89	--	--
			3.7	39000	24.3	8.0	6.6	89	--	--
JUN 01, 72	1300	9	.3	28000	27.2	8.2	7.9	111	--	58
			1.5	28000	27.3	8.2	7.9	110	--	--
			3.0	28000	27.3	8.2	7.8	108	--	--
			4.6	28000	27.2	8.2	7.8	107	--	--
			5.8	29000	27.1	8.2	7.2	99	--	--
JUL 25, 72	1010	9	.3	42000	30.0	8.3	6.6	100	--	53
			1.5	39000	30.0	8.4	6.6	100	--	--
			3.0	39000	30.0	8.4	6.3	95	--	--
			4.6	39000	30.0	8.4	5.9	89	--	--
			6.1	40000	30.0	8.4	5.8	89	--	--
SEP 19, 72	1135	9	.3	47000	30.0	8.3	6.3	102	--	58

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 64 CONTINUED					
SEP 19, 72	1135	9	1.5	47000	30.0	8.3	6.4	103	--	--
			3.0	47000	30.0	8.3	6.6	106	--	--
			5.8	47000	29.8	8.3	5.7	92	--	--
SEP 20, 72	1010	9	.3	46000	29.6	8.1	6.0	94	--	61
			1.5	46000	29.5	8.1	5.9	92	--	--
			3.0	46000	29.5	8.1	5.7	89	--	--
			4.6	46000	29.4	8.1	5.6	88	--	--
			6.4	46000	29.4	8.1	5.3	83	--	--
NOV 16, 72	1010	9	.3	44000	16.1	8.0	7.4	89	--	51
			1.5	44000	16.0	8.0	7.3	88	--	--
			3.0	44000	16.1	8.0	7.3	88	--	--
			4.6	44000	16.3	8.0	7.1	86	--	--
			6.7	45000	16.4	8.0	7.0	85	--	--
FEB 21, 73	1120	9	.3	44000	11.6	7.8	6.4	92	--	--
			1.5	44000	11.6	7.8	6.4	92	--	--
			3.0	44000	11.6	7.8	6.4	92	--	--
			4.6	44000	11.6	7.8	6.5	93	--	--
			6.4	44000	11.6	7.8	6.5	93	--	--
APR 18, 73	1230	9	.3	44000	20.4	7.4	9.7	127	--	32
			1.5	44000	20.4	7.4	9.6	126	--	--
			3.0	44000	20.3	7.4	9.7	127	--	--
			4.6	44000	20.3	7.4	9.5	124	--	--
			6.1	44000	20.4	7.4	9.6	126	--	--
			7.3	44000	20.4	7.4	9.9	129	--	--
MAY 17, 73	0950	9	.3	37000	22.9	8.2	7.3	96	--	33
			1.5	43000	22.8	8.2	6.8	93	--	--
			3.0	43000	22.8	8.2	7.0	96	--	--
			4.6	43000	22.7	8.2	6.8	92	--	--
			5.8	43000	22.6	8.1	6.9	93	--	--
JAN 25, 72	1355	12	.3	36000	16.4	8.0	8.3	97	--	13
			.6	36000	16.4	8.0	8.3	97	--	--
			1.5	43000	16.4	8.0	8.0	96	--	--
			3.4	35000	16.5	8.1	9.0	105	--	--
MAR 27, 72	0955	12	.3	39000	24.3	8.0	6.8	92	--	25
			1.5	39000	24.2	8.0	6.7	91	--	--
			3.4	41000	24.0	8.0	6.5	89	--	--
JUN 01, 72	1305	12	.3	28000	27.2	8.3	8.1	114	--	81
			1.5	28000	27.2	8.2	8.2	115	--	--
			3.4	28000	27.1	8.2	8.3	117	--	--
JUL 25, 72	1025	12	.3	38000	29.9	8.3	6.6	100	--	53
			2.4	39000	30.0	8.4	6.6	100	--	--
			4.9	39000	30.0	8.4	7.0	106	--	--
SEP 19, 72	1125	12	.3	47000	30.0	8.3	6.3	102	--	117
			1.5	47000	30.0	8.3	6.3	102	--	--
			3.0	47000	30.0	8.3	6.7	108	--	--
			4.6	47000	30.0	8.3	7.2	116	--	--
NOV 16, 72	1025	12	.3	44000	16.3	8.0	7.3	88	--	41
			1.5	44000	16.3	8.0	7.4	89	--	--
			3.0	44000	16.3	8.0	8.2	99	--	--
			4.9	44000	16.3	8.0	9.8	118	--	--
FEB 21, 73	1110	12	.3	44000	11.9	7.8	6.7	97	--	48
			1.5	42000	11.9	7.8	6.9	98	--	--
			3.0	42000	11.9	7.8	9.1	100	--	--
			3.7	42000	11.8	7.8	9.6	105	--	--
APR 18, 73	1220	12	.3	44000	20.5	7.3	9.0	118	--	48
			1.5	44000	20.5	7.3	9.3	122	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 64 CONTINUED					
APR 18, 73	1220	12	3.0	44000	20.5	7.3	9.5	129	--	--
			4.3	44000	20.5	7.3	10.1	132	--	--
MAY 17, 73	0940	12	.3	43000	23.1	8.2	6.8	93	--	30
			1.5	43000	23.1	8.2	6.6	90	--	--
			3.0	43000	23.0	8.2	6.6	90	--	--
			3.7	43000	23.0	8.2	6.8	93	--	--
					LINE 71					
NOV 05, 71	1310	2	.3	12000	25.8	--	10.6	134	--	--
			1.5	12000	26.2	--	10.9	138	--	--
			3.0	13000	26.5	--	9.4	121	--	--
			6.1	41000	27.3	--	.0	0	--	--
			9.1	46000	27.4	--	.0	0	--	--
			13.7	46000	27.3	--	.0	0	--	--
NOV 11, 71	1115	2	.3	16000	24.8	8.1	--	--	--	--
			3.0	19000	25.0	8.1	--	--	--	--
			6.1	49000	26.3	7.9	--	--	--	--
			9.1	49000	26.1	7.9	--	--	--	--
			13.4	47000	26.0	7.5	--	--	--	--
MAR 27, 72	1320	2	.3	39000	26.2	8.5	10.3	145	--	71
			3.0	39000	25.5	8.4	8.0	111	--	--
			6.1	39000	25.4	8.3	7.1	99	--	--
			9.1	39000	25.3	8.3	7.0	97	--	--
			12.2	39000	25.2	8.2	6.0	82	--	--
JUN 01, 72	1220	2	.3	37000	28.1	8.0	5.1	75	--	109
			1.5	37000	27.7	8.0	4.5	65	--	--
			3.0	43000	26.8	7.7	.0	0	--	--
			6.1	50000	26.2	7.7	.0	0	--	--
			9.1	52000	26.2	7.6	.0	0	--	--
			13.1	52000	26.5	7.5	.0	0	--	--
JUL 25, 72	1240	2	.3	41000	31.2	8.5	13.4	209	--	102
			3.0	42000	30.0	8.1	13.0	203	--	--
			3.7	34000	30.0	8.0	12.9	192	--	--
			4.0	35000	30.0	8.0	8.5	129	--	--
			4.3	36000	29.9	7.8	3.7	56	--	--
			4.6	44000	29.4	7.7	.0	0	--	--
			6.1	40000	28.6	7.6	.0	0	--	--
			9.1	48000	28.2	7.5	.0	0	--	--
			12.2	50000	27.7	7.4	1.1	17	-	--
NOV 16, 72	1135	2	.3	45000	21.1	7.8	5.3	71	--	114
			1.5	45000	20.9	7.8	5.2	69	--	--
			3.0	45000	20.8	7.8	4.8	64	--	--
			6.1	45000	20.8	7.7	4.7	63	--	--
			9.1	45000	20.8	7.7	4.7	63	--	--
			12.2	45000	20.8	7.8	5.3	71	--	--
FEB 21, 73	0925	2	.3	42000	11.3	7.7	6.0	67	--	224
			1.5	42000	11.5	7.7	7.4	80	--	--
			3.0	42000	11.5	7.7	7.4	80	--	--
			4.6	42000	11.6	7.7	7.6	83	--	--
			6.1	42000	11.4	7.7	7.5	82	--	--
			9.1	44000	11.4	7.7	7.1	78	--	--
			12.2	44000	11.5	7.7	7.7	85	--	--
APR 18, 73	1140	2	.3	46000	20.5	7.0	7.8	101	--	188
			1.5	46000	20.5	6.9	7.8	101	--	--
			3.0	46000	20.5	7.0	7.6	99	--	--
			4.6	46000	20.5	7.0	7.6	99	--	--
			6.1	46000	20.5	7.0	7.4	96	--	--
			9.1	46000	20.4	7.0	7.2	94	--	--
			13.7	46000	20.4	6.9	7.4	96	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 71 CONTINUED					
MAY 17, 73	0905	2	.3	43000	25.0	7.9	5.1	72	--	--
			1.5	43000	25.0	7.9	4.9	69	--	--
			3.0	43000	25.0	7.9	4.7	66	--	--
			6.1	43000	25.0	7.8	4.7	66	--	--
			9.1	43000	25.0	7.9	4.9	69	--	--
			12.2	43000	25.0	7.9	4.8	68	--	--
			13.7	43000	25.0	7.9	5.1	72	--	--
					LINE 83					
MAR 27, 72	1300	2	.3	33000	20.5	8.5	11.0	153	--	94
			1.5	34000	20.1	8.4	9.8	136	--	--
			3.0	34000	20.7	8.3	7.8	107	--	--
			6.1	34000	20.4	8.3	6.9	95	--	--
			9.1	34000	20.2	8.3	6.0	81	--	--
			12.2	40000	24.3	7.5	.4	5	--	--
JUN 01, 72	1205	2	.3	33000	27.8	7.5	2.0	29	--	91
			1.5	35000	27.4	7.9	4.3	60	--	--
			3.0	42000	27.0	7.6	.0	0	--	--
			6.1	50000	26.4	7.8	.3	4	--	--
			9.1	52000	26.5	7.8	.8	12	--	--
			13.1	52000	26.4	7.5	.6	9	--	--
JUL 25, 72	1225	2	.3	41000	30.0	8.3	10.9	168	--	99
			3.0	42000	29.8	8.0	6.0	94	--	--
			4.6	42000	29.6	7.8	2.7	42	--	--
			6.1	46000	28.9	7.7	.0	0	--	--
			9.1	49000	28.4	7.7	.0	0	--	--
			12.2	50000	28.0	7.4	.4	6	--	--
NOV 16, 72	1110	2	.3	45000	20.2	8.0	9.9	129	--	79
			3.0	45000	19.9	7.9	7.3	95	--	--
			6.1	45000	19.9	7.8	7.1	92	--	--
			9.1	45000	19.8	7.8	7.3	95	--	--
			12.2	45000	19.7	7.9	6.5	84	--	--
FEB 21, 73	0945	2	.3	44000	12.2	7.7	7.4	82	--	198
			1.5	44000	12.4	7.7	7.3	82	--	--
			3.0	44000	12.3	7.7	7.2	81	--	--
			4.6	44000	12.2	7.7	7.1	79	--	--
			6.1	44000	12.2	7.7	7.2	80	--	--
			9.1	44000	12.2	7.7	7.3	81	--	--
			12.2	44000	12.0	7.7	7.7	86	--	--
APR 18, 73	1129	2	.3	40000	20.6	6.8	6.3	81	--	170
			1.5	40000	20.6	6.8	6.2	79	--	--
			3.0	41000	20.6	6.9	6.0	77	--	--
			4.6	41000	20.5	6.8	5.0	64	--	--
			6.1	41000	20.5	6.8	4.9	63	--	--
			9.1	41000	20.4	6.8	4.4	56	--	--
			13.7	40000	20.5	6.8	4.4	56	--	--
					LINE 93					
MAR 27, 72	1250	2	.3	39000	26.5	8.5	9.5	134	--	104
			1.5	41000	25.9	8.5	9.3	133	--	--
			3.0	43000	25.7	8.4	7.3	104	--	--
			6.1	43000	25.5	8.3	6.3	90	--	--
			9.1	43000	24.9	8.2	5.4	76	--	--
			12.2	46000	24.2	7.7	.6	8	--	--
JUN 01, 72	1155	2	.3	35000	27.6	7.4	4.0	58	--	109
			1.5	35000	27.5	7.3	3.2	46	--	--
			3.0	38000	27.4	7.5	1.9	27	--	--
			6.1	48000	26.5	7.8	.9	13	--	--
			9.1	52000	26.5	7.9	2.2	33	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 93 CONTINUED					
JUN 01, 72	1155	2	13.1	52000	26.4	7.6	.0	0	--	--
JUL 25, 72	1215	2	.3	43000	30.4	8.0	12.0	188	--	99
			3.0	35000	30.0	8.0	8.4	127	--	--
			4.6	35000	30.0	7.9	6.0	91	--	--
			6.1	39000	29.3	7.7	.5	7	--	--
			9.1	50000	29.1	7.9	.1	2	--	--
			12.2	50000	29.0	7.9	.5	8	--	--
SEP 18, 72	1015	2	.3	54000	30.2	7.4	.6	10	--	112
			1.5	54000	29.9	7.4	.6	10	--	--
			3.0	54000	29.9	7.4	.4	7	--	--
			4.6	54000	29.8	7.3	.5	8	--	--
			6.1	54000	29.7	7.3	1.4	23	--	--
			7.6	54000	29.3	7.2	.0	0	--	--
			10.7	54000	28.9	7.4	.0	0	--	--
NOV 16, 72	1055	2	.3	45000	20.9	8.0	6.7	89	--	147
			3.0	45000	20.4	7.9	5.1	67	--	--
			6.1	45000	20.3	7.9	5.3	70	--	--
			9.1	45000	20.3	7.9	5.3	70	--	--
			12.2	45000	20.2	7.9	5.5	71	--	--
FEB 21, 73	1005	2	.3	44000	12.7	7.7	7.1	80	--	246
			1.5	44000	12.8	7.7	7.0	80	--	--
			3.0	44000	12.8	7.7	6.9	78	--	--
			4.6	44000	12.8	7.7	7.0	80	--	--
			6.1	44000	12.7	7.7	6.9	78	--	--
			9.1	44000	12.4	7.7	6.6	74	--	--
			12.2	44000	12.2	7.7	6.9	77	--	--
APR 18, 73	1109	2	.3	40000	22.9	6.9	6.5	88	--	254
			1.5	40000	22.8	6.9	6.6	89	--	--
			3.0	40000	22.8	6.9	6.6	89	--	--
			4.6	40000	22.7	6.9	6.2	83	--	--
			6.1	41000	22.7	7.0	6.2	83	--	--
			9.1	41000	22.6	7.0	6.3	84	--	--
			13.7	40000	22.4	7.0	7.0	93	--	--
					LINE 108					
NOV 05, 71	1400	2	.3	12000	25.2	7.1	7.5	93	--	--
			1.5	12000	25.9	7.0	6.8	86	--	--
			3.0	18000	26.2	6.8	4.1	53	--	--
			6.1	48000	27.0	6.8	3.3	49	--	--
			9.1	48000	27.0	6.0	3.3	49	--	--
			13.1	54000	27.3	5.3	1.3	20	--	--
NOV 11, 71	1045	2	.3	13000	26.1	7.4	--	--	--	--
			3.0	22000	26.6	7.0	--	--	--	--
			6.1	45000	26.6	6.5	--	--	--	--
			9.1	45000	25.6	7.6	--	--	--	--
			12.8	46000	23.6	6.8	--	--	--	--
MAR 27, 72	1235	2	.3	36000	26.0	8.3	7.0	100	--	--
			1.5	36000	25.3	8.3	6.7	94	--	--
			3.0	36000	25.2	8.3	6.2	86	--	--
			6.1	32000	24.9	8.3	5.4	73	--	--
			7.6	36000	24.9	8.2	5.0	69	--	--
			9.1	40000	24.4	8.0	.8	11	--	--
			12.2	40000	24.8	7.9	.1	1	--	--
JUN 01, 72	1140	2	.3	34000	27.4	8.2	7.6	108	--	107
			1.5	35000	27.2	8.1	7.4	104	--	--
			3.0	36000	27.2	8.0	6.6	93	--	--
			6.1	50000	26.8	7.9	2.7	41	--	--
			9.1	51000	26.7	7.8	2.3	35	--	--
			13.1	51000	26.5	7.6	.7	10	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 108 CONTINUED					
JUL 25, 72	1155	2	.3	43000	31.7	8.3	12.6	200	--	107
			3.0	43000	30.1	8.2	9.8	153	--	--
			4.6	43000	30.0	8.0	5.9	92	--	--
			6.1	47000	29.6	8.0	3.0	48	--	--
			9.1	50000	29.4	8.0	2.4	38	--	--
			12.2	50000	29.4	8.0	1.8	38	--	--
SEP 19, 72	1050	2	.3	47000	30.2	8.2	7.4	119	--	128
			1.5	52000	30.1	8.2	6.7	110	--	--
			3.0	52000	30.0	8.1	4.3	70	--	--
			6.1	52000	30.0	8.1	3.5	57	--	--
			9.1	52000	30.0	8.1	1.9	31	--	--
			12.2	52000	30.0	8.0	.0	0	--	--
NOV 16, 72	1045	2	.3	45000	20.4	8.0	6.0	79	--	117
			3.0	45000	20.2	8.0	5.3	69	--	--
			6.1	45000	20.1	8.0	5.0	65	--	--
			9.1	45000	19.6	8.0	5.2	67	--	--
			12.2	45000	18.6	8.1	6.0	76	--	--
FEB 21, 73	1020	2	.3	44000	11.6	7.7	7.9	87	--	193
			1.5	44000	11.5	7.7	7.7	85	--	--
			3.0	44000	11.5	7.7	7.7	85	--	--
			4.6	44000	11.6	7.7	7.6	84	--	--
			6.1	44000	11.8	7.7	7.1	79	--	--
			9.1	44000	12.0	7.7	6.7	74	--	--
			12.2	44000	12.0	7.7	7.1	79	--	--
APR 18, 73	1050	2	.3	44000	21.2	7.0	6.8	91	--	170
			1.5	40000	21.2	7.0	6.8	88	--	--
			3.0	40000	21.0	7.0	6.6	86	--	--
			4.6	40000	21.0	7.0	6.6	86	--	--
			6.1	40000	20.9	7.0	6.6	86	--	--
			9.1	40000	20.9	7.0	6.8	88	--	--
			13.7	44000	20.8	7.1	7.1	95	--	--
MAY 17, 73	0830	2	.3	46000	24.0	8.0	5.2	73	--	132
			1.5	46000	24.1	8.0	5.0	70	--	--
			3.0	46000	24.1	8.0	5.0	70	--	--
			6.1	46000	23.6	8.1	5.0	69	--	--
			9.1	46000	22.9	8.2	5.6	77	--	--
			12.2	46000	22.9	8.2	5.4	74	--	--
			13.7	46000	22.8	8.2	5.6	77	--	--
					LINE 118					
MAR 27, 72	1200	2	.3	32000	27.0	8.3	7.3	101	--	97
			1.5	31000	27.1	8.2	6.9	96	--	--
			3.0	41000	26.5	8.2	6.8	97	--	--
			4.6	41000	26.4	8.2	6.2	89	--	--
			6.1	36000	26.0	8.2	5.4	75	--	--
			12.2	46000	26.1	8.2	5.3	78	--	--
JUN 01, 72	1130	2	.3	28000	27.2	8.2	7.3	100	--	69
			1.5	31000	27.4	8.2	6.5	92	--	--
			3.0	36000	27.5	8.0	5.6	80	--	--
			6.1	50000	27.0	7.9	4.3	65	--	--
			9.1	51000	27.0	7.9	4.0	62	--	--
			13.1	52000	26.8	7.8	4.6	61	--	--
JUL 25, 72	1145	2	.3	41000	30.1	8.3	9.6	145	--	122
			3.0	42000	29.9	8.2	6.4	98	--	--
			6.1	43000	29.5	8.1	4.0	62	--	--
			9.1	47000	29.3	8.1	3.3	52	--	--
			12.2	50000	29.4	8.0	3.1	49	--	--
NOV 16, 72	1035	2	.3	44000	19.0	8.1	6.8	86	--	142
			1.5	44000	18.9	8.1	6.9	87	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 118 CONTINUED					
NOV 16, 72	1035	2	3.0	44000	18.9	8.0	6.6	84	--	--
			6.1	45000	19.2	8.0	6.1	77	--	--
			9.1	45000	18.3	8.1	6.8	85	--	--
			12.2	45000	18.2	8.1	7.7	96	--	--
FEB 21, 73	1035	2	.3	44000	11.6	7.8	8.5	93	--	99
			1.5	44000	11.6	7.7	8.4	92	--	--
			3.0	44000	11.6	7.8	8.3	91	--	--
			4.6	44000	11.6	7.7	8.1	89	--	--
			6.1	44000	11.5	7.7	7.6	84	--	--
			9.1	44000	11.6	7.8	7.5	82	--	--
			12.2	44000	11.6	7.8	7.8	86	--	--
APR 18, 73	1035	2	.3	40000	21.0	7.0	5.8	75	--	142
			1.5	40000	21.0	7.0	5.8	75	--	--
			3.0	40000	21.0	7.0	5.8	75	--	--
			4.6	40000	20.9	7.0	5.8	75	--	--
			6.1	40000	20.8	7.1	5.6	73	--	--
			9.1	40000	20.8	7.1	6.2	81	--	--
			13.7	40000	20.9	7.1	4.2	55	--	--
					LINE 122					
NOV 11, 71	1334	2	.3	13000	21.8	8.4	10.3	129	--	91
			1.5	19000	21.3	8.4	9.3	111	--	--
			3.0	19000	21.8	8.2	7.6	92	--	--
			3.7	27000	22.7	7.8	3.7	47	--	--
JAN 26, 72	1605	2	.3	33000	18.7	8.3	9.9	119	--	150
			1.5	33000	18.7	8.3	10.1	122	--	--
			3.0	33000	18.6	8.3	10.1	122	--	--
MAR 28, 72	1630	2	.3	41000	25.4	8.2	8.0	112	--	--
			1.5	41000	25.4	8.2	8.5	119	--	--
			3.0	41000	25.7	8.2	8.9	125	--	--
MAY 31, 72	1605	2	.3	35000	27.8	8.2	8.1	117	--	137
			1.2	35000	27.7	8.2	7.8	111	--	--
			2.4	38000	27.5	8.2	8.9	103	--	--
			3.7	40000	27.5	7.9	3.3	48	--	--
JUL 25, 72	1537	2	.2	46000	29.9	8.3	11.5	162	--	--
			.3	45000	30.3	8.3	10.7	170	--	--
			3.0	45000	29.8	8.3	10.9	173	--	--
SEP 20, 72	1025	2	.3	48000	30.0	8.2	5.8	94	--	61
			1.5	49000	29.9	8.2	5.6	90	--	--
			3.0	50000	29.7	8.2	5.5	89	--	--
NOV 16, 72	1355	2	.3	45000	18.7	8.2	8.0	101	--	107
			3.7	45000	18.6	8.2	7.9	100	--	--
MAY 17, 73	1410	2	.3	44000	25.0	8.1	9.6	137	20	76
			1.5	44000	25.0	8.1	10.6	151	30	--
			3.4	44000	24.8	8.1	8.2	117	30	--
NOV 05, 71	1447	4	.5	12000	23.3	8.4	8.9	107	--	91
			1.5	12000	23.3	8.4	8.7	105	--	--
			4.0	19000	23.4	8.0	5.3	65	--	--
NOV 11, 71	1324	4	.3	13000	21.9	8.4	10.1	119	--	99
			1.5	14000	21.4	8.4	8.8	102	--	--
			3.0	18000	22.0	8.2	6.3	76	--	--
			4.3	36000	22.8	7.6	1.8	24	--	--
JAN 26, 72	1600	4	.3	34000	18.7	8.3	9.9	119	--	127
			1.2	34000	18.6	8.3	10.1	122	--	--
			2.4	34000	18.4	8.3	10.1	120	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 122 CONTINUED						
JAN 26, 72	1600	4	3.7	39000	16.4	8.3	9.9	118	--	--
MAR 28, 72	1615	4	.3	41000	25.3	8.2	7.3	103	--	69
			1.5	41000	25.3	8.2	7.1	100	--	--
			2.7	41000	25.5	8.2	6.8	96	--	--
MAY 31, 72	1555	4	.3	35000	27.7	8.2	8.0	114	--	145
			1.2	35000	27.6	8.2	7.8	111	--	--
			2.4	38000	27.4	8.2	6.7	97	--	--
			3.7	40000	27.4	8.0	4.9	71	--	--
JUL 25, 72	1530	4	.3	45000	30.3	8.3	14.1	224	7	145
			1.5	46000	29.6	8.3	14.1	224	5	--
			3.0	46000	29.5	8.3	11.8	187	8	--
			3.7	45000	29.6	8.2	14.2	225	10	--
SEP 20, 72	1020	4	.3	48000	29.7	8.2	6.2	98	--	84
			1.5	50000	29.6	8.2	5.9	95	--	--
			3.7	49000	29.6	8.2	5.9	95	--	--
NOV 16, 72	1345	4	.3	45000	18.5	8.2	7.9	99	--	109
			3.7	45000	18.4	8.2	7.8	98	--	--
MAY 17, 73	1400	4	.3	45000	25.0	8.1	10.2	146	25	76
			1.5	45000	24.3	8.1	9.6	135	40	--
			3.7	45000	24.6	8.1	7.4	106	60	--
NOV 05, 71	1427	6	.5	12000	23.5	8.4	9.3	112	--	102
			1.5	18000	23.4	8.4	8.7	107	--	--
			3.0	19000	23.7	8.4	7.6	96	--	--
			6.1	42000	25.0	8.0	4.9	69	--	--
			9.1	42000	24.7	8.1	6.7	94	--	--
			13.1	42000	24.6	8.0	6.8	96	--	--
NOV 11, 71	1308	6	.3	13000	21.6	8.4	10.1	119	--	81
			1.5	15000	21.3	8.4	8.8	104	--	--
			3.0	18000	21.6	8.3	8.0	95	--	--
			6.1	40000	22.8	8.0	4.7	64	--	--
			9.1	42000	22.8	8.0	6.2	85	--	--
			13.1	47000	22.6	7.9	4.9	68	--	--
JAN 26, 72	1540	6	.3	37000	18.4	8.3	9.4	113	--	102
			1.5	37000	18.3	8.3	9.5	114	--	--
			3.0	37000	17.8	8.3	9.0	108	--	--
			6.1	38000	17.8	8.2	8.3	101	--	--
			9.1	42000	17.2	8.1	7.2	88	--	--
			12.8	46000	17.7	8.1	8.4	105	--	--
MAR 28, 72	1600	6	.3	41000	25.4	8.2	7.6	107	--	71
			1.5	41000	25.3	8.2	7.6	107	--	--
			3.0	41000	25.2	8.2	7.6	105	--	--
			6.1	42000	24.1	8.1	6.5	91	--	--
			9.1	44000	24.7	8.1	7.0	97	--	--
			12.5	44000	23.7	8.1	4.8	69	--	--
MAY 31, 72	1540	6	.3	35000	27.2	8.2	6.9	97	--	109
			3.0	40000	26.7	8.0	4.0	58	--	--
			6.1	48000	26.3	7.9	3.1	46	--	--
			9.1	50000	26.3	7.9	4.1	61	--	--
			12.2	53000	26.3	7.8	3.4	52	--	--
JUL 25, 72	1512	6	.3	43000	30.4	8.3	12.8	200	8	175
			1.5	45000	29.5	8.3	10.1	160	1	--
			3.0	46000	29.2	8.3	8.7	138	3	--
			4.6	46000	29.2	8.3	8.6	136	3	--
			6.1	46000	29.1	8.2	7.8	124	3	--
			9.1	49000	28.9	8.0	5.9	95	6	--
			12.2	51000	29.1	8.0	6.7	108	3	--
SEP 20, 72	0955	6	.3	48000	29.8	8.2	5.9	94	--	81

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 122 CONTINUED										
SEP 20, 72	0955	6	1.5	49000	29.7	8.2	5.6	90	--	--
			3.0	49000	29.7	8.2	5.6	90	--	--
			6.1	49000	29.6	8.2	5.5	89	--	--
			9.1	49000	29.6	8.2	5.6	90	--	--
			12.2	50000	29.6	8.1	5.8	94	--	--
NOV 16, 72	1335	6	.3	44000	18.4	8.1	7.9	99	--	102
			3.0	45000	18.2	8.1	7.6	95	--	--
			6.1	45000	18.2	8.2	7.7	96	--	--
			9.1	45000	18.1	8.2	7.6	95	--	--
			12.2	45000	18.1	8.2	8.1	101	--	--
APR 18, 73	1645	6	.6	46000	20.8	8.0	9.6	128	40	91
			1.5	46000	20.8	8.0	9.5	127	40	--
			3.0	46000	20.8	8.0	9.3	124	40	--
			6.1	46000	20.8	8.0	9.1	121	40	--
			9.1	46000	20.8	8.0	9.2	123	40	--
			12.2	46000	20.8	7.9	9.5	127	105	--
MAY 17, 73	1350	6	.3	45000	25.0	8.1	10.8	154	30	76
			1.5	45000	24.3	8.1	11.0	155	30	--
			3.0	45000	24.1	8.1	10.0	141	40	--
			6.1	45000	24.2	8.1	9.8	138	45	--
			9.1	45000	24.0	8.1	8.6	121	65	--
			12.2	45000	24.3	8.1	8.6	121	60	--
APR 18, 73	1615	7	.6	43000	20.9	8.0	8.8	116	80	66
			2.1	43000	20.9	8.0	10.4	137	110	--
			4.0	43000	20.9	8.0	10.6	139	100	--
NOV 11, 71	1300	8	.3	12000	21.6	8.4	10.2	120	--	91
			1.5	12000	21.3	8.4	10.1	117	--	--
			3.0	14000	21.2	8.3	8.8	102	--	--
			4.0	18000	21.6	8.1	6.7	80	--	--
JAN 26, 72	1530	8	.3	36000	18.5	8.3	10.7	130	--	91
			1.5	36000	18.4	8.3	10.0	120	--	--
			3.4	37000	18.4	8.3	9.2	111	--	--
MAR 28, 72	1550	8	.3	41000	25.6	8.2	8.2	115	--	76
			1.5	41000	25.6	8.2	8.0	113	--	--
			3.0	41000	25.7	8.2	8.8	124	--	--
MAY 31, 72	1530	8	.3	35000	27.5	8.2	7.4	107	--	135
			1.2	35000	27.5	8.2	7.3	106	--	--
			2.4	38000	27.5	8.2	6.4	94	--	--
			3.7	40000	27.6	8.0	4.0	59	--	--
JUL 25, 72	1505	8	.3	45000	30.2	8.3	12.9	205	3	132
			1.5	45000	30.1	8.3	13.5	214	3	--
			3.0	45000	29.6	8.3	10.4	165	11	--
SEP 20, 72	0946	8	.3	48000	29.7	8.1	6.2	98	--	69
			1.5	49000	29.7	8.1	6.2	100	--	--
			3.7	47000	29.6	8.1	6.3	100	--	--
NOV 16, 72	1325	8	.3	44000	18.6	8.1	8.4	106	--	107
			1.5	44000	18.3	8.2	8.5	106	--	--
			3.4	45000	18.3	8.2	7.8	98	--	--
MAY 17, 73	1340	8	.3	45000	24.6	8.2	9.8	140	50	71
			1.5	45000	24.6	8.2	9.4	134	50	--
			3.4	45000	25.0	8.2	8.8	126	55	--
APR 18, 73	1605	9	.6	43000	21.0	8.0	11.0	145	50	71
			2.1	43000	21.0	8.0	11.1	146	60	--
			4.3	43000	21.0	8.0	11.1	146	80	--
MAR 28, 72	1545	10	.3	40000	25.7	8.2	7.6	107	--	76

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 122 CONTINUED						
MAR 28, 72	1545	10	1.5	40000	25.7	8.2	7.8	110	--	--
			3.4	40000	25.7	8.2	7.4	104	--	--
MAY 31, 72	1515	10	.3	35000	27.6	8.2	7.5	109	--	137
			.9	35000	27.5	8.2	7.3	106	--	--
			2.1	35000	27.7	8.2	7.0	101	--	--
			3.0	40000	27.5	7.9	3.8	56	--	--
			4.0	43000	27.6	7.9	2.9	43	--	--
JUL 25, 72	1456	10	.3	45000	30.3	8.3	11.5	162	--	119
			1.5	45000	29.7	8.3	11.2	178	3	--
			3.0	45000	29.6	8.3	11.3	179	10	--
			4.0	45000	29.8	8.2	10.7	170	11	--
SEP 20, 72	0940	10	.3	47000	29.8	8.1	6.0	97	--	64
			1.5	48000	29.7	8.1	5.9	94	--	--
			3.7	48000	29.7	8.1	5.8	92	--	--
NOV 16, 72	1315	10	.3	45000	18.6	8.1	8.5	108	--	99
			1.5	45000	18.4	8.2	8.5	106	--	--
			3.7	45000	18.0	8.1	8.1	101	--	--
MAY 17, 73	1335	10	.3	46000	25.2	8.2	10.8	154	35	66
			1.5	46000	24.8	8.2	10.1	144	40	--
			3.4	46000	24.6	8.2	8.2	117	45	--
APR 18, 73	1600	11	.6	43000	21.0	8.0	9.9	130	45	76
			2.1	43000	21.0	8.0	10.4	137	45	--
			4.3	43000	21.0	8.0	11.6	153	55	--
NOV 11, 71	1252	12	.3	12000	21.7	8.4	10.7	146	--	84
			1.5	12000	21.2	8.4	9.6	112	--	--
			3.4	15000	22.4	8.3	8.6	102	--	--
JAN 26, 72	1515	12	.3	29000	19.1	8.3	10.8	121	--	107
			1.2	29000	19.1	8.3	10.3	121	--	--
			2.4	29000	19.1	8.3	10.3	121	--	--
			4.0	28000	19.4	8.3	10.1	120	--	--
MAR 28, 72	1540	12	.3	40000	25.7	8.1	7.8	110	--	86
			1.5	40000	25.7	8.1	8.0	113	--	--
			3.0	39000	26.5	8.1	8.4	120	--	--
JUL 25, 72	1450	12	.3	43000	30.2	8.2	11.0	172	0	119
			1.5	45000	30.0	8.2	11.5	182	0	--
			2.7	43000	29.9	8.2	9.4	147	45	--
SEP 20, 72	0925	12	.3	46000	29.6	8.1	5.8	92	--	79
			1.5	47000	29.5	8.1	5.8	92	--	--
			3.4	50000	29.6	8.1	5.5	89	--	--
NOV 05, 72	1415	12	.5	9600	23.8	8.4	9.4	113	--	94
			1.5	14000	23.8	8.3	8.4	102	--	--
			3.7	14000	24.1	8.1	7.2	88	--	--
NOV 16, 72	1305	12	.3	44000	18.6	8.2	8.7	110	--	99
			2.4	44000	18.3	8.1	8.5	106	--	--
APR 18, 73	1550	13	.6	42000	21.1	8.0	11.0	145	65	69
			1.5	42000	21.1	8.0	11.5	151	65	--
			3.4	42000	21.1	8.0	11.6	153	70	--
MAY 17, 73	1320	13	.3	46000	25.1	8.2	10.8	154	60	--
			1.5	46000	24.5	8.1	8.6	123	65	--
			3.7	46000	24.6	8.1	6.8	97	60	--
JUL 25, 72	1443	14	.3	43000	30.2	8.2	11.2	175	0	150
			1.5	45000	29.8	8.2	11.3	179	0	--
			3.0	45000	29.7	8.2	11.4	181	3	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 122 CONTINUED					
JUL 25, 72	1443	14	4.0	43000	29.9	8.1	10.2	159	7	--
SEP 20, 72	0915	14	.3	44000	29.7	8.1	5.9	94	--	66
			1.5	41000	29.6	8.1	5.8	89	--	--
			3.7	41000	29.6	8.1	5.9	91	--	--
NOV 16, 72	1255	14	.3	44000	16.6	8.1	9.2	116	--	99
			1.5	44000	16.5	8.1	9.2	115	--	--
			3.4	44000	16.5	8.1	8.8	110	--	--
					LINE 127					
NOV 11, 71	1354	1	.3	16000	21.6	8.4	10.6	125	--	69
			1.5	16000	21.5	8.4	10.2	120	--	--
			3.0	21000	21.5	8.3	8.2	99	--	--
			6.1	36000	22.9	8.0	4.5	59	--	--
			9.1	42000	23.3	8.0	4.3	59	--	--
			13.4	45000	23.0	7.9	4.6	63	--	--
NOV 05, 71	1250	2	.5	15000	23.6	8.3	8.7	106	--	94
			1.5	17000	23.7	8.3	7.9	98	--	--
			4.0	24000	24.2	8.1	4.9	62	--	--
NOV 11, 71	1134	2	.3	16000	21.0	8.4	9.8	119	--	107
			1.5	16000	20.9	8.4	9.8	119	--	--
			2.7	16000	21.7	8.4	9.5	112	--	--
JAN 26, 72	1352	2	.3	37000	18.6	8.3	9.0	110	--	145
			1.5	38000	18.6	8.3	8.9	110	--	--
			2.7	40000	18.4	8.3	9.1	112	--	--
MAR 28, 72	1400	2	.3	40000	22.5	8.2	7.9	105	--	71
			2.1	40000	26.0	8.2	9.7	139	--	--
JUL 25, 72	1309	2	.3	46000	30.3	8.3	10.0	159	0	127
			1.5	46000	30.2	8.3	9.8	156	2	--
NOV 16, 72	1405	2	.3	47000	16.7	8.4	7.2	89	40	142
			1.5	47000	16.5	8.4	7.2	89	40	--
			3.0	47000	17.2	8.4	7.5	94	50	--
APR 18, 73	1400	2	.6	40000	20.9	8.1	11.1	144	40	89
			1.5	40000	20.9	8.1	11.5	149	45	--
			3.0	40000	20.8	8.0	11.8	153	40	--
MAR 28, 72	1410	3	.3	32000	23.1	8.2	8.1	104	--	58
			1.5	32000	24.4	8.2	8.2	108	--	--
			3.0	32000	24.5	8.2	8.4	111	--	--
MAY 31, 72	1335	3	.3	40000	27.5	8.3	7.0	103	--	124
			.9	40000	27.5	8.2	6.9	100	--	--
			1.8	40000	27.6	8.2	6.3	93	--	--
			2.7	40000	27.7	8.2	5.7	84	--	--
JUL 25, 72	1321	3	.3	47000	30.4	8.3	12.0	194	1	124
			1.5	47000	29.8	8.3	13.6	219	1	--
			3.0	46000	29.8	8.2	12.7	202	18	--
			3.7	45000	30.0	8.2	11.6	184	30	--
NOV 16, 72	1355	3	.3	47000	17.5	8.4	7.4	92	40	117
			1.5	47000	17.4	8.4	7.4	92	40	--
			3.0	47000	17.4	8.4	7.4	92	50	--
APR 18, 73	1410	3	.6	42000	20.8	8.0	10.6	139	40	107
			2.1	42000	20.8	8.0	10.9	143	35	--
			4.0	42000	20.7	8.0	11.3	147	45	--
NOV 05, 71	1310	4	.5	15000	23.3	8.4	8.6	105	--	99

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 127 CONTINUED										
NOV 05, 71	1310	4	3.0	18000	24.4	8.3	8.1	101	--	--
			6.1	42000	24.4	8.1	6.2	86	--	--
			9.1	42000	24.5	8.1	6.5	90	--	--
			13.1	42000	24.5	8.1	6.0	83	--	--
NOV 11, 71	1143	4	.3	15000	21.2	8.4	9.7	113	--	--
			1.5	15000	20.8	8.4	9.5	110	--	--
			3.0	18000	20.9	8.3	8.3	98	--	--
			6.1	39000	22.1	8.0	5.8	75	--	--
			9.1	40000	22.2	8.0	5.7	75	--	--
			14.0	46000	22.4	8.0	5.4	73	--	--
MAR 28, 72	1422	4	.3	39000	24.6	8.3	7.7	105	--	81
			1.5	39000	24.6	8.3	8.1	111	--	--
			3.0	41000	24.4	8.3	8.0	110	--	--
			6.1	44000	23.9	8.2	7.8	110	--	--
			9.1	46000	23.2	8.1	8.0	110	--	--
			13.1	46000	23.1	8.1	8.4	115	--	--
MAY 31, 72	1350	4	.3	40000	27.2	8.2	6.8	99	--	140
			1.5	40000	27.0	8.2	5.6	84	--	--
			3.0	45000	26.6	8.0	5.0	75	--	--
			4.6	48000	26.5	8.0	4.8	71	--	--
			6.1	48000	26.5	8.0	4.8	71	--	--
			7.6	50000	26.4	8.0	4.5	67	--	--
			9.1	50000	26.3	7.9	4.5	67	--	--
			10.7	50000	26.3	7.8	4.5	67	--	--
			12.2	53000	26.4	7.8	3.8	58	--	--
JUL 25, 72	1330	4	.3	47000	30.3	8.3	10.0	161	0	147
			1.5	47000	29.7	8.3	10.3	166	0	--
			3.0	48000	29.5	8.2	8.3	134	2	--
			4.6	49000	29.4	8.2	8.4	135	2	--
			6.1	50000	29.3	8.1	7.9	127	10	--
			9.1	50000	29.3	8.1	8.5	137	50	--
			12.5	50000	29.5	8.0	9.0	145	105	--
NOV 16, 72	1340	4	.3	47000	17.5	8.4	7.1	89	35	155
			1.5	47000	17.3	8.4	7.1	89	35	--
			3.0	47000	17.3	8.4	6.9	86	40	--
			6.1	47000	17.3	8.4	6.7	84	40	--
			9.1	47000	17.3	8.4	6.7	84	45	--
			11.6	47000	17.3	8.4	6.7	84	45	--
APR 18, 73	1425	4	.6	43000	20.7	8.1	9.1	118	30	109
			2.1	43000	20.7	8.1	9.0	117	30	--
			4.6	43000	20.7	8.0	8.9	116	35	--
			7.6	43000	20.7	8.0	8.4	109	45	--
			10.7	43000	20.7	8.0	7.6	99	70	--
			13.7	43000	20.7	8.0	7.8	101	110	--
MAY 31, 72	1400	5	.3	38000	27.3	8.2	7.2	103	--	168
			1.2	38000	27.3	8.2	7.1	101	--	--
			2.1	40000	27.2	8.2	6.8	99	--	--
			3.0	40000	27.4	8.2	6.7	97	--	--
			4.0	43000	27.4	8.2	4.2	62	--	--
JUL 25, 72	1342	5	.3	46000	30.5	8.3	9.9	157	5	102
			1.5	46000	29.7	8.3	10.2	162	5	--
			3.0	46000	29.6	8.2	9.0	142	10	--
			4.3	46000	29.7	8.2	9.2	146	35	--
NOV 16, 72	1330	5	.6	47000	17.6	8.3	7.5	95	35	122
			1.5	47000	17.2	8.4	7.3	91	35	--
			3.0	47000	17.2	8.4	7.1	89	40	--
			4.0	47000	17.2	8.4	7.1	89	50	--
APR 18, 73	1445	5	.6	43000	20.7	8.0	10.2	132	40	94
			2.1	43000	20.7	8.0	10.4	135	40	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 127 CONTINUED										
APR 18, 73	1445	5	4.6	43000	20.7	8.0	10.4	135	45	--
NOV 05, 71	1325	6	.5	12000	25.0	8.4	6.8	109	--	97
			1.5	12000	25.0	8.4	6.5	105	--	--
			4.1	36000	25.0	8.0	5.4	73	--	--
NOV 11, 71	1205	6	.3	15000	21.2	8.4	9.6	112	--	76
			1.5	15000	20.9	8.3	9.3	108	--	--
			3.0	16000	21.2	8.3	8.0	93	--	--
			4.6	31000	22.4	7.7	1.9	24	--	--
JAN 26, 72	1410	6	.3	37000	18.1	8.3	9.0	108	--	--
			1.5	37000	17.8	8.3	9.2	111	--	--
			4.6	40000	17.2	8.1	7.2	87	--	--
			7.6	40000	17.5	8.2	7.9	96	--	--
			10.7	42000	17.5	8.2	8.2	100	--	--
			13.7	42000	17.5	8.1	8.6	105	--	--
MAR 28, 72	1440	6	.3	41000	25.1	8.2	8.3	115	--	69
			1.5	41000	25.1	8.2	7.7	107	--	--
			3.7	41000	25.0	8.2	7.7	107	--	--
MAY 31, 72	1410	6	.3	38000	27.3	8.2	7.2	103	--	127
			1.2	38000	27.3	8.2	7.2	103	--	--
			2.1	40000	27.3	8.2	6.9	100	--	--
			3.0	40000	27.5	8.1	4.8	71	--	--
			4.0	43000	27.5	8.0	3.7	55	--	--
JUL 25, 72	1352	6	.3	46000	30.8	8.3	11.7	189	0	102
			1.5	46000	30.2	8.3	11.5	182	2	--
			3.0	46000	29.8	8.3	11.0	175	5	--
			4.0	46000	29.9	8.2	9.3	148	20	--
NOV 16, 72	1320	6	.3	47000	17.5	8.4	7.4	92	40	112
			1.5	47000	17.5	8.4	7.4	92	40	--
			3.0	47000	17.3	8.4	6.9	86	40	--
			4.0	47000	17.5	8.4	7.0	88	40	--
APR 18, 73	1455	6	.6	43000	20.8	8.0	9.0	118	35	97
			2.1	43000	20.8	8.0	9.7	128	40	--
			4.6	43000	20.8	8.0	10.7	141	40	--
MAR 28, 72	1450	7	.3	40000	25.0	8.2	8.1	112	--	91
			1.5	40000	25.0	8.2	8.6	119	--	--
			3.4	40000	25.5	8.2	9.6	135	--	--
MAY 31, 72	1425	7	.3	38000	27.3	8.2	7.3	104	--	163
			1.5	38000	27.2	8.2	7.2	101	--	--
			2.4	38000	27.3	8.2	7.0	100	--	--
			3.0	40000	27.4	8.1	6.1	88	--	--
			3.4	43000	27.5	8.0	2.7	40	--	--
			3.7	43000	27.5	8.0	2.7	40	--	--
			4.0	43000	27.5	8.0	2.9	43	--	--
JUL 25, 72	1405	7	.3	45000	30.3	8.3	10.7	170	0	231
			1.5	45000	29.9	8.3	11.5	182	0	--
			3.0	45000	29.8	8.3	12.1	192	5	--
			4.3	45000	30.0	8.2	11.5	182	18	--
NOV 16, 72	1310	7	.6	47000	17.7	8.4	7.1	90	40	132
			1.5	47000	17.5	8.4	7.4	92	40	--
			3.7	47000	17.3	8.4	6.9	86	40	--
APR 18, 73	1505	7	.6	43000	20.9	8.0	9.0	118	40	99
			2.1	43000	20.9	8.0	9.0	118	40	--
			4.6	43000	20.9	8.0	10.6	139	60	--
NOV 05, 71	1342	8	.5	9600	23.6	8.4	9.0	107	--	76
			1.5	10000	23.6	8.4	8.3	102	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 127 CONTINUED										
NOV 05, 71	1342	8	4.0	20000	24.0	8.1	5.6	71	--	--
NOV 11, 71	1220	8	.3	18000	21.6	8.4	9.5	113	--	84
			1.5	18000	21.1	8.3	9.2	108	--	--
			3.0	18000	21.1	8.3	8.7	102	--	--
			4.3	18000	21.3	8.3	8.4	100	--	--
MAR 28, 72	1500	8	.3	40000	25.3	8.2	9.0	127	--	91
			1.5	40000	25.1	8.2	8.2	114	--	--
			3.7	40000	25.4	8.1	8.7	123	--	--
MAY 31, 72	1440	8	.3	38000	27.4	8.2	7.4	106	--	150
			.9	38000	27.4	8.2	7.4	106	--	--
			2.1	38000	27.5	8.2	7.0	103	--	--
			3.0	40000	27.5	8.2	5.5	81	--	--
			3.7	43000	27.5	8.1	4.2	62	--	--
			4.3	43000	27.5	8.0	2.1	31	--	--
JUL 25, 72	1416	8	.3	45000	30.2	8.2	10.7	170	0	127
			1.5	45000	29.8	8.2	10.6	168	0	--
			3.0	45000	29.6	8.2	9.0	143	18	--
			4.0	45000	29.6	8.0	6.6	105	55	--
NOV 16, 72	1300	8	.3	47000	15.8	8.4	7.2	88	35	112
			1.5	47000	16.1	8.4	7.3	88	35	--
			3.7	47000	16.6	8.3	7.2	88	45	--
APR 18, 73	1515	8	.6	43000	21.0	8.0	9.6	126	50	86
			2.1	43000	21.0	8.0	10.0	132	50	--
			4.6	43000	21.0	8.0	10.8	142	75	--
JAN 26, 72	1435	10	.3	30000	18.0	8.3	9.2	108	--	97
			1.2	32000	17.9	8.3	9.6	113	--	--
			2.4	32000	17.9	8.3	9.4	111	--	--
			4.3	30000	18.1	8.3	9.4	111	--	--
LINE 131										
JAN 26, 72	1630	1	.3	36000	19.0	8.3	10.5	128	--	--
			1.5	36000	19.0	8.3	10.2	124	--	--
			3.0	40000	18.5	8.2	10.1	125	--	--
			6.1	41000	18.0	8.2	9.5	116	--	--
			9.1	43000	17.7	8.1	8.3	102	--	--
			12.2	43000	17.8	8.1	8.5	105	--	--
MAR 28, 72	1650	1	.3	41000	25.4	8.2	8.5	116	--	76
			3.0	41000	25.3	8.2	7.2	99	--	--
			6.1	41000	25.1	8.2	7.0	95	--	--
			9.1	41000	24.8	8.1	6.5	88	--	--
			12.2	41000	24.5	8.0	6.4	85	--	--
MAY 31, 72	1645	2	.3	--	27.9	8.3	--	--	--	117
			1.5	--	26.7	8.0	--	--	--	--
			2.4	--	27.0	7.9	--	--	--	--
			3.0	48000	26.3	7.9	1.7	25	--	--
			6.1	50000	26.2	7.8	2.0	30	--	--
			9.1	50000	26.4	7.9	2.8	42	--	--
			12.2	53000	26.8	7.9	4.5	69	--	--
JUL 25, 72	1558	2	.3	46000	30.4	8.4	13.0	206	5	104
			1.5	47000	29.6	8.4	13.1	211	7	--
			3.0	47000	29.2	8.3	9.9	155	7	--
			6.1	49000	29.0	8.2	6.6	105	2	--
			9.1	50000	28.8	7.9	2.7	43	2	--
			11.0	50000	28.8	7.8	2.3	36	40	--
NOV 16, 72	1420	2	.3	47000	18.0	8.4	7.4	94	35	140
			1.5	47000	17.9	8.4	7.3	92	40	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 131 CONTINUED					
NOV 16, 72	1420	2	3.0	47000	17.7	8.4	7.1	90	40	--
			6.1	47000	17.7	8.4	6.9	87	40	--
			9.1	46000	17.6	8.4	6.9	86	40	--
			11.6	46000	17.7	8.3	6.9	80	55	--
					LINE 142					
NOV 05, 71	1515	1	.3	15000	23.3	8.4	9.1	111	--	104
			1.5	18000	23.3	8.4	8.6	106	--	--
			3.0	19000	23.3	8.4	8.1	100	--	--
			6.1	37000	23.9	8.1	6.6	88	--	--
			9.1	42000	24.3	8.1	6.5	90	--	--
			13.1	46000	24.3	8.0	6.9	90	--	--
NOV 11, 71	1417	1	.3	19000	21.7	8.4	10.2	121	--	94
			1.5	21000	21.2	8.4	9.4	112	--	--
			3.0	29000	22.2	8.3	7.8	98	--	--
			6.1	40000	22.3	8.1	5.9	79	--	--
			9.1	40000	22.5	8.0	5.5	73	--	--
			13.1	45000	22.6	8.0	5.8	79	--	--
JAN 26, 72	1700	1	.3	41000	18.2	8.2	10.6	129	--	122
			3.0	41000	17.9	8.2	10.3	126	--	--
			6.1	42000	17.7	8.2	9.7	120	--	--
			9.1	45000	17.4	8.1	9.3	115	--	--
			12.2	45000	17.4	8.1	9.3	115	--	--
MAR 28, 72	1730	1	.3	41000	24.8	8.3	7.2	97	--	91
			3.0	41000	24.4	8.3	7.2	96	--	--
			6.1	42000	24.4	8.2	8.8	117	--	--
			9.1	45000	24.3	8.2	8.9	117	--	--
			12.8	45000	23.8	8.1	7.0	92	--	--
MAY 31, 72	1700	1	.3	45000	27.4	8.2	7.5	112	--	61
			1.5	45000	26.7	8.1	7.4	110	--	--
			3.0	48000	26.6	8.1	6.6	98	--	--
			4.6	48000	26.2	8.0	6.1	91	--	--
			7.6	50000	25.8	7.9	4.7	73	--	--
			10.7	50000	25.8	7.8	4.7	73	--	--
			13.7	56000	26.0	7.8	4.9	75	--	--
JUL 25, 72	1625	1	.3	46000	30.5	8.3	12.4	197	--	135
			1.5	49000	30.1	8.3	12.2	197	3	--
			3.0	52000	29.6	8.2	11.6	187	3	--
			6.1	52000	29.5	8.1	11.3	182	5	--
			9.1	52000	29.4	8.1	11.3	182	18	--
			12.8	52000	29.6	8.1	11.4	184	40	--
SEP 20, 72	0850	1	.3	47000	29.7	8.2	5.8	94	--	130
			1.5	49000	29.7	8.2	5.9	95	--	--
			3.0	49000	29.7	8.2	5.9	95	--	--
			6.1	49000	29.6	8.2	5.8	94	--	--
			9.1	49000	29.5	8.2	5.9	95	--	--
			12.2	50000	29.5	8.2	6.2	100	--	--
NOV 16, 72	1455	1	.3	43000	17.2	8.4	7.6	94	35	160
			1.5	46000	17.2	8.4	7.4	91	35	--
			3.0	46000	17.4	8.3	6.8	84	40	--
			6.1	46000	17.4	8.3	6.7	83	55	--
			9.1	47000	17.5	8.3	6.4	80	45	--
			12.2	47000	17.5	8.3	6.4	80	45	--
			13.7	47000	17.6	8.3	6.1	77	50	--
APR 18, 73	1730	1	.6	40000	20.7	8.0	6.6	110	50	114
			1.5	40000	20.6	8.0	6.6	110	50	--
			3.0	40000	20.7	8.0	6.1	105	50	--
			6.1	46000	20.7	8.0	7.6	100	40	--
			9.1	46000	20.6	7.9	7.4	97	45	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

LINE 142 CONTINUED

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
APR 18, 73	1730	1	12.2	46000	20.6	7.9	7.5	99	225	--
MAY 17, 73	1445	1	.3	41000	24.6	8.2	9.3	129	--	86
			1.5	44000	24.0	8.1	8.3	117	10	--
			3.0	44000	24.0	8.1	7.4	104	15	--
			6.1	44000	24.2	8.1	6.8	96	15	--
			9.1	44000	24.2	8.2	6.4	90	40	--
			13.7	46000	24.3	8.0	6.1	86	25	--
NOV 05, 71	1230	2	.3	15000	23.5	8.3	8.4	102	--	94
			2.1	15000	23.6	8.3	7.8	95	--	--
			3.8	25000	24.4	8.0	3.6	46	--	--
NOV 11, 71	1117	2	.3	16000	21.0	8.4	9.6	112	--	104
			1.5	16000	20.9	8.4	8.8	102	--	--
			3.0	27000	21.5	7.9	3.3	41	--	--
			4.1	29000	21.9	7.9	4.3	54	--	--
JAN 26, 72	1335	2	.3	39000	18.4	8.3	8.9	109	--	135
			1.5	39000	18.3	8.3	9.0	110	--	--
			3.0	39000	18.3	8.3	9.2	112	--	--
MAR 28, 72	1340	2	.3	38000	24.7	8.3	8.5	116	--	89
			1.5	38000	24.7	8.3	8.9	120	--	--
			3.0	38000	24.4	8.3	9.7	133	--	--
MAY 31, 72	1320	2	.3	44000	27.4	8.3	6.7	100	--	140
			1.2	44000	27.4	8.2	6.9	103	--	--
			2.4	44000	27.5	8.1	6.1	92	--	--
			3.7	44000	27.7	8.2	4.8	73	--	--
JUL 25, 72	1252	2	.3	46000	30.2	8.2	7.9	125	2	119
			1.5	46000	29.6	8.2	7.6	121	5	--
			3.0	45000	29.6	8.2	7.2	114	68	--
SEP 19, 72	1515	2	.3	49000	28.8	8.3	10.7	170	15	--
			1.5	49000	28.6	8.3	11.0	172	10	--
			3.0	50000	28.6	8.2	11.2	175	10	--
			4.6	50000	28.6	8.2	11.5	180	35	--
NOV 16, 72	1225	2	.3	47000	17.3	8.4	7.7	96	40	145
			1.5	47000	17.2	8.4	7.7	96	45	--
			3.4	47000	17.3	8.4	7.7	96	50	--
APR 18, 73	1340	2	.6	42000	20.8	8.0	9.0	118	35	142
			2.1	42000	20.8	8.0	9.6	126	30	--
			4.0	42000	20.8	8.0	10.4	137	35	--
MAY 17, 73	1245	2	.3	46000	24.9	8.2	9.1	130	25	--
			1.5	46000	24.7	8.2	9.5	136	25	--
			3.4	46000	24.8	8.2	8.4	120	30	--
APR 18, 73	1330	3	.6	43000	20.9	8.0	9.0	118	40	119
			2.1	43000	20.9	8.0	9.3	122	35	--
			4.3	43000	20.9	8.0	10.5	138	40	--
NOV 05, 71	1220	4	.3	15000	23.5	8.3	8.0	98	--	99
			1.5	16000	23.6	8.3	7.5	91	--	--
			4.0	18000	24.3	7.9	4.6	58	--	--
NOV 11, 71	1105	4	.3	15000	21.1	8.3	9.4	109	--	107
			1.5	16000	21.0	8.3	8.8	102	--	--
			3.0	18000	21.1	8.3	7.9	93	--	--
			4.3	27000	21.9	7.8	2.7	34	--	--
JAN 26, 72	1320	4	.3	38000	18.1	8.3	9.1	111	--	119
			1.5	39000	18.0	8.3	9.1	111	--	--
			4.0	45000	17.7	8.2	8.3	104	--	--
MAR 28, 72	1330	4	.3	38000	24.6	8.4	8.5	116	--	89

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 142 CONTINUED					
MAR 28, 72	1330	4	1.5	38000	24.5	8.4	8.9	120	--	--
			3.4	38000	24.7	8.4	9.7	133	--	--
MAY 31, 72	1308	4	.3	43000	27.7	8.3	6.4	97	--	91
			1.2	44000	27.7	8.3	6.0	91	--	--
			2.4	44000	27.7	8.3	5.8	88	--	--
			3.7	44000	27.9	8.3	6.0	91	--	--
JUL 25, 72	1243	4	.3	46000	30.4	8.3	6.5	103	--	183
			1.5	46000	29.8	8.3	6.8	108	0	--
			3.0	46000	29.7	8.2	7.0	111	0	--
			4.0	45000	29.9	8.2	7.8	124	15	--
NOV 16, 72	1215	4	.6	47000	17.7	8.4	7.8	99	35	170
			1.5	47000	17.6	8.4	7.7	98	40	--
			3.4	47000	17.7	8.4	7.7	98	40	--
NOV 16, 72	1205	5	.6	47000	17.6	8.4	7.9	100	35	155
			1.5	47000	17.5	8.4	8.0	100	35	--
			3.7	47000	17.7	8.4	8.0	101	40	--
APR 18, 73	1320	5	.6	43000	20.9	8.0	10.0	132	40	107
			2.1	43000	20.9	8.0	10.1	133	40	--
			4.6	43000	20.9	8.0	10.5	138	40	--
MAY 17, 73	1235	5	.3	46000	25.2	8.2	9.2	131	45	76
			1.5	46000	24.8	8.2	9.7	139	35	--
			3.7	46000	24.8	8.2	8.3	119	100	--
NOV 05, 71	1206	6	.5	14000	23.3	8.4	8.3	100	--	69
			1.5	15000	23.3	8.3	7.7	94	--	--
			4.0	25000	23.8	8.1	4.4	56	--	--
NOV 11, 71	1050	6	.3	16000	21.1	8.3	9.1	106	--	102
			1.5	16000	20.9	8.3	8.8	102	--	--
			3.0	18000	21.0	8.3	7.4	87	--	--
			4.6	22000	21.7	7.9	2.9	35	--	--
JAN 26, 72	1305	6	.3	38000	18.2	8.2	8.3	101	130	112
			1.5	40000	18.2	8.3	8.6	105	--	--
			3.0	40000	18.1	8.3	8.7	106	--	--
			5.2	40000	18.0	8.3	8.7	106	128	--
MAR 28, 72	1315	6	.3	38000	24.6	8.4	8.1	111	--	91
			1.5	38000	24.5	8.4	8.6	116	--	--
			3.4	38000	25.2	8.4	8.7	119	--	--
MAY 31, 72	1250	6	.3	13000	27.7	8.4	6.5	97	--	122
			1.5	44000	27.6	8.4	6.4	97	--	--
			3.0	44000	27.6	8.4	6.1	92	--	--
			3.7	44000	27.6	8.4	5.6	85	--	--
			4.0	44000	27.8	8.4	5.5	83	--	--
JUL 25, 72	1224	6	.3	44000	29.9	8.2	10.7	170	0	152
			1.5	45000	29.5	8.2	10.6	168	0	--
			3.0	45000	29.5	8.2	9.5	151	0	--
			4.0	45000	29.6	8.2	10.2	162	2	--
SEP 19, 72	1455	6	.3	50000	29.1	8.3	7.8	124	5	--
			1.5	50000	28.9	8.3	8.0	127	5	--
			3.0	50000	28.8	8.3	8.2	130	10	--
			4.6	50000	28.4	8.3	7.1	111	65	--
NOV 16, 72	1200	6	.6	47000	17.4	8.4	8.2	102	40	160
			1.5	47000	17.4	8.4	8.1	101	40	--
			3.0	47000	17.3	8.4	7.9	99	40	--
			3.7	47000	17.4	8.4	7.9	99	40	--
NOV 16, 72	1150	7	.6	47000	17.4	8.4	8.0	100	35	147

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 142 CONTINUED						
NOV 16, 72	1150	7	1.5	47000	17.4	8.4	6.0	100	40	--
			3.0	47000	17.4	8.4	7.9	99	40	--
			4.0	46000	17.4	8.4	7.8	96	95	--
APR 18, 73	1310	7	.6	43000	20.9	8.0	9.2	121	40	104
			2.1	43000	20.9	8.0	9.4	124	40	--
			4.6	43000	20.8	8.0	9.4	124	60	--
MAY 17, 73	1220	7	.3	44000	24.5	8.2	9.1	130	35	71
			1.5	44000	24.6	8.2	8.2	117	35	--
			3.7	44000	24.8	8.2	7.0	100	55	--
NOV 05, 71	1158	8	.5	13000	23.1	8.3	8.1	96	--	79
			1.5	16000	23.1	8.3	7.3	88	--	--
			4.3	19000	23.4	8.2	4.6	57	--	--
JAN 26, 72	1255	8	.3	37000	18.3	8.3	8.6	104	--	91
			1.5	38000	18.1	8.3	8.5	104	--	--
			4.0	39000	18.0	8.2	8.4	102	--	--
MAR 28, 72	1305	8	.3	38000	24.3	8.3	8.5	115	--	127
			1.5	38000	24.3	8.2	8.7	118	--	--
			3.4	36000	24.1	8.2	10.7	143	--	--
MAY 31, 72	1240	8	.3	44000	28.0	8.4	6.8	103	--	155
			1.2	44000	28.0	8.4	6.6	100	--	--
			2.4	44000	27.9	8.4	6.0	91	--	--
			3.0	44000	27.9	8.4	5.6	85	--	--
			3.4	44000	27.9	8.4	3.8	58	--	--
			3.7	44000	27.9	8.4	4.2	64	--	--
			4.0	44000	27.8	8.4	3.2	48	--	--
JUL 25, 72	1214	8	.3	45000	30.0	8.3	9.7	154	0	168
			1.5	45000	29.6	8.3	10.0	159	0	--
			3.0	45000	29.6	8.3	9.0	142	0	--
			4.0	45000	29.8	8.2	9.0	143	5	--
SEP 19, 72	1440	8	.3	49000	29.4	8.3	7.7	122	6	--
			1.5	50000	29.2	8.3	7.7	122	2	--
			3.0	50000	29.2	8.3	7.5	119	55	--
			4.6	49000	29.0	8.2	6.9	110	250	--
NOV 16, 72	1140	8	.6	47000	17.5	8.4	7.8	98	35	160
			1.5	47000	17.5	8.4	7.7	96	35	--
			3.7	46000	17.5	8.4	7.7	96	30	--
NOV 16, 72	1130	9	.6	46000	17.3	8.4	7.5	93	30	142
			1.5	46000	17.4	8.3	7.3	90	30	--
			3.0	46000	17.2	8.3	7.2	89	30	--
			4.0	46000	17.2	8.3	7.4	91	40	--
APR 18, 73	1250	9	.6	43000	20.9	8.0	8.7	114	40	132
			2.1	43000	20.8	8.0	8.7	114	150	--
			4.6	42000	20.8	7.9	7.9	104	30	--
NOV 05, 71	1148	10	.3	12000	23.1	8.3	8.4	100	--	71
			1.5	12000	23.1	8.3	8.2	98	--	--
			4.0	16000	23.2	8.3	7.4	89	--	--
JAN 26, 72	1245	10	.3	38000	18.7	8.3	8.5	105	--	89
			1.5	38000	18.7	8.3	8.6	106	--	--
			3.7	37000	18.3	8.3	8.5	102	--	--
MAR 28, 72	1300	10	.3	36000	24.6	8.2	9.2	124	--	94
			1.5	36000	24.6	8.2	10.3	139	--	--
			3.7	36000	24.8	8.2	10.7	145	--	--
MAY 31, 72	1230	10	.3	44000	27.6	8.4	6.7	100	--	130
			1.5	44000	27.5	8.4	6.6	97	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 142 CONTINUED										
MAY 31, 72	1230	10	3.0	44000	27.4	8.5	6.1	90	--	--
			4.0	44000	27.3	8.5	4.1	60	--	--
JUL 25, 72	1143	10	.3	45000	29.9	8.3	9.5	151	2	142
			1.5	45000	29.1	8.2	8.6	134	2	--
			3.0	45000	29.1	8.2	8.7	136	5	--
			4.0	45000	29.1	8.2	8.6	134	7	--
SEP 19, 72	1425	10	.3	49000	29.2	8.3	9.1	144	--	--
			1.5	50000	29.0	8.3	9.8	156	5	--
			3.0	50000	28.8	8.3	9.9	157	10	--
			4.6	50000	29.1	8.3	8.9	141	35	--
APR 18, 73	1235	10	.6	36000	21.0	8.0	10.8	138	40	132
			1.5	36000	21.0	8.0	10.8	138	30	--
			3.0	36000	21.0	8.0	11.0	141	30	--
			4.6	37000	21.0	8.0	10.8	138	60	--
MAY 17, 73	1210	10	.3	44000	24.2	8.2	8.8	124	20	112
			1.5	45000	24.0	8.2	8.3	117	20	--
			4.0	44000	24.1	8.3	7.6	107	25	--
LINE 147										
NOV 05, 71	0925	1	.5	19000	22.9	8.4	7.9	96	--	91
			1.5	21000	22.7	8.4	7.9	98	--	--
			2.1	22000	22.6	8.4	7.8	66	--	--
			2.7	33000	23.3	8.3	6.8	89	--	--
NOV 11, 71	0833	1	.3	22000	20.6	8.4	8.7	104	--	58
			1.5	25000	21.0	8.4	8.4	102	--	--
			2.7	30000	21.4	8.2	7.1	89	--	--
JAN 26, 72	1000	1	.3	38000	17.7	8.3	7.7	93	--	122
			1.2	42000	17.7	8.3	7.6	94	--	--
			2.4	48000	17.3	8.2	7.8	98	--	--
MAR 28, 72	0950	1	.3	--	22.3	8.4	--	--	--	122
			1.2	39000	22.3	8.4	7.8	105	--	--
			2.4	39000	22.4	8.4	8.7	118	--	--
MAY 31, 72	0945	1	.3	50000	26.3	8.3	5.8	87	--	152
			2.1	50000	26.3	8.2	6.1	91	--	--
JUL 25, 72	0915	1	.3	48000	29.0	8.2	10.4	162	--	132
			1.5	48000	29.0	8.2	10.2	159	0	--
			2.4	50000	28.9	8.2	11.0	175	0	--
SEP 19, 72	1135	1	.3	52000	29.7	8.3	8.7	140	13	--
			2.1	53000	29.8	8.3	9.7	159	15	--
NOV 16, 72	0850	1	.3	44000	16.0	8.4	8.1	98	30	122
			1.5	44000	16.0	8.3	8.0	96	30	--
			2.4	44000	16.0	8.3	8.7	105	40	--
FEB 21, 73	0840	1	.3	44000	10.9	--	9.1	99	20	160
			1.5	44000	10.8	--	9.1	99	25	--
			2.1	44000	10.8	--	9.5	103	30	--
APR 18, 73	0900	1	.3	40000	19.6	8.0	8.6	109	40	84
			1.5	40000	19.7	8.0	8.9	113	40	--
			3.0	40000	20.3	8.0	9.7	124	65	--
MAY 17, 73	0850	1	.3	40000	22.8	8.3	8.3	112	20	71
			1.5	40000	22.7	8.3	8.5	113	50	--
			2.1	40000	22.6	8.3	7.3	97	80	--
NOV 05, 71	0936	2	.5	18000	22.9	8.3	7.6	93	--	91

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 147 CONTINUED										
NOV 05, 71	0936	2	1.5	19000	23.0	8.3	7.3	89	--	--
			3.8	42000	23.9	8.1	6.3	88	--	--
NOV 11, 71	0849	2	.3	18000	20.5	8.4	8.7	101	--	102
			1.5	19000	20.5	8.4	8.7	101	--	--
			3.0	23000	20.9	6.4	5.4	65	--	--
			4.0	42000	21.7	7.8	1.3	17	--	--
MAR 28, 72	1000	2	.3	40000	22.8	8.5	7.3	99	--	--
			1.5	38000	22.9	8.5	7.6	101	--	--
			3.0	40000	23.0	8.4	7.8	105	--	--
MAY 31, 72	1000	2	.3	44000	26.6	8.3	6.5	96	--	145
			1.5	46000	26.5	8.3	6.4	94	--	--
			3.0	48000	26.3	8.2	6.1	90	--	--
JUL 25, 72	0925	2	.3	45000	28.6	8.2	11.7	183	11	168
			1.5	46000	28.6	8.2	11.0	172	13	--
			3.4	50000	28.8	8.1	6.9	110	10	--
SEP 19, 72	1155	2	.3	50000	29.2	8.4	7.1	113	45	--
			1.5	50000	29.1	8.4	8.1	129	20	--
			3.0	50000	29.2	8.3	10.5	16	25	--
NOV 16, 72	0900	2	.3	42000	15.9	8.4	8.8	105	30	178
			1.5	44000	16.0	8.4	8.5	102	30	--
			3.0	44000	16.2	8.3	8.4	101	40	--
FEB 21, 73	0850	2	.3	44000	10.8	--	8.5	92	10	241
			1.5	44000	10.9	--	8.9	97	15	--
			3.4	44000	10.8	--	8.9	97	--	--
APR 18, 73	0910	2	.3	41000	20.4	8.1	10.3	132	30	132
			1.5	41000	20.4	8.0	10.1	129	25	--
			3.4	42000	20.4	7.9	9.0	117	35	--
MAY 17, 73	0900	2	.3	41000	22.6	8.3	9.2	123	25	76
			1.5	41000	22.6	8.3	8.8	117	20	--
			3.0	41000	22.6	8.3	7.8	104	30	--
NOV 05, 71	0954	3	.3	16000	22.9	8.4	7.8	94	--	99
			2.1	16000	22.9	8.3	7.6	92	--	--
			3.8	29000	23.0	8.1	5.6	71	--	--
NOV 11, 71	0858	3	.3	18000	20.5	8.4	7.1	83	--	94
			1.5	18000	20.5	8.4	5.7	66	--	--
			3.0	22000	20.6	8.4	5.2	62	--	--
			3.7	37000	21.3	8.0	2.3	29	--	--
JAN 26, 72	1025	3	.3	33000	18.1	8.3	8.2	98	--	112
			1.5	33000	18.1	8.3	8.4	100	--	--
			3.4	33000	18.2	8.3	8.9	106	--	--
MAR 28, 72	1030	3	.3	37000	23.4	8.6	7.9	104	--	109
			1.5	37000	22.9	8.6	8.5	112	--	--
			3.0	37000	22.8	8.6	10.1	133	--	--
MAY 31, 72	1015	3	.3	45000	26.7	8.3	6.4	96	--	137
			1.5	45000	26.7	8.3	6.2	92	--	--
			3.0	45000	26.4	8.3	5.6	82	--	--
JUL 25, 72	0940	3	.3	45000	28.4	8.3	11.2	175	2	173
			1.5	45000	28.6	8.3	10.6	166	9	--
			2.7	46000	28.9	8.3	12.3	190	9	--
SEP 19, 72	1225	3	.3	50000	29.2	8.4	10.3	163	30	--
			1.5	50000	28.9	8.3	10.0	159	45	--
			3.0	50000	29.0	8.3	10.5	167	30	--
NOV 16, 72	0915	3	.3	44000	16.2	8.3	8.5	102	35	135

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 147 CONTINUED					
NOV 16, 72	0915	3	1.5	44000	16.2	8.3	8.1	98	40	--
			3.0	44000	16.5	8.3	8.3	101	35	--
FEB 21, 73	0905	3	.3	45000	10.8	--	8.9	97	15	198
			1.5	45000	10.8	--	9.1	99	15	--
			3.4	45000	10.7	--	9.3	100	15	--
APR 18, 73	0925	3	.3	43000	20.6	8.0	9.6	125	40	91
			1.8	43000	20.5	8.0	10.7	139	40	--
			3.7	43000	20.5	8.0	11.6	151	50	--
MAY 17, 73	0915	3	.3	41000	22.6	8.3	8.2	109	25	74
			1.5	41000	22.6	8.3	7.9	105	30	--
			2.7	41000	22.6	8.3	6.9	92	35	--
NOV 05, 71	1005	4	.3	18000	23.0	8.3	7.7	94	--	86
			1.5	18000	23.0	8.3	7.7	94	--	--
			3.0	22000	23.2	8.3	7.2	89	--	--
			4.3	21000	23.0	8.2	5.7	70	--	--
NOV 11, 71	0909	4	.3	18000	20.6	8.4	9.0	105	--	112
			1.5	18000	20.7	8.4	8.7	101	--	--
			3.0	21000	20.9	8.4	7.6	90	--	--
			4.3	25000	21.2	8.0	3.6	44	--	--
MAR 28, 72	1040	4	.3	37000	23.4	8.2	8.3	108	--	94
			1.5	37000	23.5	8.8	8.9	116	--	--
			3.7	37000	23.4	9.3	9.4	122	--	--
MAY 31, 72	1025	4	.3	44000	26.9	8.5	6.0	90	--	127
			1.2	44000	26.9	8.5	5.8	88	--	--
			2.4	44000	26.9	8.4	5.4	81	--	--
			3.7	44000	26.6	8.3	4.4	66	--	--
JUL 25, 72	0952	4	.3	45000	28.7	8.2	10.8	169	9	140
			1.5	45000	28.7	8.2	11.1	173	10	--
			3.4	45000	28.7	8.2	9.8	153	15	--
SEP 19, 72	1245	4	.3	50000	29.2	8.3	9.5	202	5	--
			1.5	50000	29.1	8.3	11.0	175	5	--
			3.0	50000	29.2	8.4	12.7	167	10	--
NOV 16, 72	0925	4	.3	46000	16.7	8.4	8.5	104	--	--
			1.5	46000	16.7	8.4	8.4	102	--	--
			3.0	46000	16.6	8.4	8.2	100	--	--
			3.7	46000	16.4	8.4	8.0	98	--	--
FEB 21, 73	0920	4	.6	45000	10.8	--	9.1	99	15	203
			1.5	45000	10.8	--	9.3	101	15	--
			3.4	45000	10.8	--	9.5	103	20	--
APR 18, 73	0940	4	.6	43000	20.7	8.0	10.2	132	30	107
			2.1	43000	20.7	8.0	11.2	145	30	--
			4.3	43000	20.6	8.0	11.4	148	35	--
MAY 17, 73	0925	4	.3	43000	22.8	8.4	9.0	123	25	69
			1.5	43000	22.8	8.2	8.6	118	30	--
			3.7	43000	22.8	8.2	7.4	101	40	--
NOV 05, 71	1020	5	.3	19000	22.9	8.3	7.9	96	--	86
			1.5	19000	22.8	8.3	7.7	94	--	--
			3.0	18000	22.9	8.3	7.6	93	--	--
NOV 11, 71	0920	5	.3	19000	20.9	8.4	8.7	102	--	114
			1.5	19000	20.8	8.4	8.6	101	--	--
			3.0	19000	20.9	8.4	8.3	98	--	--
			4.0	19000	21.1	8.3	8.2	96	--	--
JAN 26, 72	1045	5	.3	38000	18.2	8.3	8.2	100	--	91

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 147 CONTINUED										
JAN 26, 72	1045	5	1.5	38000	18.2	8.3	8.5	104	--	--
			4.0	38000	18.4	8.3	8.6	105	--	--
MAR 28, 72	1055	5	.3	36000	23.5	8.7	8.1	107	--	--
			1.2	37000	23.3	8.7	8.8	116	--	--
			2.7	40000	22.8	8.6	8.4	114	--	--
MAY 31, 72	1035	5	.3	44000	27.0	8.5	6.5	97	--	123
			1.5	44000	27.0	8.4	6.4	96	--	--
			3.0	44000	26.8	8.4	6.3	94	--	--
JUL 25, 72	1002	5	.3	45000	28.7	8.2	10.8	169	--	--
			1.5	45000	28.7	8.2	11.1	173	--	--
			2.7	44000	28.7	8.2	10.2	159	--	--
SEP 19, 72	1305	5	.3	50000	29.3	8.4	8.6	136	10	--
			1.5	50000	29.2	8.4	7.6	121	5	--
			3.0	52000	29.2	8.6	7.1	113	18	--
NOV 16, 72	0940	5	.3	46000	16.8	8.3	8.7	107	35	142
			1.5	46000	16.6	8.3	8.4	102	40	--
			3.0	46000	16.7	8.3	8.0	98	35	--
FEB 21, 73	0930	5	.6	45000	10.7	--	9.5	102	20	190
			1.5	45000	10.8	--	9.5	103	20	--
			3.0	45000	10.9	--	9.6	104	20	--
APR 18, 73	1000	5	.3	42000	20.8	8.0	10.1	133	35	109
			1.5	42000	20.8	8.0	10.6	139	30	--
			3.4	42000	20.7	8.0	11.4	148	30	--
MAY 17, 73	0940	5	.3	44000	22.6	8.2	9.9	136	15	119
			1.5	44000	22.6	8.3	9.0	123	20	--
			2.7	44000	22.8	8.5	8.0	110	25	--
LINE 159										
SEP 19, 72	1305	1	.3	40000	30.6	8.5	8.0	124	--	103
			1.5	41000	30.7	8.5	8.1	126	--	--
			3.0	40000	30.7	8.5	8.4	130	--	--
			4.6	37000	30.7	8.5	9.0	137	--	--
MAY 17, 73	0810	1	.3	37000	22.8	8.3	9.5	125	5	160
			1.5	37000	22.8	8.3	9.3	122	10	--
			3.0	36000	22.7	8.3	8.2	106	10	--
			4.3	36000	22.7	8.3	7.9	103	20	--
SEP 19, 72	1715	2	.3	46000	30.3	8.6	7.0	110	--	91
			1.5	48000	30.4	8.6	7.2	115	--	--
			3.0	48000	30.4	8.5	7.4	118	--	--
			4.3	47000	30.5	8.5	7.6	122	--	--
SEP 19, 72	1720	4	.3	46000	30.4	8.6	6.8	107	--	89
			1.5	48000	30.5	8.6	7.0	112	--	--
			3.0	48000	30.4	8.6	7.2	115	--	--
MAY 17, 73	0755	4	.3	37000	22.6	8.3	8.1	105	25	81
			1.5	37000	22.6	8.3	7.6	99	25	--
			3.0	37000	22.6	8.3	7.5	97	30	--
			4.6	36000	22.5	8.3	7.1	92	100	--
SEP 19, 72	1725	6	.3	47000	30.5	8.7	6.8	109	--	89
			1.5	47000	30.5	8.6	7.1	114	--	--
			2.4	48000	30.6	8.6	7.6	124	--	--
SEP 19, 72	1730	8	.3	46000	30.2	8.7	6.2	98	--	89
			1.5	47000	30.1	8.7	5.6	90	--	--
			3.4	47000	30.0	8.6	5.1	82	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 159 CONTINUED					
MAY 17, 73	0750	8	.3	35000	21.9	8.4	8.0	103	30	76
			1.5	37000	22.1	8.3	7.4	95	70	--
			3.0	37000	22.2	8.3	7.0	90	70	--
			4.6	37000	22.2	8.3	6.8	87	55	--
SEP 19, 72	1740	10	.3	39000	30.5	8.7	7.5	113	--	94
			1.5	42000	30.1	8.7	6.8	105	--	--
			3.0	42000	30.0	6.3	6.7	98	--	--
			4.6	42000	29.9	8.6	5.2	81	--	--
			5.5	43000	29.8	8.6	4.9	77	--	--
MAY 17, 73	0740	10	.3	32000	21.8	8.6	7.6	96	10	127
			1.5	35000	22.0	8.6	7.4	95	10	--
			3.0	37000	22.2	8.6	7.4	95	15	--
			4.9	37000	22.4	8.5	8.1	105	20	--
SEP 19, 72	1745	11	.3	45000	30.3	8.7	6.8	107	--	108
			1.5	41000	30.2	8.7	7.1	108	--	--
			2.7	41000	30.2	8.7	7.5	114	--	--
					LINE 165					
JUL 25, 72	0758	2	.3	50000	28.9	8.0	7.4	117	11	119
			1.5	50000	28.9	8.0	6.0	127	16	--
			3.0	50000	28.9	8.0	6.1	129	21	--
			4.6	50000	28.8	8.0	6.3	132	20	--
			5.8	50000	28.5	7.9	6.6	134	20	--
NOV 16, 72	0740	2	.3	40000	15.4	8.3	7.8	90	50	89
			1.5	40000	15.6	8.3	7.8	90	55	--
			3.0	40000	16.0	8.2	7.7	90	55	--
			4.6	41000	16.3	8.2	8.0	93	50	--
			6.4	42000	16.2	8.2	7.9	94	70	--
FEB 21, 73	0740	2	.3	38000	10.4	--	11.0	115	15	147
			1.5	38000	10.4	--	11.0	115	15	--
			3.0	38000	10.6	--	10.7	113	15	--
			4.9	38000	10.6	--	10.8	114	15	--
APR 18, 73	0730	2	.3	40000	19.3	7.7	6.7	84	35	58
			1.5	40000	19.3	7.6	7.1	89	50	--
			3.0	40000	19.3	7.5	7.7	96	65	--
			6.1	40000	19.4	7.4	9.0	112	75	--
					LINE 168					
NOV 05, 71	0845	2	.3	27000	22.3	8.3	7.6	95	--	--
			1.5	27000	22.3	8.3	7.5	93	--	--
			3.0	28000	22.4	8.3	7.4	92	--	--
			6.1	30000	23.2	8.3	7.1	91	--	--
			9.1	38000	23.1	8.2	6.6	88	--	--
			13.1	38000	23.3	8.2	6.7	89	--	--
NOV 08, 71	1520	2	.3	--	19.5	--	--	--	--	--
NOV 08, 71	2015	2	.3	--	20.5	--	--	--	--	--
NOV 09, 71	0240	2	.3	--	22.0	--	--	--	--	--
NOV 09, 71	2150	2	.3	--	21.5	--	--	--	--	--
NOV 09, 71	2230	2	.3	--	21.0	--	--	--	--	--
NOV 10, 71	0320	2	.3	--	21.5	--	--	--	--	--
NOV 11, 71	0805	2	.3	24000	20.2	8.4	8.5	100	--	94
			1.5	26000	20.4	8.4	8.4	101	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 168 CONTINUED					
NOV 11, 71	0805	2	3.0	29000	20.8	8.4	8.1	100	--	--
			6.1	38000	21.5	8.3	7.6	99	--	--
			9.1	43000	21.8	8.2	7.5	100	--	--
			13.7	46000	21.7	8.2	7.3	99	--	--
JAN 26, 72	0840	2	.3	45000	17.1	8.2	--	--	--	81
			3.0	45000	16.9	8.2	--	--	--	--
			6.1	45000	16.9	8.2	--	--	--	--
			9.1	45000	17.1	8.2	--	--	--	--
			13.7	45000	16.8	8.2	--	--	--	--
MAR 28, 72	0845	2	.3	42000	23.0	8.4	6.6	90	--	142
			1.5	42000	23.0	8.4	6.8	93	--	--
			4.6	41000	22.9	8.4	6.8	92	--	--
			7.6	44000	23.1	8.3	6.8	93	--	--
			10.7	44000	23.0	8.3	7.0	96	--	--
			13.7	44000	23.5	8.3	7.1	96	--	--
MAY 31, 72	0830	2	.3	50000	25.5	8.2	5.5	82	--	183
			2.4	53000	25.0	8.1	4.8	72	--	--
			4.6	53000	25.0	8.0	3.3	49	--	--
			7.6	53000	24.9	8.0	3.0	45	--	--
			10.7	53000	24.9	8.0	3.0	45	--	--
			13.7	55000	25.0	8.0	3.3	50	--	--
JUL 25, 72	0852	2	.3	50000	28.8	8.1	11.3	179	28	102
			1.5	50000	28.7	8.1	11.5	180	15	--
			3.0	50000	28.7	8.1	11.6	181	10	--
			4.6	50000	28.7	8.1	12.4	194	10	--
			6.1	50000	28.7	8.1	11.6	181	10	--
			9.1	50000	28.7	8.1	12.7	190	5	--
			13.4	50000	28.8	8.1	13.1	208	2	--
SEP 19, 72	1110	2	.3	54000	29.6	8.2	7.6	124	5	--
			3.0	54000	29.4	8.2	8.4	138	8	--
			6.1	54000	29.4	8.3	8.1	133	8	--
			9.1	54000	29.5	8.2	8.6	141	12	--
			13.7	54000	29.7	8.2	8.5	139	20	--
NOV 16, 72	0828	2	.3	42000	16.1	8.3	8.5	101	40	142
			1.5	45000	17.2	8.3	8.4	104	45	--
			3.0	45000	17.4	8.3	8.3	102	50	--
			6.1	45000	17.6	8.3	8.0	100	50	--
			9.1	45000	17.7	8.3	8.0	100	50	--
			12.8	45000	17.6	8.3	7.9	99	50	--
FEB 21, 73	0820	2	.3	40000	10.8	--	9.7	103	20	145
			1.5	40000	10.8	--	9.7	103	15	--
			3.0	40000	10.9	--	9.7	103	20	--
			6.1	43000	11.0	--	9.6	103	20	--
			9.1	43000	10.9	--	9.8	105	20	--
			12.2	42000	10.9	--	10.2	110	25	--
APR 18, 73	0830	2	.3	42000	19.2	8.1	6.5	81	40	64
			1.5	42000	19.2	8.1	6.5	81	40	--
			4.6	42000	19.2	8.1	6.7	84	45	--
			7.6	42000	19.2	8.1	6.8	85	45	--
			10.7	42000	19.2	8.1	7.4	93	50	--
			13.7	42000	19.2	8.2	7.8	98	50	--
MAY 17, 73	0835	2	.3	36000	22.9	8.4	9.7	128	15	142
			1.5	36000	22.9	8.4	9.3	122	10	--
			3.0	36000	22.9	8.4	8.9	117	20	--
			6.1	36000	22.9	8.4	9.1	120	20	--
			9.1	36000	22.9	8.3	8.7	114	20	--
			13.1	36000	22.9	8.2	9.1	120	25	--
					LINE 170					
NOV 05, 71	1123	3	.3	20000	21.7	8.6	8.6	104	--	91

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 170 CONTINUED										
NOV 05, 71	1123	3	1.5	24000	21.2	8.5	8.3	100	--	--
			3.0	23000	21.4	8.4	7.8	84	--	--
			4.6	23000	22.3	8.4	7.6	93	--	--
NOV 11, 71	1024	3	.3	24000	20.8	8.4	8.7	105	--	109
			1.5	25000	20.9	8.4	8.4	102	--	--
			3.0	25000	21.0	8.4	8.4	102	--	--
			4.6	25000	21.4	8.4	8.1	99	--	--
JAN 26, 72	1220	3	.3	38000	18.6	8.2	8.0	99	--	84
			1.5	38000	18.6	8.2	7.9	98	--	--
			3.0	33000	18.5	8.3	8.2	98	--	--
			4.6	38000	18.8	8.3	8.4	104	--	--
MAR 28, 72	1230	3	.3	31000	24.9	8.7	8.6	115	--	64
			1.5	32000	24.7	8.7	9.2	123	--	--
			4.6	34000	25.2	8.4	10.6	143	--	--
MAY 31, 72	1200	3	.3	47000	27.4	8.4	6.7	100	--	99
			1.5	47000	27.4	8.4	6.5	97	--	--
			3.0	47000	27.0	8.5	6.0	90	--	--
			4.6	47000	27.2	8.5	4.6	69	--	--
JUL 25, 72	1015	3	.3	45000	29.0	8.6	11.8	164	2	124
			1.5	49000	29.2	8.6	11.1	173	2	--
			3.0	49000	29.4	8.6	10.8	171	2	--
			4.6	48000	29.6	8.6	10.4	168	0	--
SEP 19, 72	1340	3	.3	54000	28.7	8.5	8.4	135	0	--
			1.5	54000	28.6	8.5	9.3	150	4	--
			3.0	54000	28.4	8.5	7.0	111	8	--
			4.6	54000	28.8	8.5	7.4	119	32	--
NOV 16, 72	1105	3	.3	46000	16.9	8.3	8.0	99	50	86
			1.5	46000	16.9	8.3	7.6	94	55	--
			3.0	46000	16.7	8.3	7.6	93	45	--
			3.7	46000	17.1	8.3	7.6	94	40	--
FEB 21, 73	0940	3	.3	45000	11.1	--	8.5	92	15	241
			1.5	45000	11.1	--	8.7	95	15	--
			3.0	45000	11.1	--	8.9	97	15	--
			4.0	45000	11.1	--	8.9	97	210	--
APR 18, 73	1020	3	.3	43000	21.0	8.0	10.2	134	30	97
			1.5	43000	20.9	8.0	10.3	136	25	--
			3.0	43000	20.9	8.0	10.4	137	30	--
			4.9	43000	20.9	8.0	11.5	151	30	--
MAY 17, 73	1145	3	.3	45000	23.8	8.5	6.8	96	20	117
			1.5	45000	23.8	8.5	6.6	93	20	--
			3.0	45000	23.8	8.5	6.2	87	25	--
			4.6	44000	23.9	8.5	5.9	83	30	--
NOV 05, 71	1135	4	.3	14000	22.7	8.5	8.6	102	--	71
			1.5	14000	22.7	8.5	8.6	102	--	--
			2.4	14000	22.7	8.5	8.2	98	--	--
NOV 11, 71	1030	4	.3	19000	21.2	8.5	9.4	111	--	86
			1.5	19000	21.1	8.5	9.3	109	--	--
			3.0	19000	21.3	8.5	8.7	104	--	--
JAN 26, 72	1235	4	.3	38000	19.0	8.3	8.3	102	--	74
			1.5	38000	19.0	8.3	8.5	105	--	--
			2.4	37000	19.2	8.3	9.0	110	--	--
MAR 28, 72	1245	4	.3	32000	25.0	8.7	8.8	117	--	76
			1.5	34000	24.7	8.6	7.9	107	--	--
			2.7	35000	25.0	8.4	7.1	96	--	--
MAY 31, 72	1215	4	.3	47000	27.5	8.3	6.6	100	--	150

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 170 CONTINUED						
MAY 31, 72	1215	4	1.2	47000	27.5	8.4	6.6	100	--	--
			2.1	47000	27.5	8.3	6.7	102	--	--
JUL 25, 72	1133	4	.3	45000	30.2	8.6	11.3	179	8	109
			1.5	45000	30.2	8.6	12.5	198	10	--
			2.1	45000	30.5	8.6	12.7	202	15	--
SEP 19, 72	1355	4	.3	48000	29.3	8.8	10.6	168	42	--
			1.5	54000	29.3	8.8	11.4	187	35	--
			3.0	54000	29.4	8.8	11.8	193	42	--
NOV 16, 72	1115	4	.3	46000	17.0	8.3	7.9	98	35	91
			1.5	46000	16.8	8.3	7.7	95	40	--
			2.4	46000	16.7	8.3	7.6	93	40	--
APR 18, 73	1220	4	.3	43000	21.2	8.1	9.4	124	30	112
			1.5	43000	21.2	8.1	9.6	126	30	--
			2.7	43000	21.3	8.1	10.0	132	30	--
MAY 17, 73	1200	4	.3	45000	24.1	8.4	6.9	97	25	89
			1.5	45000	24.0	8.4	6.4	90	25	--
			2.1	45000	24.1	8.4	5.9	83	25	--
				LINE 183						
NOV 05, 71	1050	3	.3	20000	21.3	8.4	8.3	100	--	91
			1.5	21000	21.4	8.4	8.2	99	--	--
			3.0	25000	21.6	8.3	7.4	91	--	--
			5.8	32000	22.9	8.2	6.6	85	--	--
NOV 08, 71	1530	3	.3	--	19.5	--	--	--	--	--
NOV 08, 71	2150	3	.3	--	19.5	--	--	--	--	--
NOV 09, 71	0400	3	.3	--	19.0	--	--	--	--	--
NOV 09, 71	0910	3	.3	--	20.0	--	--	--	--	--
NOV 09, 71	1645	3	.3	--	23.0	--	--	--	--	--
NOV 09, 71	2140	3	.3	--	21.5	--	--	--	--	--
NOV 10, 71	0340	3	.3	--	21.0	--	--	--	--	--
NOV 10, 71	0945	3	.3	--	20.5	--	--	--	--	--
NOV 10, 71	1810	3	.3	--	22.0	--	--	--	--	--
NOV 11, 71	1003	3	.3	22000	20.8	8.5	8.9	107	--	97
			1.5	25000	20.8	8.5	8.4	102	--	--
			3.0	27000	20.9	8.4	8.1	100	--	--
			5.2	34000	21.3	8.4	7.9	96	--	--
JAN 26, 72	1150	3	.3	39000	17.6	8.3	7.9	95	--	84
			1.5	35000	17.5	8.2	8.1	96	--	--
			3.0	42000	17.6	8.2	7.9	98	--	--
			5.8	44000	18.3	8.1	8.0	100	--	--
MAR 28, 72	1205	3	.3	28000	24.4	8.8	7.9	103	--	61
			1.5	28000	24.4	8.8	7.9	103	--	--
			4.3	27000	24.5	8.8	9.9	130	--	--
MAY 31, 72	1145	3	.3	47000	26.8	8.5	5.1	76	--	117
			1.5	47000	26.7	8.5	4.9	73	--	--
			3.0	47000	26.7	8.5	4.8	72	--	--
			4.6	47000	26.7	8.5	4.8	72	--	--
			5.5	47000	27.0	8.5	5.0	75	--	--
JUL 25, 72	1031	3	.3	48000	29.3	8.6	9.0	143	20	145

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 13						
NOV 05, 71	0950	2	.3	12.0	.1	.05	.00	.15	.17	.4	13.0	--
			6.1	12.0	.1	.05	.00	.11	.12	.5	11.0	--
NOV 11, 71	1225	2	.3	12.0	.3	.00	.00	.19	.20	1.0	--	--
			5.5	12.0	.3	.00	.00	.18	.22	1.3	--	--
MAR 27, 72	1520	2	.3	19.0	.0	.00	.00	.03	.04	1.9	12.0	--
			3.7	20.0	.0	.04	.01	.06	.06	1.1	15.0	--
JUN 01, 72	1545	2	.3	20.0	.0	.15	.00	.12	.12	3.5	16.0	--
			2.4	21.0	.0	.00	.00	.14	.17	3.1	18.0	--
JUL 25, 72	1440	2	.3	16.0	.0	.05	.00	.12	.13	6.0	--	--
SEP 19, 72	1510	2	.3	20.0	.0	.00	.00	.03	.03	2.5	3.0	--
			3.4	19.0	.0	.07	.00	.04	.07	2.4	10.0	--
NOV 16, 72	1445	2	.3	18.0	.0	.02	.00	.00	.06	3.0	--	--
			3.4	18.0	.0	.05	.00	.00	.06	1.8	--	--
FEB 21, 73	1445	2	.3	18.0	.0	.00	.00	.05	.06	2.5	--	--
			4.0	17.0	.0	.24	.00	.05	.08	2.4	--	--
APR 18, 73	1620	2	.3	18.0	.0	.00	.00	.04	.08	1.8	--	--
			3.7	18.0	.0	.00	.00	.04	.09	1.6	--	--
MAY 17, 73	1320	2	.3	19.0	.0	.01	.00	.04	.11	2.6	--	11.0
			3.0	19.0	.0	.00	.00	.06	.09	1.6	--	16.0
						LINE 22						
JUL 25, 72	1455	2	.3	20.0	.0	.04	.00	.10	.13	3.4	--	--
			2.1	18.0	.0	.27	.00	.16	.16	2.9	--	--
NOV 16, 72	0855	2	.3	29.0	.0	--	--	--	--	--	--	--
						LINE 38						
JUL 25, 72	1540	2	.3	18.0	.0	.10	.00	.03	.05	2.8	5.0	--
			4.0	18.0	.1	.27	.00	.11	.13	2.6	14.0	--
						LINE 53						
NOV 05, 71	1100	2	1.5	14.0	.1	.18	.01	.10	.22	1.5	18.0	--
NOV 11, 71	1000	2	1.2	10.0	.0	.02	.02	.14	.17	1.8	--	--
JAN 25, 72	1255	2	.3	6.3	.0	.10	.00	.03	.21	--	--	--
			.9	6.1	.0	.19	.01	.02	.21	--	--	--
MAR 27, 72	1045	2	.3	4.5	.0	.14	.01	.07	.18	.8	37.0	--
JUN 01, 72	1335	2	.3	11.0	.0	.01	.01	.07	.12	2.9	25.0	--
JUL 25, 72	0920	2	.3	4.9	.0	.08	.00	.06	.07	3.6	19.0	--
SEP 19, 72	1225	2	.3	7.0	.0	.00	.00	.06	.07	3.9	21.0	19.0
NOV 16, 72	0950	2	.3	2.0	.0	.00	.00	.00	.05	2.6	--	--
FEB 21, 73	1219	2	.3	3.4	.1	.10	.02	.06	.07	2.5	--	--
APR 18, 73	1310	2	.3	4.4	.0	.05	.02	.04	.11	1.4	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 53 CONTINUED						
MAY 17, 73	1200	2	.3	4.6	.0	.03	.00	.03	.06	1.8	--	26.0
NOV 05, 71	1130	4	1.5	13.0	.3	.06	.00	.14	.17	1.0	--	--
JAN 25, 72	1235	4	1.2	5.3	.0	.80	.00	.03	.36	--	--	--
JUL 25, 72	0910	4	.3	3.0	.0	.08	.00	.05	.06	3.0	--	--
SEP 19, 72	1200	4	.3	8.0	.0	.00	.00	.07	.07	4.6	23.0	16.0
NOV 16, 72	0940	4	.3	2.3	.0	.00	.00	.00	.05	2.7	--	--
FEB 21, 73	1200	4	.3	1.3	.0	.14	.00	.06	.17	3.0	--	--
APR 18, 73	1255	4	.3	6.1	.0	.13	.02	.06	.10	1.6	--	--
MAY 17, 73	1015	4	.3	1.4	.0	.26	.06	.10	.13	1.0	--	14.0
JAN 25, 72	1220	5	.6	6.2	.0	.55	.03	.04	.41	--	98.0	--
						LINE 64						
NOV 05, 71	1200	9	.3	13.0	.3	.06	.00	.11	.14	1.3	--	--
			6.1	13.0	.1	.13	.00	.10	.14	1.5	--	--
NOV 08, 71	1100	9	.3	11.0	.1	.12	.02	.08	.12	1.4	--	--
NOV 08, 71	1630	9	.3	11.0	.0	.11	.02	.08	.11	1.7	--	--
NOV 08, 71	0840	9	.3	1.4	.0	.06	.03	.01	.02	--	--	--
NOV 09, 71	1055	9	.3	11.0	.0	.05	.02	.08	.10	1.6	--	--
NOV 09, 71	1500	9	.3	11.0	.0	.06	.02	.09	.10	1.6	--	--
NOV 09, 71	2100	9	.3	11.0	.0	.08	.02	.07	.11	1.5	--	--
NOV 10, 71	0300	9	.3	10.0	.0	.07	.01	.07	.09	1.7	--	--
NOV 10, 71	1435	9	.3	11.0	.0	.09	.01	.07	.09	1.9	--	--
NOV 11, 71	1030	9	.3	11.0	.0	.00	.00	.10	.12	1.6	18.0	--
			6.1	10.0	.0	.12	.02	.10	.15	2.2	--	--
JAN 25, 72	1340	9	.3	3.9	.0	.18	.00	.06	.10	--	--	--
			6.1	4.0	.0	.05	.00	.03	.11	--	--	--
MAR 27, 72	1000	9	.3	4.1	.0	.12	.01	.06	.10	1.2	--	--
			3.7	4.2	.0	.16	.01	.06	.11	1.1	--	--
JUN 01, 72	1300	9	.3	7.7	.0	.08	.01	.07	.10	2.5	--	--
			5.8	7.6	.0	.02	.00	.11	.11	2.7	--	--
JUL 25, 72	1010	9	.3	2.2	.0	.06	.00	.03	.05	2.3	--	--
			6.1	2.0	.0	.14	.00	.04	.06	2.2	--	--
NOV 16, 72	1010	9	.3	2.1	.0	.00	.00	.00	.03	2.2	--	--
			6.7	1.5	.0	.01	.00	.00	.03	1.0	--	--
FEB 21, 73	1120	9	.3	2.0	.0	.00	.00	.01	.05	2.3	--	--
			6.4	.9	.0	.04	.01	.01	.05	2.6	--	--
APR 18, 73	1230	9	.3	5.0	.0	.00	.00	.01	.07	3.0	--	--
			7.3	2.8	.0	.00	.00	.02	.06	2.0	--	--
						LINE 71						
NOV 05, 71	1310	2	.3	10.0	.0	.06	.00	.07	.15	6.2	28.0	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 71 CONTINUED						
NOV 05, 71	1310	2	13.7	5.3	.0	1.50	.00	.21	.22	4.0	10.0	--
NOV 11, 71	1115	2	.3	8.4	.0	.25	.03	.15	.28	5.2	--	--
			13.4	5.2	.0	2.60	.00	.40	.50	7.8	14.0	--
MAR 27, 72	1320	2	.3	2.2	.0	.00	.01	.18	.21	8.8	44.0	--
			12.2	2.2	.0	.16	.01	.12	.12	2.1	28.0	--
JUN 01, 72	1220	2	.3	5.1	.0	.06	.00	.23	.34	4.9	29.0	--
			13.1	6.1	.0	.94	.00	.30	.34	4.9	22.0	--
JUL 25, 72	1240	2	.3	.0	.0	.04	.00	.08	.14	8.2	13.0	--
			12.2	3.0	.0	2.10	.00	.43	.43	7.9	8.0	--
NOV 16, 72	1135	2	.3	.0	.0	.15	.00	.24	.26	3.5	--	--
			12.2	.7	.0	.21	.00	.24	.24	3.5	--	--
FEB 21, 73	0925	2	.3	.5	.1	.58	.02	.16	.17	3.9	--	--
			12.2	1.2	.1	.31	.02	.12	.13	2.2	--	--
APR 18, 73	1140	2	.3	7.2	.1	1.00	.05	.20	.27	3.6	--	--
			13.7	3.0	.0	1.00	.05	.19	.26	1.0	--	--
						LINE 108						
NOV 05, 71	1400	2	.3	10.0	.0	.25	.02	.14	.18	4.0	--	--
			13.1	2.8	.1	.31	.09	.05	.08	3.8	--	--
NOV 11, 71	1045	2	.3	10.0	.0	.00	.02	.13	.15	2.0	21.0	--
			12.8	.9	.0	.10	.04	.04	.07	.7	--	--
MAR 27, 72	1235	2	.3	3.1	.0	.17	.01	.19	.19	2.7	--	--
			12.2	2.3	.0	.46	.01	.12	.12	2.0	--	--
JUN 01, 72	1140	2	.3	6.9	.0	.23	.02	.29	.36	4.2	17.0	--
			13.1	2.9	.0	.73	.00	.09	.12	1.7	30.0	--
JUL 25, 72	1155	2	.3	.0	.0	.05	.00	.06	.10	6.1	9.0	--
			12.2	1.2	.0	.28	.06	.04	.04	1.6	6.0	--
SEP 19, 72	1050	2	.3	5.0	.0	.10	.00	.15	.19	5.8	14.0	--
			12.2	5.0	.0	.38	.00	.08	.08	2.3	8.0	--
NOV 16, 72	1045	2	.3	.0	.0	.05	.01	.07	.08	3.2	--	--
			12.2	1.6	.0	.02	.00	.00	.03	2.7	--	--
FEB 21, 73	1020	2	.3	1.2	.0	.14	.01	.07	.08	2.4	--	--
			12.2	.9	.0	.24	.01	.09	.10	2.2	--	--
APR 18, 73	1050	2	.3	5.6	.0	.48	.04	.13	.17	1.7	--	--
			13.7	4.9	.0	.20	.01	.05	.07	1.0	--	--
MAY 17, 73	0830	2	.3	1.2	.0	.37	.09	.12	.15	1.4	--	16.0
			13.7	.8	.0	.09	.00	.05	.06	.9	--	11.0
						LINE 118						
JUN 01, 72	1130	2	.3	7.4	.0	.07	.01	.05	.09	2.8	24.0	--
JUL 25, 72	1145	2	.3	1.0	.0	.09	.00	.05	.08	3.8	12.0	--
						LINE 122						
SEP 20, 72	1025	2	.3	6.0	.0	.00	.00	.03	.03	2.7	6.0	12.0
			3.0	5.0	.0	.00	.00	.03	.03	2.4	3.0	7.0
MAY 17, 73	1410	2	.3	.5	.0	.07	.00	.01	.05	1.6	--	7.5

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 122 CONTINUED							
MAY 17, 73	1410	2	3.4	.6	.0	.06	.00	.01	.04	1.2	--	7.5
NOV 05, 71	1427	6	.5	11.0	.1	.10	.00	.06	.07	2.0	17.0	--
			6.1	3.1	.1	.16	.01	.06	.06	--	--	--
			13.1	1.1	.1	.08	.02	.02	.02	1.2	18.0	--
NOV 11, 71	1308	6	.3	9.5	.0	.00	.00	.04	.10	2.5	--	--
			6.1	2.7	.0	.00	.04	.04	.07	--	--	--
			13.1	.4	.0	.00	.04	.07	.07	1.2	--	--
JAN 26, 72	1540	6	.3	4.0	.0	.04	.00	.02	.07	1.7	43.0	--
			6.1	4.0	.0	.05	.00	.03	.05	--	--	--
			12.8	1.5	.0	.09	.02	.01	.05	1.8	46.0	--
MAR 28, 72	1600	6	.3	3.2	.0	.03	.00	.04	.04	1.1	24.0	--
			6.1	3.1	.0	.03	.00	.06	.06	--	--	--
			12.5	1.0	.0	.00	.00	.03	.03	.9	26.0	--
MAY 31, 72	1540	6	.3	7.1	.0	.04	.00	.04	.07	2.5	16.0	--
			12.2	2.1	.0	.16	.00	.17	.17	1.2	25.0	--
JUL 25, 72	1512	6	.3	.0	.0	.19	.00	.03	.03	2.2	31.0	--
			6.1	.9	.0	.16	.00	.02	.04	--	--	--
			12.2	.0	.0	.20	.02	.03	.04	2.7	26.0	--
SEP 20, 72	0955	6	.3	6.0	.0	.00	.00	.04	.04	3.3	5.0	--
			12.2	5.1	.0	.00	.00	.02	.04	3.3	5.0	--
NOV 16, 72	1335	6	.3	.6	.0	.01	.00	.00	.02	3.2	--	--
			6.1	.7	.0	.00	.00	.00	.02	--	--	--
			12.2	.5	.0	.00	.00	.00	.08	3.3	--	--
APR 18, 73	1645	6	.6	3.3	.0	.00	.00	.01	.05	1.8	--	--
			3.0	2.7	.0	.00	.00	.01	.05	--	--	--
			12.2	2.7	.0	.00	.01	.02	.07	2.0	--	--
MAY 17, 73	1350	6	.3	.8	.0	.05	.00	.01	.05	1.6	--	7.5
			12.2	1.0	.0	.05	.00	.03	.07	1.3	--	17.0
SEP 20, 72	0925	12	.3	5.0	.0	.00	.00	.01	.02	3.1	--	16.0
			3.4	5.0	.0	.00	.00	.03	.04	1.7	2.0	10.0
MAY 17, 73	1320	13	.3	.6	.0	.04	.00	.02	.05	.7	--	22.0
			3.7	.8	.0	.02	.00	.03	.09	1.3	--	11.0
					LINE 127							
NOV 05, 71	1250	2	.5	10.0	.0	.10	.00	.06	.07	2.3	--	--
			4.0	11.0	.0	.21	.00	.11	.11	2.4	26.0	--
JAN 26, 72	1352	2	.3	4.0	.0	.05	.00	.01	.04	1.8	--	--
			2.7	3.4	.0	.05	.00	.01	.03	1.8	--	--
MAR 28, 72	1400	2	.3	3.2	.0	.00	.00	.07	.07	1.2	--	--
			2.1	3.8	.0	.01	.00	.04	.04	1.4	--	--
JUL 25, 72	1309	2	.3	.0	.0	.14	.00	.01	.02	1.6	--	--
			1.5	.0	.0	.15	.00	.02	.02	2.9	--	--
NOV 16, 72	1405	2	.3	1.1	.0	.04	.00	.00	.02	3.0	--	--
			3.0	1.0	.0	.02	.00	.00	.02	1.7	--	--
APR 18, 73	1400	2	.6	2.4	.0	.00	.00	.00	.04	2.3	--	--
			3.0	2.8	.0	.00	.00	.00	.04	2.1	--	--
NOV 11, 71	1143	4	.3	9.3	.0	.00	.00	.07	.09	1.7	--	--
			14.0	1.1	.0	.00	.04	.07	.07	.7	--	--
NOV 05, 71	1325	6	.5	11.0	.1	.04	.00	.07	.07	1.3	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 127 CONTINUED						
NOV 05, 71	1325	6	4.1	4.2	.1	.09	.00	.07	.07	1.6	--	--
JAN 26, 72	1410	6	.3	4.1	.0	.09	.00	.02	.05	1.5	--	--
			13.7	3.0	.0	.14	.00	.01	.04	1.8	--	--
MAR 28, 72	1440	6	.3	2.2	.0	.00	.00	.04	.04	1.5	--	--
			3.7	3.1	.0	.03	.00	.05	.05	1.4	--	--
MAY 31, 72	1410	6	.3	5.8	.0	.16	.00	.05	.07	1.9	--	--
			4.0	6.2	.0	.04	.00	.10	.10	2.3	--	--
JUL 25, 72	1352	6	.3	.2	.0	.16	.00	.01	.02	1.6	--	--
			4.0	.9	.0	.12	.00	.03	.06	1.3	--	--
NOV 16, 72	1320	6	.3	.9	.0	.03	.00	.00	.02	2.4	--	--
			4.0	.9	.0	.00	.00	.00	.02	2.8	--	--
APR 18, 73	1455	6	.6	2.7	.0	.00	.00	.00	.05	1.6	--	--
			4.6	3.0	.0	.00	.00	.00	.05	2.0	--	--
						LINE 142						
NOV 05, 71	1515	1	.3	10.0	.0	.12	.00	.06	.07	2.2	--	--
			6.1	3.9	.0	.09	.00	.03	.04	--	--	--
			13.1	.7	.0	.20	.00	.02	.02	.8	--	--
NOV 11, 71	1417	1	.3	9.0	.0	.00	.00	.06	.10	2.2	--	--
			6.1	3.7	.0	.00	.02	.04	.06	--	--	--
			13.1	1.4	.0	.00	.05	.04	.06	1.1	--	--
JAN 26, 72	1700	1	.3	2.0	.0	.05	.00	.00	.03	2.1	--	--
			6.1	2.2	.0	.10	.00	.01	.05	--	--	--
			12.2	2.4	.0	.09	.01	.01	.05	1.9	--	--
MAR 28, 72	1730	1	.3	3.6	.0	.06	.01	.04	.04	1.3	--	--
			6.1	3.0	.0	.07	.00	.03	.03	--	--	--
			12.8	1.8	.0	.00	.00	.03	.03	.8	--	--
MAY 31, 72	1700	1	.3	4.3	.0	.10	.00	.02	.05	1.8	--	--
			13.7	1.5	.0	.14	.00	.00	.05	1.5	--	--
JUL 25, 72	1625	1	.3	.7	.0	.17	.00	.02	.03	2.6	--	--
			6.1	.5	.0	.12	.00	.01	.02	--	--	--
			12.8	.0	.0	.11	.01	.03	.03	1.5	--	--
NOV 16, 72	1455	1	.3	1.4	.0	.13	.00	.00	.00	1.6	--	--
			6.1	.8	.0	.00	.00	.00	.01	--	--	--
			13.7	.7	.0	.05	.00	.00	.02	2.8	--	--
APR 18, 73	1730	1	.6	2.0	.0	.00	.00	.00	.03	1.3	--	--
			6.1	5.2	.0	.00	.00	.01	.04	--	--	--
			12.2	3.0	.0	.00	.00	.01	.08	1.1	--	--
SEP 19, 72	1515	2	.3	.0	.0	.09	.00	.00	.02	2.8	--	--
			4.6	.0	.0	.10	.00	.00	.04	1.6	--	--
MAY 17, 73	1245	2	.3	1.2	.0	.00	.00	.00	.03	1.3	--	--
			3.4	.8	.0	.01	.00	.01	.04	1.1	--	--
APR 18, 73	1320	5	.6	4.0	.0	.00	.00	.00	.04	1.1	--	--
			4.6	2.4	.0	.00	.00	.00	.05	1.7	--	--
NOV 05, 71	1206	6	.5	11.0	.1	.05	.00	.07	.07	2.2	23.0	--
			4.0	8.4	.0	.13	.00	.08	.08	2.0	--	--
NOV 11, 71	1050	6	.3	9.6	.0	.00	.00	.06	.08	2.1	27.0	--
			4.6	8.6	.0	.00	.00	.08	.30	5.4	--	--
JAN 26, 72	1305	6	.3	3.6	.0	.07	.00	.02	.04	1.8	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 142 CONTINUED						
JAN 26, 72	1305	6	5.2	3.2	.0	.05	.00	.01	.04	1.7	39.0	--
MAR 28, 72	1315	6	.3	6.1	.0	.08	.01	.21	.21	2.2	30.0	--
			3.9	4.7	.0	.02	.01	.06	.06	2.5	--	--
MAY 31, 72	1250	6	.3	7.5	.0	.04	.00	.03	.06	3.2	32.0	--
			4.0	7.5	.0	.02	.00	.05	.08	3.6	--	--
JUL 25, 72	1224	6	.3	.0	.0	.13	.00	.02	.03	1.4	27.0	--
			4.0	1.7	.0	.14	.00	.03	.05	2.5	--	--
NOV 16, 72	1200	6	.6	.7	.0	.01	.00	.00	.01	2.0	--	--
			3.7	.6	.0	.06	.00	.00	.07	1.7	--	--
SEP 19, 72	1425	10	.3	.0	.0	.03	.00	.00	.02	1.6	--	--
			4.6	.0	.0	.06	.00	.00	.03	2.2	--	--
MAY 17, 73	1210	10	.3	.6	.0	.00	.00	.01	.03	1.2	--	--
			4.0	1.7	.0	.01	.00	.01	.04	2.0	--	--
						LINE 147						
JAN 26, 72	1000	1	.3	3.9	.0	.44	.00	.01	.03	1.7	--	--
			2.4	1.9	.0	.42	.01	.01	.03	1.9	--	--
NOV 05, 71	0936	2	.5	11.0	.0	.04	.00	.07	.08	2.4	--	--
			3.8	2.9	.0	.05	.00	.06	.20	2.4	--	--
NOV 11, 71	0844	2	.3	8.8	.0	.00	.00	.06	.08	1.9	--	--
			4.0	4.0	.0	.02	.02	.08	.08	1.4	--	--
MAR 28, 72	1000	2	.3	2.6	.0	.00	.00	.05	.05	1.5	--	--
			3.0	2.2	.0	.00	.00	.05	.05	1.2	--	--
MAY 31, 72	1000	2	.3	5.2	.0	.04	.00	.03	.04	1.6	--	--
			1.5	3.4	.0	.02	.00	.01	.04	2.0	--	--
JUL 25, 72	0925	2	.3	7.0	.0	.04	.00	.02	.06	1.6	--	--
			3.4	1.2	.0	.01	.00	.04	.04	2.7	--	--
SEP 19, 72	1155	2	.3	.0	.0	.05	.00	.00	.02	2.4	5.0	--
			3.0	.0	.0	.07	.00	.00	.03	1.7	10.0	--
NOV 16, 72	0900	2	.3	.9	.0	.03	.00	.00	.00	2.8	--	--
			3.0	.4	.0	.00	.00	.00	.01	3.3	--	--
FEB 21, 73	0850	2	.3	.0	.0	.02	.00	.00	.01	1.5	--	--
			3.4	.4	.0	.00	.00	.00	.02	1.2	--	--
APR 18, 73	0910	2	.3	2.1	.0	.00	.00	.00	.04	1.6	--	--
			3.4	2.2	.0	.00	.00	.00	.04	1.1	--	--
MAY 17, 73	0900	2	.3	.8	.0	.06	.00	.01	.03	1.3	--	9.5
			3.0	1.0	.0	.04	.00	.02	.03	1.0	--	9.5
NOV 05, 71	1020	5	.3	11.0	.1	.10	.00	.06	.06	2.1	--	--
			3.0	11.0	.0	.08	.00	.06	.07	2.2	--	--
NOV 11, 71	0920	5	.3	9.0	.0	.01	.00	.06	.09	2.3	--	--
			4.0	10.0	.0	.00	.00	.11	.11	2.4	--	--
JAN 26, 72	1045	5	.3	3.8	.0	.08	.00	.02	.04	1.9	--	--
			4.0	4.0	.0	.07	.00	.03	.05	2.0	--	--
MAR 28, 72	1055	5	.3	5.8	.0	.00	.00	.03	.04	3.1	--	--
			2.7	3.7	.0	.01	.00	.06	.06	2.0	--	--
MAY 31, 72	1035	5	.3	8.2	.0	.04	.00	.06	.06	3.4	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 147 CONTINUED							
MAY 31, 72	1035	5	3.0	8.4	.0	.09	.00	.05	.08	3.4	--	--
JUL 25, 72	1002	5	.3	1.0	.0	.11	.00	.02	.03	2.3	--	--
			2.7	10.0	.0	.03	.00	.03	.05	1.9	--	--
SEP 19, 72	1305	5	.3	.0	.0	.11	.00	.00	.02	2.3	9.0	18.0
			3.0	.0	.0	.16	.00	.00	.03	2.8	24.0	12.0
NOV 16, 72	0940	5	.3	.2	.0	.09	.00	.00	.00	1.7	--	--
			3.0	.5	.0	.00	.00	.00	.00	2.7	--	--
FEB 21, 73	0930	5	.6	.8	.0	.00	.00	.00	.01	1.7	--	--
			3.0	.7	.0	.00	.00	.01	.02	1.6	--	--
APR 18, 73	1000	5	.3	1.9	.0	.00	.00	.00	.04	1.4	--	--
			3.4	2.4	.0	.00	.00	.00	.03	1.3	--	--
MAY 17, 73	0940	5	.3	.6	.0	.05	.00	.01	.02	1.1	--	11.0
			2.7	3.0	.0	.08	.00	.01	.05	2.5	--	12.0
					LINE 159							
SEP 19, 72	1730	8	.3	5.0	.0	.00	.00	.01	.01	1.9	--	--
			3.4	4.0	.0	.00	.00	.02	.02	2.1	--	--
MAY 17, 73	0750	8	.3	2.5	.0	.08	.00	.01	.04	1.1	--	--
			4.6	1.8	.0	.10	.00	.03	.08	1.5	--	--
					LINE 166							
NOV 05, 71	0845	2	.3	7.1	.0	.06	.00	.04	.05	2.1	9.0	--
			13.1	2.6	.0	.07	.02	.02	.05	1.8	48.0	--
NOV 08, 71	1520	2	.3	4.2	.0	.07	.01	.02	.04	--	--	--
NOV 08, 71	2015	2	.3	4.3	.0	.09	.00	.02	.04	--	--	--
NOV 09, 71	0240	2	.3	1.4	.0	.08	.03	.01	.01	--	--	--
NOV 09, 71	0905	2	.3	6.1	.0	.05	.00	.03	.04	--	--	--
NOV 09, 71	1450	2	.3	8.2	.0	.18	.00	.05	.06	--	--	--
NOV 09, 71	2150	2	.3	8.7	.0	.10	.00	.04	.06	--	--	--
NOV 09, 71	2230	2	.3	7.3	.0	.14	.01	.03	.04	--	--	--
NOV 10, 71	0320	2	.3	2.2	.0	.08	.02	.01	.03	--	--	--
NOV 10, 71	0900	2	.3	3.8	.0	.04	.00	.02	.03	--	--	--
NOV 10, 71	1735	2	.3	5.9	.0	.00	.01	.04	.04	--	--	--
NOV 11, 71	0805	2	.3	6.8	.0	.00	.00	.05	.05	1.3	18.0	--
			13.7	.2	.0	.00	.02	.02	.03	.5	17.0	--
JAN 26, 72	0840	2	.3	1.6	.0	.00	.02	.00	.03	1.3	--	--
			13.7	1.5	.0	.00	.03	.01	.03	2.2	45.0	--
MAR 28, 72	0845	2	.3	2.4	.0	.00	.00	.04	.04	1.0	25.0	--
			13.7	.9	.0	.00	.00	.03	.03	.8	--	--
MAY 31, 72	0830	2	.3	.1	.0	.04	.00	.01	.03	1.2	19.0	--
			13.7	1.2	.1	.02	.00	.02	.06	1.2	--	--
JUL 25, 72	0852	2	.3	.0	.0	.08	.01	.01	.03	1.1	23.0	--
			13.4	.0	.0	.14	.01	.01	.01	.8	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 168 CONTINUED							
NOV 16, 72	0828	2	.3	.0	.0	.03	.02	.00	.00	1.5	--	--
			12.8	.0	.1	.01	.03	.00	.02	.8	--	--
FEB 21, 73	0820	2	.3	1.2	.0	.00	.00	.00	.01	1.6	--	--
			12.2	1.0	.0	.00	.00	.00	.01	1.4	--	--
APR 18, 73	0830	2	.3	5.3	.0	.00	.00	.01	.04	.9	--	--
			13.7	2.4	.0	.00	.01	.00	.04	.9	--	--
					LINE 170							
JAN 26, 72	1220	3	.3	4.0	.0	.40	.00	.02	.04	1.8	43.0	--
			4.6	4.3	.0	.00	.00	.01	.04	1.4	47.0	--
					LINE 183							
NOV 05, 71	1050	3	.3	10.0	.0	.07	.00	.03	.05	2.7	--	--
			5.8	6.1	.0	.07	.00	.09	.14	4.1	--	--
NOV 08, 71	1530	3	.3	9.9	.0	.53	.01	.04	.09	2.4	--	--
NOV 08, 71	2150	3	.3	9.9	.0	.13	.00	.02	.06	2.0	--	--
NOV 09, 71	0400	3	.3	9.6	.0	.08	.01	.02	.06	2.0	--	--
NOV 09, 71	0910	3	.3	9.5	.0	.07	.01	.03	.06	2.0	--	--
NOV 09, 71	1645	3	.3	10.0	.0	.04	.00	.02	.04	2.3	--	--
NOV 09, 71	2140	3	.3	8.5	.0	.11	.00	.02	.04	2.3	--	--
NOV 10, 71	0340	3	.3	9.0	.0	.13	.00	.02	.05	2.1	--	--
NOV 10, 71	0945	3	.3	9.3	.0	.04	.00	.05	.06	2.4	--	--
NOV 10, 71	1810	3	.3	10.0	.0	.06	.00	.04	.05	2.7	--	--
NOV 11, 71	0845	3	.3	8.6	.0	.74	.01	.05	.07	2.4	--	--
NOV 11, 71	1003	3	.3	6.5	.0	.00	.00	.04	.07	3.0	--	--
			5.2	6.4	.1	.00	.00	.04	.06	2.4	--	--
MAR 28, 72	1205	3	.3	12.0	.0	.01	.01	.04	.04	4.2	--	--
			4.3	13.0	.0	.02	.01	.06	.06	4.6	--	--
MAY 31, 72	1145	3	.3	8.0	.0	.00	.01	.03	.04	1.6	--	--
			5.5	8.1	.0	.01	.00	.02	.04	1.7	--	--
JUL 25, 72	1031	3	.3	1.4	.0	.12	.00	.01	.02	2.0	--	--
			4.6	1.7	.0	.01	.00	.01	.03	2.2	--	--
NOV 16, 72	1045	3	.3	.0	.0	.02	.00	.00	.00	1.8	--	--
			5.5	.0	.0	.10	.00	.00	.00	1.0	--	--
FEB 21, 73	0955	3	.3	.0	.0	.02	.00	.00	.00	1.8	--	--
			4.9	.3	.0	.14	.00	.00	.00	1.6	--	--
APR 18, 73	1035	3	.3	3.1	.0	.00	.00	.00	.03	1.4	--	--
			5.5	1.7	.0	.00	.00	.00	.05	2.1	--	--
					LINE 200							
NOV 05, 71	1356	2	.3	11.0	.0	.07	.00	.12	.13	--	--	--
MAR 28, 72	1515	2	1.5	3.6	.0	.00	.01	.09	.09	--	--	--
JUL 25, 72	1427	2	.3	.0	.0	.14	.00	.04	.05	--	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
					LINE 200 CONTINUED							
NOV 16, 72	1350	2	.3	.6	.2	.26	.09	.24	.27	--	--	--
APR 18, 73	1525	2	.6	2.4	.0	.00	.00	.00	.07	--	--	--
					LINE 901							
NOV 11, 71	0710	2	.5	.0	.0	.01	.03	.01	.02	.2	--	--
			17.1	.0	.0	.01	.02	.01	.02	.2	9.0	--
JUL 25, 72	0822	2	.5	4.0	.0	.12	.00	.00	.01	.9	26.0	--
			13.1	4.0	.0	.14	.02	.02	.02	.8	16.0	--
NOV 16, 72	0805	2	1.5	.0	.1	.03	.04	.00	.02	1.4	--	--
			12.2	.0	.1	.01	.04	.00	.03	2.1	--	--
FEB 21, 73	0800	2	.6	1.2	.0	.00	.00	.00	.02	1.5	--	--
			12.2	.9	.0	.05	.00	.00	.04	1.1	--	--
APR 18, 73	0810	2	.3	2.5	.0	.00	.00	.00	.04	.9	--	--
			15.2	2.7	.0	.00	.00	.00	.08	1.1	--	--
MAY 16, 73	0945	2	.3	.3	.0	.06	.00	.00	.03	1.0	--	--
			19.8	.6	.0	.05	.00	.02	.03	.9	--	--
APR 18, 72	1520	70	.6	.0	--	--	--	--	--	1.7	--	--
			14.0	.0	--	--	--	--	--	2.3	--	--
					LINE 902							
SEP 19, 72	1050	2	.6	.0	.0	.04	.00	.00	.01	2.5	--	--
			13.7	.0	.0	.10	.00	.00	.01	1.0	--	--
					LINE 910							
SEP 19, 72	1005	2	.6	.0	.0	.09	.00	.00	.00	1.0	1.0	--
			19.8	.0	.0	.12	.00	.00	.00	1.1	--	--
MAY 16, 73	0900	2	.6	.9	.0	.03	.00	.00	.01	.7	--	12.0
			19.8	.1	.0	.00	.00	.00	.01	.8	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DISSOLVED SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
						LINE 13					
NOV 05, 71	0950	2	.3	335	40.0	2.7	33	131	37	25	215
			6.1	338	40.0	2.5	31	131	32	25	208
NOV 11, 71	1225	2	.3	400	--	--	--	--	--	--	--
			5.5	414	44.0	3.0	32	136	20	40	221
MAR 27, 72	1520	2	.3	1590	100.0	23.0	220	210	92	400	955
			3.7	2850	--	--	--	--	--	--	--
JUN 01, 72	1545	2	.3	1080	--	--	--	--	--	--	--
			2.4	1080	--	--	--	--	--	--	--
JUL 25, 72	1440	2	.3	15000	--	--	--	--	--	--	--
SEP 19, 72	1510	2	.3	1100	77.0	19.0	120	181	72	200	582
			3.4	1630	--	--	--	--	--	--	--
NOV 16, 72	1445	2	.3	1160	83.0	17.0	120	192	67	220	614
			3.4	1590	--	--	--	--	--	--	--
FEB 21, 73	1445	2	.3	1300	92.0	13.0	160	203	86	270	743
			4.0	2640	--	--	--	--	--	--	--
APR 18, 73	1620	2	.3	1980	110.0	28.0	300	200	160	500	1220
			3.7	2040	--	--	--	--	--	--	--
MAY 17, 73	1320	2	.3	1240	--	--	--	--	--	--	--
			3.0	1240	76.0	15.0	150	160	97	240	676
						LINE 22					
JUL 25, 72	1455	2	.3	2080	--	--	--	--	--	--	--
			2.1	11400	--	--	--	--	--	--	--
NOV 16, 72	0855	2	.3	1720	95.0	24.0	230	190	64	430	962
						LINE 38					
JUL 25, 72	1540	2	.3	1170	1.0	8.3	140	199	78	240	680
			4.0	2590	170.0	40.0	320	167	140	720	1500
						LINE 53					
NOV 05, 71	1100	2	1.5	6900	--	--	--	--	--	--	--
NOV 11, 71	1000	2	1.2	11200	120.0	230.0	1800	142	500	3200	6010
JAN 25, 72	1255	2	.3	30800	--	--	--	--	--	--	--
			.9	30800	--	--	--	--	--	--	--
MAR 27, 72	1045	2	.3	31700	--	--	--	--	--	--	--
JUN 01, 72	1335	2	.3	14000	--	--	--	--	--	--	--
JUL 25, 72	0920	2	.3	35100	--	--	--	--	--	--	--
SEP 19, 72	1225	2	.3	47200	--	--	--	--	--	--	--
NOV 16, 72	0950	2	.3	44300	--	--	--	--	--	--	--
FEB 21, 73	1219	2	.3	44500	--	--	--	--	--	--	--
APR 18, 73	1310	2	.3	44800	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
				LINE 53 CONTINUED							
MAY 17, 73	1200	2	.3	49000	--	--	--	--	--	--	--
NOV 05, 71	1130	4	1.5	607	--	--	--	--	--	--	--
JAN 25, 72	1235	4	.3	30400	--	--	--	--	--	--	--
			1.2	32000	--	--	--	--	--	--	--
JUL 25, 72	0910	4	.3	39000	--	--	--	--	--	--	--
SEP 19, 72	1200	4	.3	46600	590.0	1100.0	9400	160	2200	17000	30200
NOV 16, 72	0940	4	.3	43800	--	--	--	--	--	--	--
FEB 21, 73	1200	4	.3	45200	--	--	--	--	--	--	--
APR 18, 73	1255	4	.3	43700	--	--	--	--	--	--	--
MAY 17, 73	1015	4	.3	46200	420.0	1100.0	9100	153	2900	16000	29300
JAN 25, 72	1220	5	.6	31200	--	--	--	--	--	--	--
						LINE 64					
NOV 05, 71	1200	9	.3	1700	--	--	--	--	--	--	--
			6.1	3050	--	--	--	--	--	--	--
NOV 08, 71	1100	9	.3	6480	88.0	120.0	1000	138	260	1800	3400
NOV 08, 71	1630	9	.3	6550	89.0	120.0	1000	138	250	1800	3330
NOV 09, 71	1055	9	.3	5010	90.0	100.0	830	136	220	1500	2620
NOV 09, 71	1500	9	.3	3230	79.0	66.0	540	134	140	980	1670
NOV 09, 71	2100	9	.3	5830	96.0	120.0	1000	136	260	1800	3390
NOV 10, 71	0300	9	.3	10400	120.0	230.0	1600	130	450	3200	5800
NOV 10, 71	1435	9	.3	8660	100.0	170.0	1500	140	380	2600	4690
NOV 11, 71	1030	9	.3	6200	--	--	--	--	--	--	--
			6.1	15900	150.0	350.0	2900	140	720	5100	9270
JAN 25, 72	1340	9	.3	35600	--	--	--	--	--	--	--
			6.1	35100	--	--	--	--	--	--	--
MAR 27, 72	1000	9	.3	36800	--	--	--	--	--	--	--
			3.7	36900	--	--	--	--	--	--	--
JUN 01, 72	1300	9	.3	28300	--	--	--	--	--	--	--
			5.8	29300	--	--	--	--	--	--	--
JUL 25, 72	1010	9	.3	41700	--	--	--	--	--	--	--
			6.1	41300	--	--	--	--	--	--	--
NOV 16, 72	1010	9	.3	43500	--	--	--	--	--	--	--
			6.7	45200	--	--	--	--	--	--	--
FEB 21, 73	1120	9	.3	45400	--	--	--	--	--	--	--
			6.4	45400	--	--	--	--	--	--	--
APR 18, 73	1230	9	.3	43800	--	--	--	--	--	--	--
			7.3	44300	--	--	--	--	--	--	--
						LINE 71					
NOV 05, 71	1310	2	.3	11000	110.0	230.0	1900	124	480	3900	6290

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNESIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
				LINE 71 CONTINUED							
NOV 05, 71	1310	2	13.7	46400	380.0	1100.0	9900	151	2300	17000	31200
NOV 11, 71	1115	2	.3	15600	--	--	--	--	--	--	--
			13.4	47100	--	--	--	--	--	--	--
MAR 27, 72	1320	2	.3	39100	320.0	970.0	7500	154	1800	14000	24300
			12.2	39300	340.0	920.0	7700	150	1900	14000	24500
JUN 01, 72	1220	2	.3	37200	300.0	770.0	6800	150	1600	12000	21600
			13.1	52300	390.0	1200.0	10000	153	2400	18000	32300
JUL 25, 72	1240	2	.3	41300	380.0	960.0	8100	152	1900	14000	25800
			12.2	50500	440.0	1200.0	10000	166	2500	18000	32400
NOV 16, 72	1135	2	.3	44600	410.0	1200.0	9500	150	2000	17000	30600
			12.2	44600	400.0	1200.0	9300	149	1600	17000	30000
FEB 21, 73	0925	2	.3	45500	400.0	1200.0	9200	166	2300	17000	29700
			12.2	45700	420.0	1200.0	9200	164	2100	17000	29700
APR 18, 73	1140	2	.3	45900	410.0	1100.0	9600	174	2300	17000	30400
			13.7	45800	400.0	1100.0	9500	173	2300	17000	30200
				LINE 106							
NOV 05, 71	1400	2	.3	10900	--	--	--	--	--	--	--
			13.1	46300	--	--	--	--	--	--	--
NOV 11, 71	1045	2	.3	12600	--	--	--	--	--	--	--
			12.8	46100	--	--	--	--	--	--	--
MAR 27, 72	1235	2	.3	38900	--	--	--	--	--	--	--
JUN 01, 72	1140	2	.3	34200	280.0	700.0	6300	158	1500	11000	19800
			13.1	51300	390.0	1200.0	10000	154	2500	18000	32300
JUL 25, 72	1155	2	.3	42700	380.0	1000.0	8400	162	2000	15000	26900
			12.2	50400	--	--	--	--	--	--	--
SEP 19, 72	1050	2	.3	47400	--	--	--	--	--	--	--
			12.2	51700	--	--	--	--	--	--	--
NOV 16, 72	1045	2	.3	44600	--	--	--	--	--	--	--
			12.2	44800	--	--	--	--	--	--	--
FEB 21, 73	1020	2	.3	45200	--	--	--	--	--	--	--
			12.2	45600	--	--	--	--	--	--	--
APR 18, 73	1050	2	.3	43500	--	--	--	--	--	--	--
			13.7	43900	--	--	--	--	--	--	--
MAY 17, 73	0830	2	.3	45700	400.0	1100.0	8900	161	2300	16000	28600
			13.7	46500	--	--	--	--	--	--	--
				LINE 116							
JUN 01, 72	1130	2	.3	27500	--	--	--	--	--	--	--
JUL 25, 72	1145	2	.3	41200	--	--	--	--	--	--	--
				LINE 122							
SEP 20, 72	1025	2	.3	50200	--	--	--	--	--	--	--
			3.0	51400	--	--	--	--	--	--	--
MAY 17, 73	1410	2	.3	45900	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
					LINE 122 CONTINUED						
MAY 17, 73	1410	2	3.4	45800	--	--	--	--	--	--	--
NOV 05, 71	1427	6	.5	12400	120.0	280.0	2200	134	590	3800	7090
			6.1	40900	--	--	--	--	--	--	--
			13.1	44500	340.0	1100.0	9000	139	2200	16000	28700
NOV 11, 71	1308	6	.3	13400	140.0	290.0	2400	140	600	4200	7750
			6.1	41400	--	--	--	--	--	--	--
			13.1	46600	370.0	1200.0	9900	142	2200	16000	31400
JAN 26, 72	1540	6	.3	36900	300.0	860.0	7200	150	1800	13000	22900
			6.1	37800	--	--	--	--	--	--	--
			12.8	46400	--	--	--	--	--	--	--
MAR 28, 72	1600	6	.3	41300	340.0	1000.0	7700	158	1800	14000	24900
			6.1	41500	--	--	--	--	--	--	--
			12.5	44500	340.0	1100.0	7900	156	2000	15000	26000
MAY 31, 72	1540	6	.3	34700	280.0	720.0	6400	161	1500	11000	20200
			12.2	53300	390.0	1200.0	10000	152	2500	18000	32800
JUL 25, 72	1512	6	.3	43300	380.0	1000.0	8600	156	2000	15000	27600
			6.1	45800	--	--	--	--	--	--	--
			12.2	50900	420.0	1200.0	10000	154	2500	18000	32900
SEP 20, 72	0955	6	.3	49900	410.0	1300.0	10000	156	2400	18000	32200
			12.2	51200	--	--	--	--	--	--	--
NOV 16, 72	1335	6	.3	44400	410.0	1200.0	9600	155	1800	18000	30600
			6.1	44900	--	--	--	--	--	--	--
			12.2	44900	400.0	1200.0	9700	156	1900	18000	31100
APR 18, 73	1645	6	.6	46500	380.0	1100.0	9600	153	2300	17000	30400
			12.2	46500	380.0	1100.0	9600	154	2400	17000	30900
MAY 17, 73	1350	6	.3	46300	400.0	1100.0	9100	150	2300	16000	29200
			12.2	46500	--	--	--	--	--	--	--
SEP 20, 72	0925	12	.3	49100	--	--	--	--	--	--	--
			3.4	50200	--	--	--	--	--	--	--
MAY 17, 73	1320	13	.3	46800	--	--	--	--	--	--	--
			3.7	47000	--	--	--	--	--	--	--
					LINE 127						
NOV 05, 71	1250	2	.5	14700	--	--	--	--	--	--	--
			4.0	29200	--	--	--	--	--	--	--
JAN 26, 72	1352	2	.3	37100	--	--	--	--	--	--	--
			2.7	39600	--	--	--	--	--	--	--
MAR 28, 72	1400	2	.3	39900	--	--	--	--	--	--	--
			2.1	39600	--	--	--	--	--	--	--
JUL 25, 72	1309	2	.3	45600	--	--	--	--	--	--	--
			1.5	46300	--	--	--	--	--	--	--
NOV 16, 72	1405	2	.3	47000	--	--	--	--	--	--	--
			3.0	47000	--	--	--	--	--	--	--
APR 18, 73	1400	2	.6	42700	--	--	--	--	--	--	--
			3.0	43100	--	--	--	--	--	--	--
NOV 11, 71	1143	4	.3	15700	--	--	--	--	--	--	--
			14.0	46400	--	--	--	--	--	--	--
NOV 05, 71	1325	6	.5	12900	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
LINE 127 CONTINUED											
NOV 05, 71	1325	6	4.1	37800	--	--	--	--	--	--	--
JAN 26, 72	1410	6	.3	37000	--	--	--	--	--	--	--
			13.7	41000	--	--	--	--	--	--	--
MAR 28, 72	1440	6	.3	40700	--	--	--	--	--	--	--
			3.7	40800	--	--	--	--	--	--	--
MAY 31, 72	1410	6	.3	38200	--	--	--	--	--	--	--
			4.0	43200	--	--	--	--	--	--	--
JUL 25, 72	1352	6	.3	46000	--	--	--	--	--	--	--
			4.0	46300	--	--	--	--	--	--	--
NOV 16, 72	1320	6	.3	47000	400.0	1100.0	9900	156	1800	18000	31100
			4.0	47200	--	--	--	--	--	--	--
APR 18, 73	1455	6	.6	43500	--	--	--	--	--	--	--
			4.6	43400	--	--	--	--	--	--	--
LINE 142											
NOV 05, 71	1515	1	.3	16500	--	--	--	--	--	--	--
			6.1	36300	--	--	--	--	--	--	--
			13.1	46100	--	--	--	--	--	--	--
NOV 11, 71	1417	1	.3	19100	--	--	--	--	--	--	--
			6.1	37600	--	--	--	--	--	--	--
			13.1	45400	--	--	--	--	--	--	--
JAN 26, 72	1700	1	.3	41700	--	--	--	--	--	--	--
			6.1	43900	--	--	--	--	--	--	--
			12.2	45200	--	--	--	--	--	--	--
MAR 28, 72	1730	1	.3	41000	--	--	--	--	--	--	--
			6.1	42100	--	--	--	--	--	--	--
			12.8	44600	--	--	--	--	--	--	--
MAY 31, 72	1700	1	.3	44800	--	--	--	--	--	--	--
			13.7	55600	--	--	--	--	--	--	--
JUL 25, 72	1625	1	.3	46000	--	--	--	--	--	--	--
			6.1	51500	--	--	--	--	--	--	--
			12.8	53000	--	--	--	--	--	--	--
NOV 16, 72	1455	1	.3	42700	--	--	--	--	--	--	--
			6.1	46100	--	--	--	--	--	--	--
			13.7	46900	--	--	--	--	--	--	--
APR 18, 73	1730	1	.6	41700	--	--	--	--	--	--	--
			6.1	45600	--	--	--	--	--	--	--
			12.2	46200	--	--	--	--	--	--	--
SEP 19, 72	1515	2	.3	49400	--	--	--	--	--	--	--
			4.6	50100	--	--	--	--	--	--	--
MAY 17, 73	1245	2	.3	45200	--	--	--	--	--	--	--
			3.4	45100	--	--	--	--	--	--	--
APR 18, 73	1320	5	.6	44500	380.0	1100.0	9600	153	2300	17000	30400
			4.6	44800	--	--	--	--	--	--	--
NOV 05, 71	1206	6	.5	15300	--	--	--	--	--	--	--
			4.0	25100	200.0	510.0	4300	143	1100	7600	13800
NOV 11, 71	1050	6	.3	16300	--	--	--	--	--	--	--
			4.6	22300	210.0	510.0	4200	153	1000	7500	13600
JAN 26, 72	1305	6	.3	37500	310.0	870.0	7000	150	1600	13000	22500

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
LINE 142 CONTINUED											
JAN 26, 72	1305	6	5.2	39800	330.0	1000.0	7300	149	1800	13000	23900
MAR 28, 72	1315	6	.3	37600	300.0	880.0	7600	170	1600	13000	24000
			3.4	37900	--	--	--	--	--	--	--
MAY 31, 72	1250	6	.3	43200	340.0	940.0	8000	164	2000	14000	25600
			4.0	43700	--	--	--	--	--	--	--
JUL 25, 72	1224	6	.3	44400	380.0	1100.0	8900	156	2100	16000	29300
			4.0	46000	--	--	--	--	--	--	--
NOV 16, 72	1200	6	.6	47200	400.0	1200.0	9600	156	2100	18000	31400
			3.7	47200	--	--	--	--	--	--	--
SEP 19, 72	1425	10	.3	49000	--	--	--	--	--	--	--
			4.6	49800	--	--	--	--	--	--	--
MAY 17, 73	1210	10	.3	44500	390.0	1100.0	8800	153	2200	16000	26200
			4.0	46500	--	--	--	--	--	--	--
LINE 147											
JAN 26, 72	1000	1	.3	38400	--	--	--	--	--	--	--
			2.4	47800	--	--	--	--	--	--	--
NOV 05, 71	0936	2	.5	18200	--	--	--	--	--	--	--
			3.8	42000	--	--	--	--	--	--	--
NOV 11, 71	0844	2	.3	17400	--	--	--	--	--	--	--
			4.0	42100	--	--	--	--	--	--	--
MAR 28, 72	1000	2	.3	39700	--	--	--	--	--	--	--
			3.0	40100	--	--	--	--	--	--	--
MAY 31, 72	1000	2	.3	44500	--	--	--	--	--	--	--
			1.5	48300	--	--	--	--	--	--	--
JUL 25, 72	0925	2	.3	44800	--	--	--	--	--	--	--
			3.4	50200	--	--	--	--	--	--	--
SEP 19, 72	1155	2	.3	49600	--	--	--	--	--	--	--
			3.0	49900	--	--	--	--	--	--	--
NOV 16, 72	0900	2	.3	41700	--	--	--	--	--	--	--
			3.0	43800	--	--	--	--	--	--	--
FEB 21, 73	0850	2	.3	46100	--	--	--	--	--	--	--
			3.4	46100	--	--	--	--	--	--	--
APR 18, 73	0910	2	.3	43400	--	--	--	--	--	--	--
			3.4	44600	--	--	--	--	--	--	--
MAY 17, 73	0900	2	.3	43800	--	--	--	--	--	--	--
			3.0	43900	--	--	--	--	--	--	--
NOV 05, 71	1020	5	.3	18700	--	--	--	--	--	--	--
			3.0	18800	--	--	--	--	--	--	--
NOV 11, 71	0920	5	.3	19300	--	--	--	--	--	--	--
			4.0	20000	--	--	--	--	--	--	--
JAN 26, 72	1045	5	.3	37600	--	--	--	--	--	--	--
			4.0	38200	--	--	--	--	--	--	--
MAR 28, 72	1055	5	.3	36300	--	--	--	--	--	--	--
			2.7	39600	--	--	--	--	--	--	--
MAY 31, 72	1035	5	.3	43600	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
				LINE 147 CONTINUED							
MAY 31, 72	1035	5	3.0	43600	--	--	--	--	--	--	--
JUL 25, 72	1002	5	.3	44600	--	--	--	--	--	--	--
			2.7	44500	--	--	--	--	--	--	--
SEP 19, 72	1305	5	.3	50000	--	--	--	--	--	--	--
			3.0	52200	--	--	--	--	--	--	--
NOV 16, 72	0940	5	.3	46000	--	--	--	--	--	--	--
			3.0	46000	--	--	--	--	--	--	--
FEB 21, 73	0930	5	.6	46800	--	--	--	--	--	--	--
			3.0	46800	--	--	--	--	--	--	--
APR 18, 73	1000	5	.3	44600	--	--	--	--	--	--	--
			3.4	44600	--	--	--	--	--	--	--
MAY 17, 73	0940	5	.3	44600	--	--	--	--	--	--	--
			2.7	47100	--	--	--	--	--	--	--
				LINE 159							
SEP 19, 72	1730	8	.3	49300	--	--	--	--	--	--	--
			3.4	50400	--	--	--	--	--	--	--
MAY 17, 73	0750	8	.3	35200	--	--	--	--	--	--	--
			4.6	39000	--	--	--	--	--	--	--
				LINE 166							
NOV 05, 71	0845	2	.3	26900	--	--	--	--	--	--	--
			13.1	40400	320.0	1100.0	8200	139	2000	15000	26500
NOV 08, 71	1520	2	.3	35500	280.0	850.0	6700	140	1700	12000	21600
NOV 08, 71	2015	2	.3	35700	280.0	900.0	6900	139	1600	12000	22300
NOV 09, 71	0240	2	.3	46800	360.0	1300.0	9300	140	2200	17000	30200
NOV 09, 71	0905	2	.3	28800	250.0	750.0	6000	142	1500	11000	19100
NOV 09, 71	1450	2	.3	21000	200.0	560.0	4000	143	1000	7300	13200
NOV 09, 71	2150	2	.3	20500	190.0	490.0	4000	142	1000	7100	12800
NOV 09, 71	2230	2	.3	23600	180.0	600.0	4700	136	1200	8400	15100
NOV 10, 71	0320	2	.3	42700	340.0	1100.0	8600	142	2200	16000	28000
NOV 10, 71	0900	2	.3	33800	260.0	820.0	6600	138	1600	12000	21500
NOV 10, 71	1735	2	.3	27900	240.0	710.0	5900	141	1400	10000	18700
NOV 11, 71	0805	2	.3	24400	--	--	--	--	--	--	--
			13.7	46300	360.0	1100.0	9000	140	2200	16000	28700
JAN 26, 72	0640	2	.3	44600	--	--	--	--	--	--	--
			13.7	44600	340.0	1000.0	7600	147	2000	14000	25100
MAR 28, 72	0845	2	.3	41600	320.0	1000.0	8100	160	1900	15000	26000
			13.7	44300	--	--	--	--	--	--	--
MAY 31, 72	0830	2	.3	49900	360.0	1100.0	9700	152	2300	17000	30500
			13.7	55400	--	--	--	--	--	--	--
JUL 25, 72	0852	2	.3	52500	420.0	1300.0	11000	146	2600	19000	34000
			13.9	52800	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DISSOLVED SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
LINE 168 CONTINUED											
NOV 16, 72	0828	2	.3	41700	340.0	1100.0	8200	152	1900	15000	26600
			12.6	44600	--	--	--	--	--	--	--
FEB 21, 73	0820	2	.3	41000	--	--	--	--	--	--	--
			12.2	44600	--	--	--	--	--	--	--
APR 18, 73	0830	2	.3	42200	340.0	1000.0	9100	137	2200	16000	28700
			13.7	42200	--	--	--	--	--	--	--
LINE 170											
JAN 26, 72	1220	3	.3	37600	--	--	--	--	--	--	--
			4.6	37600	--	--	--	--	--	--	--
LINE 183											
NOV 05, 71	1050	3	.3	18200	--	--	--	--	--	--	--
			5.8	31800	--	--	--	--	--	--	--
NOV 08, 71	1530	3	.3	19100	180.0	430.0	3400	144	860	6200	11100
NOV 08, 71	2150	3	.3	20000	180.0	430.0	3700	144	920	6500	11800
NOV 09, 71	0400	3	.3	21200	190.0	470.0	4000	146	990	7000	12700
NOV 09, 71	0910	3	.3	20800	190.0	450.0	3900	146	990	6900	12500
NOV 09, 71	1645	3	.3	20200	180.0	450.0	3700	148	990	6600	12000
NOV 09, 71	2140	3	.3	23600	210.0	580.0	4400	149	1100	8000	14400
NOV 10, 71	0340	3	.3	23900	210.0	560.0	4600	149	1100	8100	14700
NOV 10, 71	0945	3	.3	21900	200.0	510.0	4100	150	1000	7300	13200
NOV 10, 71	1810	3	.3	20200	190.0	440.0	3600	103	970	6700	12200
NOV 11, 71	0845	3	.3	22000	200.0	570.0	4100	145	1000	7400	13400
NOV 11, 71	1003	3	.3	22300	--	--	--	--	--	--	--
			5.2	33900	--	--	--	--	--	--	--
MAR 26, 72	1205	3	.3	27700	--	--	--	--	--	--	--
			4.3	27300	--	--	--	--	--	--	--
MAY 31, 72	1145	3	.3	47000	--	--	--	--	--	--	--
			5.5	47000	--	--	--	--	--	--	--
JUL 25, 72	1031	3	.3	48000	--	--	--	--	--	--	--
			4.6	48300	--	--	--	--	--	--	--
NOV 16, 72	1045	3	.3	46200	--	--	--	--	--	--	--
			5.5	46800	--	--	--	--	--	--	--
FEB 21, 73	0955	3	.3	47300	--	--	--	--	--	--	--
			4.9	47400	--	--	--	--	--	--	--
APR 18, 73	1035	3	.3	43300	--	--	--	--	--	--	--
			5.5	44900	--	--	--	--	--	--	--
LINE 200											
NOV 05, 71	1356	2	.3	11800	--	--	--	--	--	--	--
MAR 26, 72	1515	2	1.5	38700	--	--	--	--	--	--	--
JUL 25, 72	1427	2	.3	43100	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)
				LINE 200 CONTINUED							
NOV 16, 72	1350	2	.3	45400	--	--	--	--	--	--	--
APR 18, 73	1525	2	.6	47300	--	--	--	--	--	--	--
				LINE 901							
NOV 11, 71	0710	2	.5	49800	--	--	--	--	--	--	--
			17.1	51300	410.0	1200.0	10000	118	2500	18000	32600
JUL 25, 72	0822	2	.5	51400	410.0	1200.0	10000	198	2600	18000	--
			13.1	53400	--	--	--	--	--	--	--
NOV 16, 72	0805	2	1.5	43400	340.0	1200.0	8900	146	1900	16000	28600
			12.2	43600	--	--	--	--	--	--	--
FEB 21, 73	0800	2	.6	42400	--	--	--	--	--	--	--
			12.2	43000	--	--	--	--	--	--	--
APR 18, 73	0810	2	.3	42500	340.0	1000.0	9000	136	2200	16000	28600
			15.2	42900	--	--	--	--	--	--	--
MAY 16, 73	0945	2	.3	37600	--	--	--	--	--	--	--
			19.8	38000	--	--	--	--	--	--	--
				LINE 902							
SEP 19, 72	1050	2	.6	54000	--	--	--	--	--	--	--
			13.7	54600	--	--	--	--	--	--	--
				LINE 910							
SEP 19, 72	1005	2	.6	54200	420.0	1400.0	11000	196	2700	20000	36100
			19.8	54800	--	--	--	--	--	--	--
MAY 16, 73	0900	2	.6	37600	290.0	930.0	7300	126	1900	13000	23600
			19.8	38600	--	--	--	--	--	--	--

TABLE 80--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ALUMI-NUM (UG/L)	DIS-SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS-SOLVED CAD-MIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
						LINE 53				
SEP 19, 72	1225	2	.3	--	0	--	--	0	--	--
			.9	--	--	--	5	--	--	0
SEP 19, 72	1200	4	1.2	--	--	--	5	--	--	0
						LINE 122				
SEP 20, 72	1025	2	.3	--	0	--	--	0	--	--
SEP 20, 72	0925	12	.3	--	0	--	--	0	--	--
						LINE 147				
SEP 19, 72	1155	2	.3	--	0	--	--	0	--	--
SEP 19, 72	1305	5	.3	--	0	--	--	0	--	--
						LINE 159				
SEP 19, 72	1305	1	.3	--	--	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CHRO-MIUM (CR) (UG/L)	TOTAL CHRO-MIUM (CR) (UG/L)	DIS-SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS-SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
						LINE 53					
SEP 19, 72	1225	2	.3	0	--	--	--	--	11	--	--
			.9	--	--	--	--	2	--	--	7
SEP 19, 72	1200	4	1.2	--	--	--	--	1	--	--	7
						LINE 122					
SEP 20, 72	1025	2	.3	0	--	--	--	--	7	--	--
SEP 20, 72	0925	12	.3	0	--	--	--	--	10	--	--
						LINE 147					
SEP 19, 72	1155	2	.3	0	--	--	--	--	4	--	--
SEP 19, 72	1305	5	.3	0	--	--	--	--	5	--	--
						LINE 159					
SEP 19, 72	1305	1	.3	0	--	--	--	--	--	--	--

TABLE 80--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED CYANIDE (CN) (UG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS- SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS- SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
						LINE 53					
SEP 19, 72	1225	2	.3	--	--	0	--	--	0	--	--
			.9	--	--	--	--	16000	--	--	6
SEP 19, 72	1200	4	.3	--	--	--	--	20000	--	--	--
			1.2	--	--	--	--	--	--	--	3
						LINE 122					
SEP 20, 72	1025	2	.3	--	--	0	--	--	0	--	--
SEP 20, 72	0925	12	.3	--	--	0	--	--	0	--	--
						LINE 147					
SEP 19, 72	1155	2	.3	--	--	0	--	--	0	--	--
SEP 19, 72	1305	5	.3	--	--	0	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED LITH- IUM (LI) (UG/L)	DIS- SOLVED MAN- GANESE (MN) (UG/L)	TOTAL MAN- GANESE (MN) (UG/L)	BOTTOM DEPOSIT MAN- GANESE (MN) (UG/GM)	DIS- SOLVED MER- CURY (HG) (UG/L)	TOTAL MER- CURY (HG) (UG/L)	BOTTOM DEPOSIT MER- CURY (HG) (UG/GM)	DIS- SOLVED NICKEL (NI) (UG/L)	DIS- SOLVED STRON- TIUM (SR) (UG/L)
							LINE 53					
SEP 19, 72	1225	2	.3	160	40	--	--	--	--	--	--	6400
			.9	--	--	--	200	--	--	.1	--	--
SEP 19, 72	1200	4	1.2	--	--	--	230	--	--	.0	--	--
							LINE 122					
SEP 20, 72	1025	2	.3	150	0	--	--	--	--	--	--	5900
SEP 20, 72	0925	12	.3	140	50	--	--	--	--	--	--	5900
							LINE 147					
SEP 19, 72	1155	2	.3	150	50	--	--	--	--	--	--	5900
SEP 19, 72	1305	5	.3	150	0	--	--	--	--	--	--	5800

TABLE 8D--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GM)
						LINE 53
SEP 19, 72	1225	2	.3	6	--	--
			.9	--	--	170
SEP 19, 72	1200	4	1.2	--	--	150
						LINE 122
SEP 20, 72	1025	2	.3	9	--	--
SEP 20, 72	0925	12	.3	12	--	--
						LINE 147
SEP 19, 72	1155	2	.3	6	--	--
SEP 19, 72	1305	5	.3	5	--	--

TABLE 8E--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLOR-DANE (UG/L)	BOTTOM DEPOSIT CHLOR-DANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
						LINE 53					
NOV 05, 71	1100	2	1.5	--	< .2	--	--	--	--	--	9.4
SEP 19, 72	1225	2	.3	.00	--	.0	--	.00	--	.00	--
NOV 05, 71	1130	4	1.5	--	< .2	--	< 1.0	--	< .2	--	2.0
SEP 19, 72	1200	4	.3	.00	--	.0	--	.00	--	.00	--
						LINE 122					
SEP 20, 72	1025	2	.3	.00	--	.0	--	.00	--	.00	--
SEP 20, 72	0925	12	.3	.00	--	.0	--	.00	--	.00	--
						LINE 147					
SEP 19, 72	1155	2	.3	.00	--	.0	--	.00	--	.00	--
SEP 19, 72	1305	5	.3	.00	--	.0	--	.00	--	.00	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DDT (UG/KG)	TOTAL DIEL-DRIN (UG/L)	BOTTOM DEPOSIT DIEL-DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA-CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR (UG/KG)
						LINE 53					
NOV 05, 71	1100	2	1.5	--	--	-- < .2	--	-- < .2	--	-- < .2	--
SEP 19, 72	1225	2	.3	.00	--	.00	--	.00	--	.00	--
NOV 05, 71	1130	4	1.5	-- < .2	--	-- < .2	--	-- < .2	--	-- < .2	--
SEP 19, 72	1200	4	.3	.00	--	.00	--	.00	--	.00	--
						LINE 122					
SEP 20, 72	1025	2	.3	.00	--	.00	--	.00	--	.00	--
SEP 20, 72	0925	12	.3	.00	--	.00	--	.00	--	.00	--
						LINE 147					
SEP 19, 72	1155	2	.3	.00	--	.00	--	.00	--	.00	--
SEP 19, 72	1305	5	.3	.00	--	.00	--	.00	--	.00	--

TABLE 8E--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL HEPTA-CHLOR EPOXIDE (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR EPOXIDE (UG/KG)	TOTAL LINDANE (UG/L)	BOTTOM DEPOSIT LINDANE (UG/KG)	TOTAL PARA-THION (UG/L)	TOTAL METHYL PARA-THION (UG/L)	TOTAL MALA-THION (UG/L)	TOTAL DIAZ-INON (UG/L)
					LINE 53						
NOV 05, 71	1100	2	1.5	-- < .2	--	--	--	--	--	--	--
SEP 19, 72	1225	2	.3	.00	--	.00	--	.00	.00	.00	.00
NOV 05, 71	1130	4	1.5	-- < .2	--	-- < .2	--	--	--	--	--
SEP 19, 72	1200	4	.3	.00	--	.00	--	.00	.00	.00	.00
					LINE 122						
SEP 20, 72	1025	2	.3	.00	--	.00	--	.00	.00	.00	.00
SEP 20, 72	0925	12	.3	.00	--	.00	--	.00	.00	.00	.00
					LINE 147						
SEP 19, 72	1155	2	.3	--	--	.00	--	.00	.00	.00	.00
SEP 19, 72	1305	5	.3	.00	--	.00	--	.00	.00	.00	.00

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL PCB (UG/L)	BOTTOM DEPOSIT PCB (UG/KG)	TOTAL 2,4-D (UG/L)	BOTTOM DEPOSIT 2,4-D (UG/KG)	TOTAL 2,4,5-T (UG/L)	BOTTOM DEPOSIT 2,4,5-T (UG/KG)	TOTAL SILVEX (UG/L)	BOTTOM DEPOSIT SILVEX (UG/KG)
						LINE 53					
NOV 05, 71	1100	2	.3 < .5	--		.20	--	.00	--	.00	--
SEP 19, 72	1225	2	.3	--	--	.00	--	.00	--	.00	--
NOV 05, 71	1130	4	.3 < .5	--		.02	--	.00	--	.00	--
SEP 19, 72	1200	4	.3	--	--	.00	--	.00	--	.00	--
						LINE 122					
SEP 20, 72	1025	2	.3 < .1	--		.00	--	.00	--	.00	--
SEP 20, 72	0925	12	.3	--	--	.00	--	.00	--	.00	--
						LINE 147					
SEP 19, 72	1155	2	.3	--	--	.00	--	.00	--	.00	--
SEP 19, 72	1305	5	.3	--	--	.00	--	.00	--	.00	--

Laguna Madre Estuary

The Laguna Madre estuary covers an area of about 640 square miles (1,660 square kilometers) and consists of the tidal parts of the Arroyo Colorado and other tributaries, upper Laguna Madre, Baffin Bay, lower Laguna Madre, Brownsville Ship Channel, part of the Intracoastal Waterway, Port Mansfield Channel, and Brazos Santiago Pass (Figure 10). At mlw, upper and lower Laguna Madre and Baffin Bay are generally less than 4 feet (1.2 meters) deep, but in a few areas are as much as 10 feet (3.0 meters) deep. The Intracoastal Waterway, Port Mansfield Channel, and Arroyo Colorado are about 15 feet (4.6 meters) deep; the Brownsville Ship Channel is about 40 feet (12.2 meters) deep.

Water-quality data (Table 9) were collected in September 1972 and May 1973.

The changes in line numbers to facilitate computer storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 9 and on Figure 10.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Laguna-Madre Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	10	26	263
2	23	27	274
3	34	28	287
4	44	29	297
5	53	30	301
6	64	31	313
7	74	32	320
8	82	33	334
9	94	33a	342
10	107	34	343
11	119	34a	348
12	125	35	351
13	134	36	364
14	145	37	370
15	157	38	376
16	163	Gulf of Mexico - 39-site 2	902-site 95
17	173		
18	188		
19	194		
20	203		
21	217		
22	223		
23	233		
24	247		
25	258		



Figure 10

Data-Collection Sites in the Laguna Madre Estuary

Base by U.S. Geological Survey, 1956

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 10					
SEP 28, 72	1335	3	.3	46000	28.8	8.7	9.8	153	35	91
			1.5	47000	27.6	8.5	8.8	133	30	--
			3.0	47000	28.7	8.4	8.4	129	25	--
			4.6	46000	29.0	8.4	7.8	122	25	--
MAY 24, 73	1215	3	.3	52000	28.3	8.4	5.3	83	19	76
			1.5	52000	28.6	8.4	5.3	84	17	--
			3.0	52000	28.6	8.4	5.1	81	22	--
			4.3	50000	28.9	8.4	5.1	81	20	--
SEP 28, 72	1345	4	.3	45000	28.9	8.7	9.6	150	55	76
			1.5	45000	29.2	8.7	10.0	156	55	--
MAY 24, 73	1225	4	.3	52000	28.3	8.5	7.7	120	27	58
			1.5	52000	28.2	8.5	7.1	111	30	--
			2.4	50000	28.6	8.5	6.8	106	30	--
					LINE 23					
SEP 28, 72	1235	3	.3	46000	29.4	8.6	14.1	220	--	56
			1.5	46000	28.9	8.5	13.4	209	--	--
			3.0	46000	28.8	8.4	12.8	200	--	--
			4.6	46000	28.7	8.4	12.3	189	--	--
			6.1	48000	28.8	8.4	13.0	203	--	--
MAY 24, 73	1100	3	.3	53000	26.8	--	4.4	68	--	48
			1.5	53000	26.8	--	4.4	68	--	--
			3.0	53000	26.7	--	4.4	68	--	--
			4.9	53000	26.7	--	5.6	86	--	--
					LINE 34					
SEP 28, 72	1205	1	.3	46000	28.1	8.4	7.8	118	15	74
			1.5	46000	27.7	8.3	7.0	106	15	--
			3.0	46000	27.8	8.3	4.8	73	10	--
			4.6	46000	28.5	8.2	4.3	66	15	--
SEP 28, 72	1203	2	.3	40000	28.8	8.1	11.2	170	--	48
			1.5	40000	28.4	8.0	9.6	143	--	--
MAY 24, 73	1025	2	.3	52000	27.5	8.4	5.9	92	18	91
			1.5	52000	27.5	8.4	5.5	86	12	--
			3.0	52000	27.4	8.4	5.2	80	12	--
			4.3	52000	27.6	8.4	4.8	75	12	--
MAY 24, 73	1030	2	.3	53000	27.2	--	7.0	108	--	--
			.6	53000	27.2	--	8.2	126	--	--
					LINE 44					
SEP 28, 72	1140	2	.3	44000	28.5	8.3	13.9	214	--	58
			1.5	44000	28.5	8.3	12.3	189	--	--
			3.0	44000	28.5	8.3	11.9	183	--	--
			4.6	43000	28.8	8.3	11.4	175	--	--
MAY 24, 73	1005	2	.3	53000	26.9	--	6.5	100	--	71
			1.5	53000	26.9	--	6.6	102	--	--
			3.0	53000	26.8	--	6.4	98	--	--
			4.6	53000	26.7	--	6.4	98	--	--
					LINE 53					
SEP 28, 72	1120	1	.3	55000	29.3	8.4	14.4	236	--	58

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 53 CONTINUED					
SEP 28, 72	1120	1	1.5	55000	29.0	8.4	13.8	222	--	--
SEP 28, 72	1105	2	.3	55000	28.8	8.4	11.9	192	--	--
			1.5	55000	28.6	8.4	9.0	145	--	--
			3.0	55000	28.6	8.4	8.4	135	--	--
			4.6	56000	28.7	8.3	9.4	152	--	--
MAY 24, 73	0935	2	.3	53000	27.0	8.2	6.7	103	13	89
			1.5	53000	26.9	8.3	6.4	98	16	--
			3.0	53000	26.8	8.3	5.6	86	22	--
			4.3	53000	26.9	8.2	5.4	83	45	--
					LINE 64					
SEP 27, 72	1540	2	.3	39000	28.9	8.5	7.6	113	--	33
			1.8	39000	28.9	8.5	7.8	116	--	--
SEP 28, 72	0845	2	.3	38000	26.2	8.5	5.0	71	40	41
			1.5	38000	26.0	8.5	4.7	66	45	--
MAY 23, 73	1425	2	.3	61000	27.3	--	6.3	102	--	38
			1.5	61000	27.2	--	6.4	103	--	--
					LINE 74					
SEP 28, 72	0850	3	.3	38000	27.4	8.4	9.7	140	--	36
			1.5	39000	27.4	8.3	8.0	116	--	--
MAY 23, 73	1530	3	.3	57000	27.1	--	5.4	86	--	18
			1.2	57000	27.2	--	5.3	84	--	--
					LINE 82					
SEP 27, 72	1530	2	.6	41000	28.3	8.5	6.0	90	110	66
			1.5	46000	28.2	8.5	5.6	86	45	--
			2.1	46000	28.3	8.4	5.0	77	80	--
SEP 28, 72	0900	2	.3	39000	26.9	8.4	5.3	76	45	56
			1.5	39000	26.8	8.4	5.1	73	45	--
			2.1	39000	26.5	8.4	5.8	83	30	--
MAY 23, 73	1410	2	.3	56000	27.8	7.9	6.3	100	80	28
			1.8	56000	28.2	7.9	6.0	95	80	--
					LINE 94					
SEP 28, 72	0950	2	.3	40000	27.8	8.4	7.7	113	--	--
			1.5	40000	27.9	8.4	5.9	87	--	--
MAY 24, 73	0840	2	.3	57000	26.2	8.7	6.2	97	--	23
			1.2	57000	26.1	--	7.0	109	--	--
					LINE 107					
SEP 27, 72	1455	2	.3	51000	27.9	8.4	5.9	91	25	64
			1.5	51000	27.9	8.4	5.8	89	40	--
			2.7	53000	28.5	8.4	5.6	87	70	--
MAY 23, 73	1337	2	.5	53000	27.4	8.1	7.0	108	80	41
			2.1	56000	27.6	8.1	6.5	103	80	--
					LINE 119					
SEP 27, 72	1430	3	.3	59000	27.7	8.5	6.2	100	25	91

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 119 CONTINUED					
SEP 27, 72	1430	3	1.5	59000	27.6	8.5	6.0	97	25	--
			2.4	59000	27.6	8.4	5.4	87	25	--
MAY 23, 73	1310	3	.3	52000	27.6	8.1	7.3	114	35	64
			1.5	52000	27.6	8.1	7.2	112	28	--
			2.3	50000	27.8	8.1	7.2	111	36	--
MAY 24, 73	0908	3	.3	52000	26.6	8.0	5.8	89	20	56
			1.5	52000	26.5	8.0	5.6	85	30	--
			2.4	52000	26.5	8.0	5.4	82	42	--
					LINE 125					
SEP 27, 72	1405	1	.3	63000	28.8	8.5	4.9	83	--	81
			1.5	67000	28.7	8.4	1.8	31	--	--
			3.0	73000	29.7	8.5	.0	0	--	--
MAY 23, 73	1255	1	.3	57000	27.0	8.2	5.4	86	--	66
			1.5	57000	26.5	8.4	4.6	72	--	--
			2.4	59000	26.4	8.0	.8	1	--	--
			3.4	68000	23.6	7.8	.0	0	--	--
SEP 27, 72	1405	3	.3	57000	27.4	8.4	5.5	87	10	102
			1.5	57000	27.5	8.4	5.1	82	10	--
			3.0	57000	27.4	8.4	4.6	75	15	--
			3.7	58000	27.8	8.4	3.5	56	15	--
MAY 23, 73	1240	3	.3	50000	27.6	8.2	6.4	98	0	112
			1.5	50000	27.6	8.2	6.4	98	0	--
			3.0	50000	27.4	8.2	6.1	92	1	--
			4.3	50000	28.1	8.2	5.2	80	32	--
SEP 27, 72	1423	4	.3	57000	28.7	8.4	7.8	128	--	81
			2.1	57000	28.7	8.4	8.1	133	--	--
MAY 23, 73	1240	4	.3	50000	26.9	8.5	5.1	77	--	86
			1.5	50000	27.0	8.9	5.6	85	--	--
					LINE 132					
SEP 27, 72	1330	2	.3	55000	27.4	8.5	6.0	94	--	107
			1.5	55000	27.4	8.4	5.4	84	15	--
			3.0	55000	27.4	8.4	5.5	86	10	--
			4.6	55000	27.4	8.4	7.8	122	5	--
					LINE 134					
SEP 27, 72	1320	1	.3	47000	28.4	8.4	8.6	132	--	43
			.6	46000	28.4	8.4	9.1	140	--	--
MAY 23, 73	1110	1	.3	61000	25.9	8.6	4.5	71	--	23
MAY 23, 73	1115	2	.3	48000	27.4	8.2	6.7	99	4	107
			1.5	48000	27.4	8.2	6.7	99	5	--
			3.0	48000	27.4	8.2	6.7	99	10	--
			4.3	46000	27.7	8.1	6.7	101	12	--
					LINE 145					
SEP 27, 72	1240	1	.3	46000	28.2	8.5	8.3	126	--	61
			.6	55000	28.3	8.5	8.5	137	--	--
MAY 23, 73	1035	1	.3	51000	25.7	8.0	5.3	79	--	48
			1.5	53000	25.5	8.0	4.6	70	--	--
SEP 27, 72	1255	2	.3	26000	26.4	8.7	6.5	87	0	137

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 145 CONTINUED					
SEP 27, 72	1255	2	1.5	53000	27.6	8.5	5.2	81	0	--
			3.0	59000	27.9	8.4	6.3	102	0	--
			4.3	59000	27.5	8.4	8.6	139	0	--
MAY 23, 73	1025	2	.3	50000	26.6	8.3	4.9	74	--	69
			1.5	50000	26.6	8.4	4.9	74	--	--
			3.0	50000	26.6	8.5	5.0	76	--	--
			4.6	50000	26.6	8.7	5.7	86	--	--
					LINE 157					
SEP 27, 72	1230	2	.3	33000	26.2	8.6	6.5	89	10	117
			1.5	59000	27.3	8.5	4.7	72	10	--
			3.0	59000	27.4	8.4	4.9	75	10	--
			5.2	59000	27.4	8.4	5.9	91	10	--
MAY 23, 73	1020	2	.3	48000	26.4	8.3	5.9	87	8	84
			1.5	48000	26.4	8.3	5.9	87	9	--
			3.0	48000	26.4	8.3	6.0	88	9	--
			5.2	45000	26.9	8.3	6.2	93	21	--
					LINE 163					
JUN 04, 72	1100	2	.3	41800	26.9	8.7	--	--	20	90
			2.1	43000	26.8	8.6	--	--	20	--
			4.0	44200	26.5	8.5	--	--	30	--
SEP 27, 72	1015	2	.3	38000	25.4	8.6	6.8	93	15	152
			1.5	49000	26.2	8.6	5.3	79	10	--
			3.0	59000	27.1	8.4	4.2	65	10	--
			4.6	59000	27.2	8.4	4.5	69	10	--
MAY 23, 73	0915	2	.3	44000	26.0	8.3	6.8	100	10	74
			1.5	46000	26.1	8.3	6.5	96	20	--
			3.0	46000	26.2	8.3	6.0	88	41	--
			4.6	49000	26.3	8.3	6.1	91	170	--
					LINE 175					
SEP 27, 72	1100	2	.3	50000	28.0	8.1	5.6	86	--	102
			1.2	50000	27.9	8.1	5.9	91	--	--
MAY 23, 73	0930	2	.3	48000	25.9	7.9	5.5	81	--	64
			1.2	48000	26.0	8.1	6.7	99	--	--
SEP 27, 72	0940	3	.3	59000	26.8	8.2	6.8	105	15	109
			1.5	59000	26.8	8.2	6.0	92	15	--
			3.0	59000	26.8	8.2	6.0	92	15	--
			4.6	59000	26.7	8.2	6.4	98	20	--
MAY 23, 73	0837	3	.3	46000	26.2	8.0	7.4	109	10	69
			1.5	46000	26.1	7.9	7.2	106	15	--
			3.0	46000	26.1	7.9	7.1	104	20	--
			4.9	46000	26.1	7.9	6.4	94	25	--
SEP 27, 72	1110	4	.3	50000	28.3	8.2	6.5	102	--	107
			1.5	48000	28.3	8.2	7.2	111	--	--
MAY 23, 73	0830	4	.3	42000	26.2	8.3	6.4	93	30	61
			1.5	42000	26.2	8.3	6.1	88	41	--
					LINE 188					
SEP 27, 72	1020	2	.3	59000	28.2	8.1	6.5	89	--	89
			1.4	59000	28.0	8.1	5.7	92	--	--

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 188 CONTINUED						
MAY 23, 73	0850	2	.3	48000	25.9	7.5	5.4	79	--	25
			1.2	48000	25.8	7.8	5.9	87	--	--
SEP 27, 72	1010	3	.3	57000	28.1	8.1	5.3	85	--	102
			1.5	60000	28.1	8.1	5.1	84	--	--
			3.0	60000	28.1	8.1	5.0	82	--	--
			4.6	61000	27.9	8.1	5.7	93	--	--
MAY 23, 73	0745	3	.3	46000	25.9	8.0	6.7	99	6	91
			1.5	46000	25.9	8.0	6.6	97	9	--
			3.0	46000	25.9	7.9	6.4	94	22	--
			4.6	46000	25.8	7.9	6.8	100	40	--
SEP 27, 72	1035	4	.3	56000	28.4	8.1	5.6	90	--	86
			1.8	55000	28.4	8.1	5.6	90	--	--
MAY 23, 73	0800	4	.3	45000	25.8	8.2	6.9	101	10	62
			1.7	45000	25.8	8.2	5.0	74	30	--
				LINE 194						
SEP 27, 72	0920	1	.3	50000	27.5	8.3	5.7	86	--	71
			1.5	51000	27.6	8.3	5.7	88	--	--
			3.0	51000	27.6	8.3	5.8	89	--	--
			4.6	50000	27.5	8.3	6.1	92	--	--
MAY 23, 73	0800	1	.3	53000	25.4	7.6	5.2	78	--	76
			1.5	53000	25.4	7.6	5.0	75	--	--
			3.0	53000	25.1	7.6	4.9	73	--	--
			4.6	53000	24.8	7.6	5.3	76	--	--
			6.1	55000	23.4	7.6	5.5	80	--	--
			7.6	55000	23.6	7.5	5.8	85	--	--
SEP 27, 72	0940	2	.3	48000	27.2	8.4	5.4	80	--	122
			1.5	48000	27.2	8.4	5.7	85	--	--
			3.0	51000	27.4	8.3	5.6	85	--	--
			4.6	53000	27.6	8.3	4.9	76	--	--
MAY 23, 73	0820	2	.3	51000	25.2	7.9	5.2	76	--	71
			1.5	51000	25.1	7.9	5.0	74	--	--
			3.0	51000	25.2	8.0	5.0	74	--	--
			4.6	51000	25.2	8.5	7.0	103	--	--
SEP 27, 72	0930	3	.3	53000	26.4	8.2	5.8	88	10	142
			1.5	53000	26.5	8.2	5.8	88	15	--
			3.0	53000	26.6	8.2	5.4	83	25	--
			4.3	53000	26.2	8.2	6.0	91	20	--
MAY 22, 73	1625	3	.3	46000	26.7	8.7	7.0	104	--	61
			1.5	46000	26.7	8.8	6.7	100	--	--
			3.0	45000	26.7	8.9	6.8	101	--	--
			4.6	48000	26.2	9.3	6.8	100	--	--
MAY 23, 73	0840	3	.3	46000	25.7	7.9	5.5	80	--	48
			1.5	46000	25.8	7.9	5.4	79	--	--
			3.0	46000	25.8	8.0	5.6	82	--	--
			4.6	46000	25.9	8.1	5.7	84	--	--
MAY 23, 73	0730	4	.3	43000	25.9	8.3	7.0	101	11	81
			1.5	43000	25.9	8.3	6.3	91	19	--
			3.7	44000	25.9	8.2	6.0	88	35	--
				LINE 203						
SEP 26, 72	1750	2	.3	53000	28.2	8.3	8.3	130	10	86
			1.5	53000	28.3	8.3	8.9	139	10	--
			3.0	53000	28.3	8.3	10.5	164	15	--

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
				LINE 203 CONTINUED						
SEP 26, 72	1750	2	4.9	53000	28.3	8.2	8.9	139	500	--
MAY 22, 73	1630	2	.3	44000	27.8	8.2	8.2	124	30	58
			1.5	44000	27.8	8.2	7.5	114	40	--
			3.0	44000	27.9	8.2	7.7	117	38	--
			4.6	44000	28.2	8.2	6.9	105	40	--
				LINE 217						
SEP 26, 72	1715	2	.3	51000	30.3	8.3	6.8	110	--	36
			1.5	52000	30.1	8.3	6.5	106	--	--
			3.0	57000	29.7	8.2	5.5	92	--	--
			4.6	57000	29.6	8.2	5.8	97	--	--
MAY 22, 73	1555	2	.3	46000	26.6	--	6.5	97	--	38
			1.5	46000	26.5	--	6.5	96	--	--
			3.0	46000	26.3	--	6.4	94	--	--
			4.6	48000	25.9	--	6.8	100	--	--
				LINE 223						
SEP 26, 72	1425	2	.3	2000	30.0	7.6	5.5	73	--	--
			1.5	1900	30.0	7.7	5.8	77	--	--
MAY 22, 73	1200	2	.3	11000	27.7	8.3	4.0	51	--	19
			.9	19000	27.3	8.0	1.5	20	--	--
			1.5	24000	26.9	8.3	.6	8	--	--
MAY 22, 73	1225	2	.3	7800	28.2	8.0	4.9	64	--	19
			.9	15000	27.4	7.9	2.4	32	--	--
			1.5	24000	26.8	8.2	.4	5	--	--
				LINE 233						
SEP 26, 72	1518	2	.3	3000	29.5	7.7	4.9	64	--	86
			1.5	8000	29.2	7.6	3.1	41	--	--
			2.1	21000	29.4	7.7	.6	8	--	--
			3.0	43000	30.0	7.6	.0	0	--	--
			4.9	55000	30.0	7.7	.0	0	--	--
MAY 22, 73	1255	2	.3	16000	28.0	8.4	11.9	159	--	56
			.9	16000	27.6	8.4	10.8	142	--	--
			1.5	20000	26.8	8.1	5.8	77	--	--
			2.1	22000	26.7	8.0	4.6	61	--	--
			3.0	30000	25.0	8.0	.3	4	--	--
			4.6	40000	24.3	8.1	.2	3	--	--
				LINE 247						
SEP 26, 72	1550	2	.3	14000	30.2	8.1	9.3	127	--	41
			1.5	22000	30.0	7.8	3.2	46	--	--
			2.1	30000	30.0	7.8	.8	12	--	--
			3.0	60000	30.0	8.0	.0	0	--	--
			4.9	61000	29.9	8.0	.0	0	--	--
MAY 22, 73	1325	2	.3	17000	27.8	--	11.2	151	--	67
			1.5	18000	27.1	--	9.4	124	--	--
			2.1	29000	25.9	--	3.5	47	--	--
			3.0	43000	25.2	--	.4	6	--	--
			4.6	45000	25.9	--	1.0	15	--	--
				LINE 258						
SEP 26, 72	1340	2	.3	22000	29.5	8.4	9.8	138	20	74

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 258 CONTINUED					
SEP 26, 72	1340	2	1.5	44000	28.7	8.2	4.5	69	10	--
			3.0	58000	28.2	8.3	9.7	156	5	--
			4.0	58000	28.5	8.3	10.8	174	65	--
MAY 22, 73	1415	2	.3	24000	27.5	--	8.9	120	--	61
			.9	24000	27.6	--	8.8	119	--	--
			1.2	30000	27.1	--	7.0	97	--	--
			1.5	43000	26.1	--	4.0	58	--	--
			3.0	50000	25.3	--	6.0	88	--	--
			4.3	50000	25.4	--	5.8	85	--	--
					LINE 263					
SEP 26, 72	1320	2	.3	59000	27.9	8.4	8.7	140	0	142
			1.5	59000	27.9	8.4	9.7	156	0	--
			3.0	59000	28.0	8.4	10.3	166	0	--
			3.7	59000	28.3	8.3	10.9	176	0	--
MAY 22, 73	1345	2	.3	48000	27.2	8.1	7.2	109	50	42
			1.5	48000	27.0	8.1	7.1	108	42	--
			3.0	48000	26.7	8.1	6.3	95	42	--
			4.3	45000	27.0	8.1	6.4	96	50	--
					LINE 274					
MAY 22, 73	1300	1	.3	47000	28.0	8.4	8.5	129	5	86
			.8	46000	28.0	8.4	8.2	124	8	--
MAY 22, 73	1240	2	.3	44000	27.2	8.2	6.7	100	72	36
			1.1	44000	27.3	8.2	6.2	93	73	--
SEP 26, 72	1230	3	.3	58000	27.7	8.3	8.0	129	10	81
			1.5	58000	27.7	8.3	8.8	142	15	--
			3.0	58000	27.6	8.2	10.2	164	20	--
			4.6	58000	28.2	8.2	11.3	182	35	--
MAY 22, 73	1215	3	.3	48000	26.6	8.2	7.2	107	85	36
			1.5	48000	26.7	8.2	6.9	103	105	--
			3.0	48000	26.7	8.2	6.4	96	79	--
			4.3	50000	26.7	8.2	5.5	83	88	--
					LINE 287					
SEP 26, 72	1150	1	.3	53000	28.3	8.2	11.1	173	0	84
			.9	53000	28.5	8.1	11.0	172	0	--
MAY 22, 73	1140	2	.3	51000	23.8	8.1	7.9	113	10	75
			.9	50000	24.0	8.2	6.7	96	--	--
SEP 26, 72	1140	3	.3	53000	28.2	8.1	9.1	142	5	97
			1.5	53000	28.2	8.1	7.7	120	5	--
			3.0	53000	28.2	8.2	8.0	125	15	--
MAY 22, 73	1130	3	.3	51000	23.0	8.0	5.6	79	3	66
			1.5	51000	23.0	8.0	5.4	76	10	--
			3.0	51000	23.1	8.0	5.2	73	11	--
			4.9	50000	23.3	8.0	5.1	72	14	--
SEP 26, 72	1135	4	.3	53000	28.0	8.2	7.3	114	10	69
			1.5	53000	27.9	8.2	8.2	128	10	--
			2.1	53000	28.1	8.2	8.9	139	35	--
MAY 22, 73	1115	4	.3	47000	25.9	8.2	6.2	91	21	46
			1.5	46000	25.9	8.2	6.2	91	28	--
			2.3	44000	26.1	8.2	6.4	94	31	--
					LINE 297					
SEP 09, 72	1110	2	.3	57000	30.5	7.8	6.1	103	--	42

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 297 CONTINUED					
SEP 09, 72	1110	2	1.5	57000	30.4	7.8	5.9	100	--	--
			3.0	57000	30.3	7.8	5.7	97	--	--
			4.1	57000	30.3	7.8	5.6	95	--	--
SEP 26, 72	1050	2	.3	53000	27.6	8.1	6.6	103	145	36
			1.5	53000	27.8	8.1	7.3	114	195	--
			3.0	53000	27.7	8.1	8.2	128	390	--
MAY 22, 73	0730	2	.3	46000	24.7	8.4	6.2	89	--	--
			1.5	48000	24.5	8.4	6.3	90	--	--
			3.0	48000	24.4	8.4	6.3	90	--	--
			4.6	48000	24.3	8.4	6.6	93	--	--
					LINE 301					
SEP 26, 72	1100	2	.3	53000	27.5	8.2	8.6	134	40	48
			1.5	53000	27.4	8.2	8.9	137	40	--
			3.0	53000	27.4	8.2	8.9	137	35	--
			5.5	53000	27.5	8.2	11.4	178	50	--
MAY 22, 73	0715	2	.3	48000	24.2	8.2	6.6	93	--	67
			1.5	48000	24.2	8.2	6.6	93	--	--
			3.0	48000	24.2	8.2	6.6	93	--	--
			4.6	48000	24.2	8.2	6.7	94	--	--
			6.7	48000	24.2	8.2	6.7	94	--	--
					LINE 313					
SEP 26, 72	1040	2	.3	53000	27.4	8.2	10.7	165	5	97
			1.5	53000	27.5	8.2	10.6	166	5	--
			3.0	53000	27.4	8.2	10.5	162	5	--
			6.1	53000	27.4	8.2	10.3	158	5	--
			9.1	53000	27.4	8.2	11.1	171	60	--
MAY 22, 73	0745	2	.3	46000	24.5	8.3	6.5	92	--	76
			1.5	48000	24.5	8.3	6.4	91	--	--
			3.0	48000	24.6	8.4	6.5	93	--	--
			4.6	50000	23.6	8.3	5.9	84	--	--
			6.1	51000	22.8	8.3	5.3	75	--	--
			9.1	51000	21.9	8.3	5.0	69	--	--
					LINE 320					
SEP 26, 72	0940	2	.3	--	29.7	7.9	5.6	90	--	122
			1.5	--	29.6	7.9	.0	0	--	--
			3.0	--	30.0	7.7	.0	0	--	--
			6.1	--	30.0	7.6	.0	0	--	--
			9.1	--	28.8	7.7	.0	0	--	--
MAY 22, 73	0925	2	.3	43000	26.1	8.3	5.9	86	--	105
			1.5	43000	26.0	8.3	5.7	83	--	--
			3.0	45000	25.3	8.1	2.3	33	--	--
			4.6	46000	24.8	8.1	.6	9	--	--
			6.1	46000	24.4	8.0	.0	0	--	--
			9.1	48000	23.7	8.1	.0	0	--	--
			13.7	50000	22.4	8.5	3.2	44	--	--
					LINE 334					
SEP 26, 72	1010	2	.3	--	29.5	7.9	--	--	--	97
			1.5	--	29.5	7.9	--	--	--	--
			3.0	--	29.5	7.9	--	--	--	--
			6.1	--	29.5	7.9	--	--	--	--
			9.1	--	29.4	8.0	--	--	--	--
			12.2	--	29.4	8.0	--	--	--	--

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 334 CONTINUED					
MAY 22, 73	0900	2	.3	45000	25.5	8.3	5.4	78	--	76
			1.5	45000	25.4	8.3	5.4	78	--	--
			3.0	45000	25.3	8.4	5.2	74	--	--
			4.6	46000	24.6	8.3	2.8	40	--	--
			6.1	50000	23.1	8.4	3.4	48	--	--
			9.1	51000	21.2	8.5	4.1	56	--	--
			13.7	50000	21.2	8.6	4.5	62	--	--
					LINE 343					
SEP 26, 72	1025	2	.3	--	29.3	7.7	--	--	--	48
			1.5	--	29.4	7.9	--	--	--	--
			3.0	--	29.5	7.9	--	--	--	--
			6.1	--	29.5	7.9	--	--	--	--
			9.8	--	29.5	8.0	--	--	--	--
MAY 22, 73	0840	2	.3	43000	25.0	8.3	6.1	86	--	30
			1.5	43000	25.0	8.3	5.9	83	--	--
			3.0	46000	25.1	8.3	5.3	76	--	--
			4.6	48000	24.1	8.2	2.8	39	--	--
			6.1	50000	22.8	8.3	3.8	54	--	--
			9.1	53000	20.9	8.4	4.1	56	--	--
			13.7	53000	20.9	8.5	4.3	59	--	--
					LINE 351					
SEP 26, 72	1035	2	.3	--	29.2	7.9	5.2	83	--	56
			1.5	--	29.2	7.9	--	--	--	--
			3.0	--	29.3	7.9	--	--	--	--
			6.1	--	29.2	8.0	--	--	--	0
			9.1	--	29.2	8.0	4.6	74	--	--
MAY 22, 73	0820	2	.3	45000	25.2	8.3	6.0	86	--	79
			1.5	45000	25.1	7.4	5.8	83	--	--
			3.0	48000	24.1	8.2	3.8	54	--	--
			4.6	48000	24.2	8.2	4.8	68	--	--
			6.1	50000	23.6	8.4	5.5	79	--	--
			9.1	51000	21.2	8.3	4.3	59	--	--
			13.7	53000	20.7	8.4	4.2	58	--	--
					LINE 364					
SEP 26, 72	1050	2	.3	--	29.6	7.9	--	--	--	64
			1.5	--	29.7	7.9	--	--	--	--
			3.0	--	29.8	8.0	--	--	--	--
			6.1	--	29.9	8.0	--	--	--	--
			9.1	--	29.9	8.0	--	--	--	--
MAY 22, 73	0810	2	.3	45000	24.8	6.4	6.2	89	--	81
			1.5	46000	24.6	8.4	6.2	89	--	--
			3.0	51000	23.1	8.3	5.3	75	--	--
			6.1	53000	21.0	8.3	4.2	58	--	--
			9.1	53000	20.9	8.3	4.3	59	--	--
			13.7	53000	20.9	8.4	4.7	64	--	--
					LINE 370					
SEP 26, 72	1020	2	.3	53000	27.7	8.1	10.4	162	5	69
			1.5	53000	27.7	8.1	10.4	162	5	--
			3.0	53000	27.7	8.1	10.8	169	5	--
			6.1	53000	27.7	8.2	10.4	162	5	--
			9.1	53000	27.7	8.2	10.8	169	15	--
			12.2	53000	27.9	8.2	10.8	169	15	--
MAY 22, 73	0755	2	.3	50000	23.7	8.3	6.1	88	--	76

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
					LINE 370 CONTINUED					
MAY 22, 73	0755	2	1.5	51000	22.7	8.3	6.0	84	--	--
			3.0	51000	22.0	8.3	5.8	81	--	--
			4.6	51000	21.1	8.3	5.2	71	--	--
			6.1	51000	21.0	8.3	5.1	70	--	--
			9.1	53000	20.7	8.3	4.7	64	--	--
			12.2	53000	20.6	8.4	4.6	63	--	--
			13.7	53000	20.5	8.4	5.5	74	--	--
					LINE 376					
SEP 26, 72	0955	2	1.5	53000	27.5	8.2	9.2	144	10	71
			3.0	53000	27.5	8.2	10.0	156	15	--
			6.1	53000	27.4	8.2	10.3	158	20	--
			9.1	53000	27.4	8.2	11.5	177	20	--
			11.6	53000	27.3	8.2	12.6	194	25	--
OCT 06, 72	1010	2	10.4	46000	26.4	8.4	6.0	88	--	--
MAY 22, 73	1030	2	.3	52000	21.9	8.0	5.1	72	2	71
			1.5	52000	21.8	8.0	5.0	70	2	--
			3.0	52000	21.6	8.0	4.9	68	8	--
			6.1	52000	21.6	8.0	4.8	67	22	--
			9.8	50000	21.7	8.0	5.0	69	92	--
					LINE 382					
APR 11, 73	1150	4	.3	33000	17.1	8.0	8.5	99	20	89
			1.8	33000	17.1	8.0	8.7	101	25	--
			3.7	33000	17.1	8.0	8.9	103	40	--
					LINE 610					
APR 09, 73	1415	2	.3	1600	16.3	7.7	8.7	88	--	13
			.6	1600	16.3	7.7	9.2	93	--	--
					LINE 902					
MAY 22, 73	0655	95	.6	52000	21.8	8.1	6.8	96	--	--
			3.0	52000	21.7	8.1	6.5	90	0	--
			6.1	52000	21.2	8.1	5.6	77	0	--
			9.1	52000	20.7	8.1	5.5	75	0	--
			12.5	52000	20.7	8.1	4.7	64	0	--
					LINE 910					
MAY 22, 73	0745	95	21.6	53000	21.3	8.2	7.1	97	--	--

TABLE 98--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 23						
SEP 28, 72	1235	3	.3 6.1	3.5 3.5	.0 .0	.00 .00	.00 .00	.00 .00	.00 .07	5.1 3.2	31.0 41.0	11.0 16.0
MAY 24, 73	1100	3	.3 4.9	9.1 9.2	.0 .0	.03 .00	.00 .00	.02 .02	.07 .14	6.4 4.8	-- --	19.0 20.0
						LINE 53						
SEP 28, 72	1105	2	.3 4.6	7.4 8.1	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	6.0 6.3	-- --	-- --
MAY 24, 73	0935	2	.3 4.3	6.7 7.5	.0 .0	.04 .04	.00 .00	.01 .01	.05 .06	4.9 4.1	-- --	-- --
						LINE 64						
SEP 27, 72	1540	2	.3 1.8	14.0 13.0	.0 .0	.00 .00	.00 .00	.00 .00	.06 .13	8.3 8.2	70.0 --	31.0 --
MAY 23, 73	1425	2	.3 1.5	7.4 7.0	.0 .0	.07 .10	.00 .00	.02 .02	.10 .10	8.1 8.4	-- --	27.0 --
						LINE 74						
SEP 28, 72	0850	3	.3 1.5	12.0 12.0	.0 .0	.00 .00	.00 .00	.00 .00	.13 .12	8.3 7.9	66.0 --	31.0 --
MAY 23, 73	1530	3	.3 1.2	2.1 2.3	.0 .0	.17 .17	.02 .02	.06 .06	.19 .23	2.8 1.9	-- --	18.0 --
						LINE 94						
SEP 28, 72	0950	2	.3 1.5	9.4 10.0	.0 .0	.00 .00	.00 .00	.00 .00	.06 .08	8.3 8.6	70.0 --	31.0 --
MAY 24, 73	0840	2	.3 1.2	3.8 4.2	.0 .0	.08 .08	.01 .01	.03 .03	.11 .10	3.2 1.9	-- --	14.0 --
						LINE 107						
MAY 23, 73	1337	2	.5 2.1	6.9 5.5	.0 .0	.13 .15	.00 .00	.01 .01	.10 .13	3.9 3.5	-- --	-- --
						LINE 125						
SEP 27, 72	1405	3	3.7	--	--	--	--	--	--	--	--	17.0
MAY 23, 73	1240	3	.3 4.3	4.1 6.0	.0 .0	.11 .03	.01 .00	.00 .01	.04 .05	3.8 1.4	-- --	8.0 12.0
						LINE 163						
JUN 04, 72	1100	2	.3 4.0	-- --	-- --	-- --	-- --	-- --	-- --	1.4 1.7	-- --	-- --
SEP 27, 72	1015	2	.3 4.6	2.2 .8	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	1.9 1.3	-- --	-- --
MAY 23, 73	0915	2	.3	5.5	.0	.08	.00	.01	.06	2.2	--	--

TABLE 98--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 163 CONTINUED						
MAY 23, 73	0915	2	4.6	5.0	.0	.09	.00	.01	.11	3.6	--	--
						LINE 188						
SEP 27, 72	1020	2	.3	3.5	.0	.02	.00	.00	.00	.7	16.0	--
			1.4	3.0	.0	.00	.00	.00	.00	.8	26.0	--
MAY 23, 73	0850	2	.3	6.4	.0	.39	.02	.02	.07	1.1	--	11.0
			1.2	6.5	.0	.33	.03	.02	.09	1.4	--	15.0
MAY 23, 73	0800	4	.3	5.1	.1	.22	.03	.01	.06	1.6	--	9.0
			1.7	3.5	.1	.21	.02	.01	.04	1.3	--	7.0
						LINE 194						
SEP 27, 72	0940	2	.3	.5	.0	.00	.00	.00	.00	2.1	--	--
			4.6	1.0	.0	.00	.00	.00	.00	4.3	--	--
MAY 23, 73	0820	2	.3	1.5	.0	.10	.09	.02	.06	1.7	--	--
			4.6	1.4	.0	.11	.01	.01	.07	1.8	--	--
						LINE 203						
MAY 22, 73	1630	2	.3	3.7	.1	.16	.02	.01	.07	2.5	--	--
			4.6	3.8	.1	.13	.02	.00	.07	2.0	--	--
						LINE 223						
SEP 26, 72	1425	2	.3	15.0	.8	.26	.10	.26	.40	2.3	23.0	17.0
			1.5	16.0	.8	.30	.10	.26	.46	2.0	23.0	21.0
MAY 22, 73	1225	2	.3	23.0	2.2	.79	.25	.55	.58	4.4	17.0	12.0
			1.5	16.0	.4	1.30	.20	.34	.41	2.9	25.0	11.0
						LINE 247						
SEP 26, 72	1550	2	.3	19.0	.2	.46	.04	.39	.40	.8	--	--
			4.9	3.0	.0	.79	.00	.11	.11	.2	--	--
MAY 22, 73	1325	2	.3	15.0	1.3	.10	.24	.10	.17	4.5	--	--
			4.6	4.8	.0	.47	.01	.09	.11	1.8	--	--
						LINE 274						
SEP 26, 72	1230	3	.3	1.2	.0	.00	.00	.00	.00	.6	7.0	4.0
			4.6	.4	.0	.00	.00	.00	.00	.7	1.0	6.0
MAY 22, 73	1215	3	.3	1.2	.0	.12	.00	.01	.09	1.0	--	11.0
			4.3	1.0	.0	.10	.01	.00	.11	1.4	--	7.0
						LINE 297						
SEP 09, 72	1110	2	.3	.7	.0	.00	.00	.01	.05	1.3	--	--
			4.1	.8	.0	.00	.00	.02	.06	1.6	--	--
						LINE 320						
SEP 26, 72	0940	2	.3	2.6	.0	.00	.02	.00	.06	1.5	16.0	21.0
			9.1	3.6	.0	.24	.00	.10	.10	.8	8.0	--
MAY 22, 73	0925	2	.3	.0	.0	.07	.01	.03	.08	1.7	7.0	5.0

TABLE 98--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SIO2) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS-PHORUS ORTHO (P) (MG/L)	TOTAL PHOS-PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
						LINE 320 CONTINUED						
MAY 22, 73	0925	2	13.7	.3	.0	.09	.05	.03	.07	.9	3.0	3.0
						LINE 351						
SEP 26, 72	1035	2	.3	2.6	.0	.00	.00	.00	.08	1.4	--	--
			9.1	1.5	.0	.00	.00	.00	.06	.2	--	--
MAY 22, 73	0820	2	.3	.0	.0	.07	.00	.02	.06	1.2	--	--
			13.7	.0	.0	.04	.02	.02	.05	1.0	--	--
						LINE 376						
OCT 06, 72	1010	2	10.4	1.6	.0	.00	.01	.00	.02	.3	--	--
						LINE 902						
MAY 22, 73	0655	95	.6	.0	.0	.13	.02	.00	.04	1.5	--	--
			12.5	.0	.0	57.00	.01	.01	.04	1.5	--	--

TABLE 9C--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)
						LINE 23					
SEP 28, 72	1235	3	.3 6.1	46200 47800	370.0 --	1200.0 --	9200 --	140 --	1900 --	17000 --	29500 --
MAY 24, 73	1100	3	.3 4.9	54300 54400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
						LINE 53					
SEP 28, 72	1105	2	.3 4.6	54800 56100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 24, 73	0935	2	.3 4.3	54400 56000	-- --	-- --	-- --	-- --	-- --	-- --	-- --
						LINE 64					
SEP 27, 72	1540	2	.3 1.8	38600 38800	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 23, 73	1425	2	.3 1.5	60200 60200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
						LINE 74					
SEP 28, 72	0850	3	.3 1.5	38300 38700	380.0 --	860.0 --	7400 --	236 --	1400 --	13000 --	23600 --
MAY 23, 73	1530	3	.3 1.2	58100 58100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
						LINE 94					
SEP 28, 72	0950	2	.3 1.5	39600 40300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 24, 73	0840	2	.3 1.2	57600 57300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
						LINE 107					
MAY 23, 73	1337	2	.5 2.1	56200 56200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
						LINE 125					
MAY 23, 73	1240	3	.3	51900	--	--	--	--	--	--	--
						LINE 163					
JUN 04, 72	1100	2	.3 4.0	41800 44200	-- --	-- --	-- --	-- 131	-- --	-- --	-- --
SEP 27, 72	1015	2	.3 4.6	38500 59000	340.0 --	890.0 --	7400 --	90 --	1800 --	13000 --	23700 --
MAY 23, 73	0915	2	.3 4.6	46600 48900	450.0 --	1200.0 --	9200 --	178 --	2800 --	16000 --	30000 --
						LINE 188					
SEP 27, 72	1020	2	.3	59000	--	--	--	--	--	--	--

TABLE 9C--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG) (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
					LINE 188 CONTINUED						
SEP 27, 72	1020	2	1.4	58900	--	--	--	--	--	--	--
MAY 23, 73	0850	2	.3	48800	--	--	--	--	--	--	--
			1.2	49000	--	--	--	--	--	--	--
MAY 23, 73	0800	4	.3	46700	--	--	--	--	--	--	--
			1.7	47300	--	--	--	--	--	--	--
					LINE 194						
SEP 27, 72	0940	2	.3	47700	--	--	--	--	--	--	--
			4.6	52900	--	--	--	--	--	--	--
MAY 23, 73	0820	2	.3	52700	--	--	--	--	--	--	--
			4.6	53400	--	--	--	--	--	--	--
					LINE 203						
MAY 22, 73	1630	2	.3	46500	--	--	--	--	--	--	--
			4.6	46600	--	--	--	--	--	--	--
					LINE 223						
SEP 26, 72	1425	2	.3	1960	100.0	38.0	260	138	300	400	1180
			1.5	1980	--	--	--	--	--	--	--
MAY 22, 73	1225	2	.3	7850	--	--	--	--	--	3100	--
			1.5	23700	--	--	--	--	--	8400	--
					LINE 247						
SEP 26, 72	1550	2	.3	14500	--	--	--	--	--	--	--
			4.9	60600	--	--	--	--	--	--	--
MAY 22, 73	1325	2	.3	16300	--	--	--	--	--	--	--
			4.6	47800	--	--	--	--	--	--	--
					LINE 274						
SEP 26, 72	1230	3	.3	58100	450.0	1400.0	12000	150	2400	22000	38600
			4.6	58500	--	--	--	--	--	--	--
MAY 22, 73	1215	3	.3	50500	--	--	--	--	--	--	--
			4.3	50500	--	--	--	--	--	--	--
					LINE 297						
SEP 09, 72	1110	2	4.1	56200	422.0	1410.0	11400	149	2880	20300	36500
					LINE 320						
SEP 26, 72	0940	2	.3	50000	--	--	--	--	--	--	--
			9.1	54400	--	--	--	--	--	--	--
MAY 22, 73	0925	2	.3	45000	--	--	--	--	--	--	--
			13.7	49800	--	--	--	--	--	--	--
					LINE 351						
SEP 26, 72	1035	2	.3	51700	--	--	--	--	--	--	--
			9.1	54500	--	--	--	--	--	--	--

TABLE 9C--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DISSOLVED SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)
						LINE 351 CONTINUED					
MAY 22, 73	0820	2	.3	45400	--	--	--	--	--	--	--
			13.7	53300	--	--	--	--	--	--	--
						LINE 376					
OCT 06, 72	1010	2	10.4	46900	--	--	--	--	--	--	--
						LINE 902					
MAY 22, 73	0655	95	.6	53300	--	--	--	--	--	--	--
			12.5	54700	--	--	--	--	--	--	--

TABLE 9D--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ALUMI-NUM (AL) (UG/L)	DIS-SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS-SOLVED CAD-MIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
						LINE 53				
SEP 28, 72	1105	2	.3	--	0	--	--	0	--	--
						LINE 74				
SEP 28, 72	0850	3	.3	--	0	--	--	0	--	--
			1.5	--	--	--	0	--	--	0
						LINE 223				
SEP 26, 72	1425	2	.3	--	10	--	--	0	--	--
			1.5	--	--	3	--	--	0	--
						LINE 274				
SEP 26, 72	1230	3	.3	--	0	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CHRO-MIUM (CR) (UG/L)	TOTAL CHRO-MIUM (CR) (UG/L)	DIS-SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS-SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
						LINE 53					
SEP 28, 72	1105	2	.3	0	--	--	--	--	12	--	--
						LINE 74					
SEP 28, 72	0850	3	.3	0	--	--	--	--	11	--	--
			1.5	--	--	--	--	2	--	--	2
						LINE 223					
SEP 26, 72	1425	2	.3	0	--	--	--	--	8	--	--
			1.5	--	--	--	--	1	--	--	7
						LINE 274					
SEP 26, 72	1230	3	.3	0	--	--	--	--	4	--	--

TABLE 9D--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CYANIDE (CN) (MG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS-SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS-SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
						LINE 53					
SEP 28, 72	1105	2	.3	--	--	0	--	--	0	--	--
						LINE 74					
SEP 28, 72	0850	3	.3	--	--	0	--	--	0	--	--
			1.5	--	--	--	--	3500	--	--	3
						LINE 223					
SEP 26, 72	1425	2	.3	--	--	170	--	--	0	--	--
			1.5	--	--	--	--	18000	--	--	2
						LINE 274					
SEP 26, 72	1230	3	.3	--	--	0	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED LITHIUM (LI) (UG/L)	DIS-SOLVED MANGANESE (MN) (UG/L)	TOTAL MANGANESE (MN) (UG/L)	BOTTOM DEPOSIT MANGANESE (MN) (UG/GM)	DIS-SOLVED MERCURY (HG) (UG/L)	TOTAL MERCURY (HG) (UG/L)	BOTTOM DEPOSIT MERCURY (HG) (UG/GM)	DIS-SOLVED NICKLE (NI) (UG/L)	DIS-SOLVED STRONTIUM (SR) (UG/L)
						LINE 53						
SEP 28, 72	1105	2	.3	180	50	--	--	--	--	--	--	6800
						LINE 74						
SEP 28, 72	0850	3	.3	170	60	--	--	--	--	--	--	7300
			1.5	--	--	--	80	--	--	.0	--	--
						LINE 223						
SEP 26, 72	1425	2	.3	50	40	--	--	--	--	--	--	1700
			1.5	--	--	--	320	--	--	.0	--	--
						LINE 274						
SEP 26, 72	1230	3	.3	160	40	--	--	--	--	--	--	6200

TABLE 9D--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SELECTED IONS ANALYSES: DISSOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GM)
						LINE 53
SEP 28, 72	1105	2	.3	3	--	--
						LINE 74
SEP 28, 72	0850	3	.3	2	--	--
			1.5	--	--	18
						LINE 223
SEP 26, 72	1425	2	.3	8	--	--
			1.5	--	--	56
						LINE 274
SEP 26, 72	1230	3	.3	7	--	--

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLORDANE (UG/L)	BOTTOM DEPOSIT CHLORDANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
						LINE 53					
SEP 28, 72	1105	2	.3	.00	--	.0	--	.00	--	.00	--
						LINE 64					
SEP 27, 72	1540	2	1.8	--	< .2	--	< 1.0	--	< .2	--	.7
						LINE 74					
SEP 28, 72	0850	3	.3	.00	--	.0	--	.00	--	.00	--
			1.5	--	< .2	--	< 1.0	--	< .2	--	< .2
						LINE 94					
SEP 28, 72	0950	2	1.5	--	< .2	--	< 1.0	--	< .2	--	5.7
						LINE 188					
SEP 27, 72	1020	2	.3	.00	--	.0	--	.00	--	.00	--
						LINE 223					
SEP 26, 72	1425	2	.3	.00	--	.0	--	.00	--	.05	--
			1.5	--	< .2	--	< 1.0	--	1.1	--	7.7
						LINE 274					
SEP 26, 72	1230	3	.3	.00	--	.0	--	.00	--	.00	--

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DDT (UG/KG)	TOTAL DIEL-DRIN (UG/L)	BOTTOM DEPOSIT DIEL-DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA-CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR (UG/KG)
						LINE 53					
SEP 28, 72	1105	2	.3	.00	--	.00	--	.00	--	.00	--
						LINE 64					
SEP 27, 72	1540	2	1.8	--	< .2	--	< .2	--	< .2	--	< .2
						LINE 74					
SEP 28, 72	0850	3	.3 1.5	.00 --	< -- .2	.00 --	< -- .2	.00 --	< -- .2	.00 --	< -- .2
						LINE 94					
SEP 28, 72	0950	2	1.5	--	< .2	--	< .2	--	< .2	--	< .2
						LINE 188					
SEP 27, 72	1020	2	.3	.00	--	.00	--	.00	--	.00	--
						LINE 223					
SEP 26, 72	1425	2	.3 1.5	.00 --	< -- .2	.00 --	< -- .2	.00 --	< -- .2	.00 --	< -- .2
						LINE 274					
SEP 26, 72	1230	3	.3	.00	--	.00	--	.00	--	.00	--

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL HEPTACHLOR EPOXIDE (UG/L)		BOTTOM DEPOSIT HEPTACHLOR EPOXIDE (UG/KG)	TOTAL LINDANE (UG/L)		BOTTOM DEPOSIT LINDANE (UG/KG)	TOTAL PARATHION (UG/L)	TOTAL METHYL PARATHION (UG/L)	TOTAL MALATHION (UG/L)	TOTAL DIAZINON (UG/L)
							LINE 53						
SEP 28, 72	1105	2	.3	.00		--	.00		--	.00	.00	.00	.00
							LINE 64						
SEP 27, 72	1540	2	1.8	--	<	.2	--	<	2.0	--	--	--	--
							LINE 74						
SEP 28, 72	0850	3	.3	.00		--	.00		--	.00	.00	.00	.00
			1.5	--	<	.2	--	<	2.0	--	--	--	--
							LINE 94						
SEP 28, 72	0950	2	1.5	--	<	.2	--	<	2.0	--	--	--	--
							LINE 188						
SEP 27, 72	1020	2	.3	.00		--	.00		--	.00	.00	.00	.00
							LINE 223						
SEP 26, 72	1425	2	.3	.00		--	.00		--	.00	.00	.00	.05
			1.5	--	<	.2	--	<	2.0	--	--	--	--
							LINE 274						
SEP 26, 72	1230	3	.3	.00		--	.00		--	.00	.00	.00	.00

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)		TOTAL PCB (UG/L)	BOTTOM DEPOSIT PCB (UG/KG)	TOTAL 2,4-D (UG/L)	BOTTOM DEPOSIT 2,4-D (UG/KG)	TOTAL 2,4,5-T (UG/L)	BOTTOM DEPOSIT 2,4,5-T (UG/KG)	TOTAL SILVEX (UG/L)	BOTTOM DEPOSIT SILVEX (UG/KG)
							LINE 53					
SEP 28, 72	1105	2	.3	<	.1	--	.00	--	.00	--	.01	--
							LINE 64					
SEP 27, 72	1540	2	.3		--	--	.00	--	.00	--	.00	--
							LINE 74					
SEP 28, 72	0850	3	.3	<	.1	--	.00	--	.00	--	.00	--
							LINE 94					
SEP 28, 72	0950	2	.3		--	--	.00	--	.00	--	.00	--
							LINE 188					
SEP 27, 72	1020	2	.3	<	.1	--	.00	--	.00	--	.00	--
							LINE 223					
SEP 26, 72	1425	2	.3	<	.1	--	.00	--	.00	--	.00	--
							LINE 274					
SEP 26, 72	1230	3	.3	<	.1	--	.00	--	.00	--	.00	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL TOXAPHENE (UG/L)	BOTTOM DEPOSIT TOXAPHENE (UG/KG)	TOTAL ETHION (UG/L)	BOTTOM DEPOSIT ETHION (UG/KG)	TOTAL METHYL TRITHION (UG/L)	BOTTOM DEPOSIT METHYL TRITHION (UG/KG)	TOTAL TRITHION (UG/L)	BOTTOM DEPOSIT TRITHION (UG/KG)
						LINE 223					
SEP 26, 72	1425	2	.3	.9	--	--	--	--	--	--	--

Climatological Records

The climate of a region plays a great role in estuarine water quality. The types of climatological data available for a 60-mile- (97-kilometer-) wide band along the Texas coast are shown on Figure 11.

Tabulations of daily precipitation, temperature, and other data are published monthly, and monthly summaries are published annually by the Environmental Science Services Administration in the series titled Climatological Data-Texas. For the period 1931-60, monthly and annual data are summarized in two U.S. Weather Bureau publications (1958, 1965).

Figure 11.—Locations of Selected Climatological Stations

Streamflow and Water-Quality Records

Streams along the Texas coast lie in the flat coastal plain and are incised below sea level. Thus changes in water stage within bays often are reflected many miles up tributary streams. Consequently, the farthest downstream sites at which continuous streamflow data can be determined are located many miles upstream from the principal estuarine water bodies. The location of sites[1] at which continuous streamflow and daily water-quality data are available are shown on Figure 12.

The streamflow data for these sites represent runoff reaching the coastal area, but do not describe all

1 Station numbers greater than 400 are abbreviated from the U.S. Geological Survey numbering system. For example, the two station numbers 08041500 and 08162650, in abbreviated form become 415 and 1626.5.



Figure 12.—Locations of Streamflow-Measuring Sites and Daily Water-Quality Data-Collection Sites

of the flow from streams that enter the estuaries. Intervening drainage, diversion for irrigation, return flows, and evapotranspiration may influence streamflow between the measuring sites and the estuaries.

Analyses of water collected daily at streamflow measuring sites show the effect of geology and cultural development on runoff from the drainage basins. At times, however, return flows, evapotranspiration, and lack of significant flow from upstream result in altered water quality between the data-collection site and the estuary.

Streamflow and chemical-quality data are published annually in the U.S. Geological Survey series Water Resources Data for Texas: Part 1, Surface-Water Records, and Part 2, Water-Quality Records.

Drainage areas from which unmeasured runoff enters the estuaries ranges from less than 100 square miles (259 square kilometers) on some estuaries to more than 10,000 square miles (25,900 square kilometers). Periodic measurements indicate that during some seasons unmeasured runoff that reaches the estuaries exceeds measured flow from the major tributaries.

To completely describe the quality and quantity of runoff from the entire area between continuous streamflow stations and the estuaries is not feasible; however, representative data are collected periodically at sites shown on Figure 13 and are published annually by the U.S. Geological Survey (1972, 1972a, 1973, 1973a).

Some of the sites are not sampled regularly and have no index number. These sites were numbered consecutively, from 1 through 27, for this report. The station names are listed below so the reader can identify them in the literature. The data from the 27 sites not previously published are listed in Table 10.

1. Little Robin Slough near Matagorda
2. West Branch Mad Island Slough near Collegeport
3. Unnamed tributary to Oyster Lake near Collegeport
4. Unnamed tributary to Matagorda Bay near Collegeport
5. Willow Dam Slough near Collegeport
6. Johnsons Timber Slough near Collegeport
7. Turtle Creek near Palacios
8. Lunis Creek near La Ward
9. Keller Creek near La Ward
10. Huisache Creek near Lolita
11. Mustang Creek near Ganado
12. Unnamed drainage ditch near Point Comfort
13. Casa Blanca Creek near Inez
14. Marcado Creek near Inez
15. Arenosa Creek near Inez
16. Dry Creek near Inez
17. East Coloma Creek near Port Lavaca
18. West Coloma Creek near Seadrift
19. Seadrift Creek at Seadrift
20. Guadalupe River at State Highway 35 near Tivoli
21. Artesian Creek near Tivoli
22. Willow Creek near Tivoli
23. Sous Creek near Woodsboro
24. Chocolate Creek near Woodsboro
25. Melon Creek near Refugio
26. Paplote Creek near Skidmore
27. Gum Hollow near Portland



Figure 13
Locations of Selected Water-Quality
and Streamflow Data-Collection Sites

Base from Official State Highway Map of Texas, 1971

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIOCHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO_2) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY															
1. Little Robin Slough near Matagorda															
1972															
Oct. 12	1630	0.51	770	7.4	29.0	7.8	103	4.8	--	12	0.00	0.03	0.00	0.00	0.06
Oct. 17	1105	.44	810	7.6	24.0	6.1	72	--	--	--	--	--	--	--	--
Oct. 18	1315	.11	840	7.5	28.5	7.1	91	1.2	--	5.8	.00	.00	.00	.05	.05
2. West Branch Mad Island Slough near Collegeport															
1972															
Oct. 11	1730	4.1	720	7.6	27.0	7.2	89	--	--	25	.10	.01	.00	.00	.06
Oct. 16	1730	2.4	740	7.5	29.0	9.4	120	--	--	--	--	--	--	--	--
Oct. 17	1140	3.0	730	7.4	26.0	5.4	66	--	--	--	--	--	--	--	--
Oct. 18	1200	2.0	750	7.5	26.0	7.3	89	3.0	--	24	.00	.03	.00	.15	.16
3. Unnamed Tributary to Oyster Lake near Collegeport															
1972															
Oct. 12	1340	14	700	7.9	28.0	8.4	106	2.8	--	6.1	.00	.00	.00	.00	.00
Oct. 16	1615	11	730	7.9	30.0	9.4	124	--	--	--	--	--	--	--	--
Oct. 17	1215	11	720	8.1	27.5	8.1	101	--	--	--	--	--	--	--	--
Oct. 18	1030	1.8	730	7.7	25.5	7.5	90	1.2	--	5.0	.00	.00	.00	.10	.14
4. Unnamed Tributary to Matagorda Bay near Collegeport															
1972															
Oct. 12	1500	5.3	700	8.1	--	11.0	--	4.0	--	6.8	.00	.00	.00	.00	.10
Oct. 16	1645	14	690	7.9	30.0	13.0	171	--	--	--	--	--	--	--	--
Oct. 17	1215	9.1	710	8.1	28.0	8.9	113	--	--	--	--	--	--	--	--
Oct. 18	1115	11	730	7.6	26.0	7.9	96	1.9	--	5.5	.00	.00	.00	.08	.08
1626 Tres Palacios Creek near Midfield															
1972															
Oct. 13	1000	12	860	7.5	24.5	6.6	78	--	--	30	--	.04	--	--	--
Oct. 17	1500	7.1	1,050	7.7	27.0	7.9	98	--	--	--	--	--	--	--	--
Oct. 18	1450	6.6	1,070	7.5	27.0	7.7	95	.7	--	20	.00	.00	.00	.61	.61
5. Willow Dam Slough near Collegeport															
1972															
Oct. 12	1145	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1045	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1400	0	--	--	--	--	--	--	--	--	--	--	--	--	--
6. Johnsons Timber Slough near Collegeport															
1972															
Oct. 11	1500	.41	600	7.5	26.0	13.4	163	--	--	44	.00	.00	.00	.00	.04
Oct. 17	1005	.16	630	7.6	24.0	5.4	64	--	--	--	--	--	--	--	--
Oct. 18	1430	.08 2/	640	7.4	26.0	7.9	96	--	--	40	.00	.01	.00	.33	.33
1626.5 Cashs Creek near Blessing															
1972															
Oct. 13	0830	1.2	800	7.3	23.5	5.6	65	--	--	44	--	.30	--	--	--
Oct. 17	0940	.37	1,000	7.2	24.0	4.5	53	--	--	--	--	--	--	--	--
Oct. 18	1530	0	--	--	--	--	--	--	--	--	--	--	--	--	--
7. Turtle Creek near Palacios															
1972															
Oct. 12	1000	2.7	580	7.2	25.0	4.2	50	.9	--	27	.00	.02	.00	.00	.07
Oct. 17	0950	2.6	530	7.1	24.5	4.8	56	--	--	--	--	--	--	--	--
Oct. 18	0815	2.6	570	7.1	24.0	5.5	65	--	--	24	.00	.05	.00	.20	.21

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIOCHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO_2) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued															
1627 East Carancahua Creek near Blessing															
1972															
Oct. 13	1100	3.1	1,260	7.6	25.5	7.0	84	--	--	29	--	0.00	--	--	--
Oct. 17	1410	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1635	1.1	1,050	7.7	28.0	8.8	111	1.2	--	40	0.00	.01	0.00	0.23	0.23
1628 West Carancahua Creek near La Ward															
1972															
Oct. 11	1450	3.8	--	8.1	28.0	7.0	87	--	36	48	.00	.02	.00	.07	.08
Oct. 16	0835	10	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0915	6.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1330	6.0	--	--	25.5	--	--	--	--	38	.00	.02	.00	.42	.42
8. Lunis Creek near La Ward															
1972															
Oct. 11	1540	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	0855	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0930	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1230	0	--	--	--	--	--	--	--	--	--	--	--	--	--
9. Keller Creek near La Ward															
1972															
Oct. 12	0945	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	0820	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0907	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1400	0	--	--	--	--	--	--	--	--	--	--	--	--	--
10. Huisache Creek near Lolita															
1972															
Oct. 12	1000	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	0810	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0900	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1415	0	--	--	--	--	--	--	--	--	--	--	--	--	--
1640 Lavaca River near Edna															
1972															
Oct. 11	0940	30	--	7.7	23.0	8.8	101	1.4	11	21	.00	.00	.00	.08	.10
Oct. 16	1010	30	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1040	30	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0945	30	--	--	22.0	--	--	.3	--	20	.00	.00	.00	.21	.21
1645 Navidad River near Ganado															
1972															
Oct. 11	1050	57	--	7.6	24.0	8.0	94	1.8	29	28	.09	.05	.00	.06	.08
Oct. 16	0940	26	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1010	26	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1035	29	--	--	22.0	--	--	1.1	--	28	.00	.02	.00	.24	.24
11. Mustang Creek near Ganado															
1972															
Oct. 11	1300	37	--	7.1	24.5	5.0	59	1.9	33	35	.02	.01	.00	.08	.10
Oct. 16	0922	17	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0955	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1135	12	--	--	22.5	--	--	.9	--	44	.00	.01	.00	.22	.24

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIOCHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO_2) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued															
12. Unnamed Drainage Ditch near Point Comfort															
1972															
Oct. 12	1050	0.49	--	7.4	33.0	2.4	33	8.2	--	39	2.5	0.00	0.00	0.00	0.32
Oct. 16	0800	.49	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0840	1.0	--	--	35.5	--	--	7.5	--	40	11	.00	.00	.60	.28
Oct. 18	1445	.28	--	--	34.5	--	--	7.5	--	40	11	.00	.00	.60	.61
1646 Garcitas Creek near Inez															
1972															
Oct. 11	0825	.82	--	7.6	24.0	7.5	88	1.9	--	29	.05	.03	.00	.00	.00
Oct. 16	1030	.46	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1100	.48	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0835	.48	--	--	--	--	--	.1	--	30	.00	.03	.00	.18	.18
13. Casa Blanca Creek near Inez															
1972															
Oct. 12	0840	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	1710	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1110	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1225	0	--	--	--	--	--	--	--	--	--	--	--	--	--
14. Marcado Creek near Inez															
1972															
Oct. 12	0950	1.2	795	7.3	24.0	5.1	60	--	--	24	.00	.20	.00	.23	.23
Oct. 16	1730	2.0	800	7.3	26.0	5.6	68	--	--	--	--	--	--	--	--
Oct. 17	1130	1.2	800	7.3	25.0	5.6	67	--	--	--	--	--	--	--	--
Oct. 18	1245	.88	870	7.3	25.0	5.2	62	--	--	20	.04	.20	.00	.42	.42
15. Arenosa Creek near Inez															
1972															
Oct. 12	1310	3.6	--	--	24.0	--	--	--	--	34	.00	.02	.00	.06	.07
Oct. 16	1045	1.3	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1110	.66	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0905	.25	--	--	22.0	--	--	--	--	35	.00	.03	.00	.31	.31
16. Dry Creek near Inez															
1972															
Oct. 11	0910	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	1055	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1125	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0915	0	--	--	--	--	--	--	--	--	--	--	--	--	--
1648 Placedo Creek near Placedo															
1972															
Oct. 12	1110	.60	2,800	7.1	25.0	3.4	40	2.2	26	34	.00	.02	.00	.15	.15
Oct. 16	1545	.30	3,800	7.1	26.0	3.8	46	--	--	--	--	--	--	--	--
Oct. 17	1025	.30	3,700	7.1	24.0	2.8	33	--	--	--	--	--	--	--	--
Oct. 18	1100	.30	3,800	7.1	25.0	3.3	39	.6	--	34	.00	.00	.00	.25	.26
1648.5 Chocolate Bayou near Port Lavaca															
1972															
Oct. 12	1345	.23 2/	2,650	7.6	29.0	15.6	200	7.9	59	48	3.5	.10	.11	.38	.45
Oct. 16	1400	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0945	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0945	.12 2/	4,200	7.5	25.0	10.1	120	7.2	--	25	.00	.00	.00	.49	.53

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIOCHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO_2) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
					TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued										
					17. East Coloma Creek near Port Lavaca										
1972															
Oct. 11	1550	14	850	7.2	27.0	6.6	81	--	--	40	0.00	0.00	0.00	0.00	0.07
Oct. 16	1320	14 2/	925	7.2	26.0	6.6	80	--	--	--	--	--	--	--	--
Oct. 17	0835	14	900	7.2	24.0	4.1	48	--	--	--	--	--	--	--	--
Oct. 18	0805	14	900	7.2	24.0	4.1	48	--	--	36	.00	.00	.00	.35	.36
					18. West Coloma Creek near Seadrift										
1972															
Oct. 11	1415	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	1330	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0905	.01 2/	1,250	7.5	24.0	5.0	59	--	--	--	--	--	--	--	--
Oct. 18	0745	.01 2/	1,450	7.4	24.0	4.4	52	--	--	--	--	--	--	--	--
					TRIBUTARIES TO GUADALUPE ESTUARY										
					19. Seadrift Creek at Seadrift										
1973															
Aug. 1	3/1410	3.0	710	8.1	35.5	--	--	1.5	--	38	.00	.05	.02	.05	.10
Aug. 8	4/0950	3.8	881	7.2	27.0	6.2	77	1.2	--	38	.05	.30	.00	.05	.06
					20. Guadalupe River at State Highway 35 near Tivoli										
1973															
Aug. 2	5/1810	10,400	610	7.7	29.5	6.3	82	1.4	--	14	.00	1.1	.09	.15	.33
Aug. 9	6/1400	6,000	656	7.6	28.5	6.0	77	.4	--	14	.00	1.6	.01	.21	.33
					TRIBUTARIES TO MISSION-ARANSAS ESTUARY										
					21. Artesian Creek near Tivoli										
1971															
Nov. 4	1300	.61	--	7.7	25.0	8.0	95	--	52	20	.11	.02	.00	.00	.07
Nov. 10	1205	.08 2/	--	--	21.5	--	--	1.7	--	18	.05	.10	.00	.00	.06
					22. Willow Creek near Tivoli										
1971															
Nov. 5	1200	2.1	--	7.4	21.0	8.4	--	--	--	--	--	--	--	--	--
Nov. 10	1135	.46	--	--	19.0	--	--	2.0	--	13	.01	.20	.00	.00	.06
					1891 Salt Creek near Refugio										
1971															
Nov. 5	1040	.81	--	7.2	20.5	7.2	79	1.9	--	24	.12	.20	.00	.06	.08
Nov. 10	1115	.07	--	--	22.0	--	--	2.7	--	12	.09	.10	.01	.01	.11
					1892 Copano Creek near Refugio										
1971															
Nov. 5	0915	16	--	6.9	18.5	7.5	80	2.5	--	10	.13	.30	.00	.05	.18
Nov. 8	1210	2.1	--	6.8	18.0	7.1	75	--	--	--	--	--	--	--	--
Nov. 9	1240	1.6	--	6.8	21.5	7.1	80	--	--	--	--	--	--	--	--
Nov. 10	1330	1.2	--	6.8	21.5	6.8	76	1.5	52	9.5	.12	.30	.00	.02	.12

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIOCHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO_2) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO MISSION-ARANSAS ESTUARY--Continued															
1895 Mission River at Refugio															
1971															
Nov. 3	1115	72	--	7.6	23.0	7.5	87	1.0	12	38	0.16	0.20	0.02	0.02	0.05
Nov. 8	1105	59	--	7.4	18.5	7.4	79	--	--	--	--	--	--	--	--
Nov. 9	1030	58	--	7.4	21.5	7.4	84	--	--	--	--	--	--	--	--
Nov. 10	1155	57	--	7.4	21.0	7.4	83	.6	16	36	.11	.30	.02	.02	.03
23. Sous Creek near Woodsboro															
1971															
Nov. 4	1600	1.7	--	7.2	23.0	7.4	85	1.8	--	20	.18	.20	.00	.00	.05
Nov. 8	1300	1.2	--	7.4	19.0	8.9	95	--	--	--	--	--	--	--	--
Nov. 9	1345	1.1	--	7.5	22.0	10.0	114	--	--	--	--	--	--	--	--
Nov. 10	1520	1.1	--	7.4	21.5	9.7	110	1.8	24	24	.01	.00	.01	.01	.04
24. Chocolate Creek near Woodsboro															
1971															
Nov. 4	1650	3.6	--	6.6	21.0	6.3	--	--	--	--	--	--	--	--	--
Nov. 8	1330	1.2	--	6.6	18.0	5.8	--	--	--	--	--	--	--	--	--
Nov. 9	1450	.79	--	6.6	22.0	5.7	--	--	--	--	--	--	--	--	--
Nov. 10	1600	.79	--	6.6	21.0	5.2	--	--	--	--	--	--	--	--	--
25. Melon Creek near Refugio															
1971															
Nov. 5	0800	19	--	6.6	20.0	6.3	--	--	--	--	--	--	--	--	--
Nov. 8	1130	14	--	6.7	18.5	6.3	--	--	--	--	--	--	--	--	--
Nov. 9	1115	12	--	6.7	21.0	6.3	--	--	--	--	--	--	--	--	--
Nov. 10	1245	11	--	6.7	20.0	6.4	--	--	--	--	--	--	--	--	--
1897 Aransas River near Skidmore															
1971															
Nov. 4	0800	6.0	--	7.5	20.0	6.3	68	--	--	--	--	--	--	--	--
Nov. 8	0830	6.0	--	7.5	18.0	6.8	72	3.1	--	30	.08	.20	.04	1.4	1.4
Nov. 9	0815	6.1	--	7.5	20.0	6.4	70	--	--	--	--	--	--	--	--
Nov. 10	0740	5.8	--	7.5	18.5	7.2	77	2.6	13	30	.00	.30	.04	1.4	1.6
26. Paplote Creek near Skidmore															
1971															
Nov. 5	0830	2.0	--	7.3	20.0	6.0	65	2.0	9.9	42	.12	.10	.05	.11	.13
Nov. 8	0930	1.4	--	7.1	18.0	6.8	72	--	--	--	--	--	--	--	--
Nov. 9	0800	1.4	--	7.1	20.0	6.2	67	--	--	--	--	--	--	--	--
Nov. 10	0900	1.4	--	7.1	19.0	7.0	74	1.9	13	31	.03	.20	.03	.09	.12
1898 Chiltipin Creek at Sinton															
1971															
Nov. 3	1220	2.7	--	7.7	25.0	9.8	149	--	44	11	1.1	.00	.04	.02	.06
Nov. 8	1030	2.0	--	7.2	17.5	4.3	60	--	--	--	--	--	--	--	--
Nov. 9	0935	2.0	--	7.2	21.5	2.7	41	--	--	30	--	--	--	--	--
Nov. 10	1015	1.9	--	7.2	21.0	1.8	26	4.8	36	16	2.1	.10	.06	.09	.12

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIOCHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO_2) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
						TRIBUTARIES TO NUECES ESTUARY									
						27. Gum Hollow near Portland									
1971															
Nov. 4	1410	0.07 2/	--	7.1	21.5	8.4	--	--	--	--	--	--	--	--	--
						2110 Nueces River near Mathis									
1971															
Nov. 4	1020	3,130	--	7.8	23.0	8.2	94	--	8.8	12	0.09	0.20	0.00	0.13	0.13
Nov. 10	1305	1,150	--	--	23.0	--	--	1.1	--	11	.09	.20	.01	.11	.11
						2115.2 Oso Creek near Corpus Christi									
1971															
Nov. 4	1130	3.3	--	8.0	22.0	14.4	200	4.0	--	7.1	.22	.10	.10	.48	.49
Nov. 10	1200	4.0 2/	--	--	22.8	--	--	6.2	--	12	2.4	--	.41	1.6	1.6

1/ To convert water discharge in cubic feet per second (ft^3/s) to cubic meters per second (m^3/s) multiply by 0.02832.
2/ Estimated.
3/ 15 mg/l total organic carbon; 0 mg/l phenol.
4/ 34 mg/l total organic carbon; 0 mg/l phenol.
5/ 4.0 mg/l total organic carbon; 0 mg/l phenol.
6/ 22 mg/l total organic carbon; 0 mg/l phenol.

TABLE 10B.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO_3) (MG/L)	DISSOLVED SULFATE (SO_4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)	HARDNESS (CA,MG)	NONCARBONATE HARDNESS
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY												
1. Little Robin Slough near Matagorda												
1972												
Oct. 12	1630	0.51	732	40	18	81	234	20	96	382	180	0
Oct. 18	1315	.11	812	51	25	74	250	26	110	418	230	23
2. West Branch Mad Island Slough near Collegeport												
1972												
Oct. 11	1730	4.1	663	53	22	45	216	21	86	359	220	47
Oct. 18	1200	2.0	727	60	20	55	238	20	96	393	230	37
3. Unnamed Tributary to Oyster Lake near Collegeport												
1972												
Oct. 12	1340	14	651	57	27	35	220	34	80	347	250	72
Oct. 18	1030	1.8	691	63	21	44	233	30	82	360	240	53
4. Unnamed Tributary to Matagorda Bay near Collegeport												
1972												
Oct. 12	1500	5.3	654	54	25	40	203	34	86	346	240	70
Oct. 18	1115	11	698	60	25	38	239	25	80	352	250	56
1626 Tres Palacios Creek near Midfield												
1972												
Oct. 13	1000	12	838	64	26	61	261	20	110	443	260	51
Oct. 18	1450	6.6	1,030	79	23	110	326	28	160	580	290	25
6. Johnsons Timber Slough near Collegeport												
1972												
Oct. 11	1500	.41	547	48	16	35	196	6.0	67	312	180	24
Oct. 18	1430	.08 2/	586	53	15	45	196	12	82	344	200	34
1626.5 Cashs Creek near Blessing												
1972												
Oct. 13	0830	1.2	732	52	27	50	225	8.8	110	404	240	56
7. Turtle Creek near Palacios												
1972												
Oct. 12	1000	2.7	533	38	15	48	190	10	66	298	160	0
Oct. 18	0815	2.6	519	36	13	52	186	10	66	293	140	0
1627 East Carancahua Creek near Blessing												
1972												
Oct. 13	1100	3.1	1,190	35	47	130	280	19	220	617	280	50
Oct. 18	1635	1.1	1,040	65	32	99	300	18	170	575	290	46
1628 West Carancahua Creek near La Ward												
1972												
Oct. 11	1450	3.8	714	54	18	62	220	6.4	110	407	210	28
Oct. 18	1330	6.0	912	72	20	89	277	14	150	521	260	33
1640 Lavaca River near Edna												
1972												
Oct. 11	0940	30	796	110	7.7	41	378	18	54	442	320	6
Oct. 18	0945	30	804	110	6.7	54	391	20	61	469	310	0
1645 Navidad River near Ganado												
1972												
Oct. 11	1050	57	639	54	16	49	228	12	76	348	200	13
Oct. 18	1035	29	719	54	11	82	251	10	100	409	180	0
11. Mustang Creek near Ganado												
1972												
Oct. 11	1300	37	628	55	12	50	164	10	110	349	190	54
Oct. 18	1135	12	789	69	14	62	230	13	110	430	230	40
12. Unnamed Drainage Ditch near Point Comfort												
1972												
Oct. 12	1050	.49	81,600	470	200	22,000	760	280	34,000	56,900	2,000	1,400
Oct. 17	0840	1.0	82,800	490	210	22,000	748	340	35,000	58,700	2,100	1,500
Oct. 18	1445	.28	80,700	500	190	22,000	710	250	35,000	58,200	2,000	1,500
1646 Garcitas Creek near Inez												
1972												
Oct. 11	0825	.82	468	47	7.4	37	190	14	42	270	150	0
Oct. 18	0835	.48	512	53	8.3	40	204	21	45	298	170	0
14. Marcado Creek near Inez												
1972												
Oct. 12	0950	1.2	760	--	--	--	--	--	--	--	--	--
Oct. 18	1245	.88	802	30	17	120	254	22	120	451	140	80
15. Arenosa Creek near Inez												
1972												
Oct. 12	1310	3.6	821	35	18	110	236	6.0	140	453	160	0
Oct. 18	0905	.25	853	46	18	110	252	6.0	150	489	190	0

See footnotes at end of table.

TABLE 10B.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO_3) (MG/L)	DISSOLVED SULFATE (SO_4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)	HARDNESS (CA,MG)	NONCARBONATE HARDNESS
				TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued								
				1648 Placedo Creek near Placedo								
1972												
Oct. 12	1110	0.60	2,550	180	29	300	332	35	660	1,410	580	310
Oct. 18	1100	.30	3,710	260	65	470	378	47	1,100	2,190	910	600
				1648.5 Chocolate Bayou at Port Lavaca								
1972												
Oct. 12	1345	.23 2/	2,600	170	40	310	292	96	660	1,470	590	350
Oct. 18	0945	.12 2/	3,940	260	66	530	359	170	1,100	2,360	920	630
				17. East Coloma Creek near Port Lavaca								
1972												
Oct. 11	1550	14	838	68	22	64	224	36	130	466	260	76
Oct. 18	0805	14	858	70	21	74	228	35	140	489	260	73
				TRIBUTARIES TO GUADALUPE ESTUARY								
				19. Seadrift Creek at Seadrift								
1973												
Aug. 1	1410	3.0	678	62	18	52	235	36	79	402	230	36
Aug. 8	0950	3.8	893	75	22	77	254	58	120	521	280	71
				20. Guadalupe River at State Highway 35 near Tivoli								
1973												
Aug. 2	1810	10,400	620	80	15	29	254	51	40	360	260	54
Aug. 9	1400	6,000	658	80	17	30	256	49	48	372	270	58
				TRIBUTARIES TO MISSION-ARANSAS ESTUARY								
				21. Artesian Creek near Tivoli								
1971												
Nov. 4	1300	.61	300	34	4.2	22	120	16	24	181	100	4
Nov. 10	1205	.08 2/	802	65	11	72	141	67	130	429	210	94
				22. Willow Creek near Tivoli								
1971												
Nov. 10	1135	.46	312	25	3.1	33	110	4.0	36	169	75	0
				1891 Salt Creek near Refugio								
1971												
Nov. 5	1040	.81	224	22	2.7	17	98	.4	16	131	66	0
Nov. 10	1115	.07	246	25	3.8	18	108	1.6	18	132	78	0
				1892 Copano Creek near Refugio								
1971												
Nov. 5	0915	16	299	14	1.0	44	53	10	56	163	39	0
Nov. 10	1330	1.2	318	18	3.2	38	89	15	36	166	58	0
				1895 Mission River at Refugio								
1971												
Nov. 3	1115	72	3,420	160	25	520	348	27	940	1,890	500	220
Nov. 10	1155	57	3,460	170	22	560	363	33	980	1,980	500	210
				23. Sous Creek near Woodsboro								
1971												
Nov. 4	1600	1.7	1,340	96	21	150	214	58	290	739	330	150
Nov. 10	1520	1.1	1,940	140	33	220	294	88	440	1,090	480	240
				1897 Aransas River near Skidmore								
1971												
Nov. 8	0830	6.0	1,370	81	9.2	200	394	29	220	768	240	0
Nov. 10	0740	5.8	1,410	81	9.2	210	404	28	230	799	240	0
				26. Paplote Creek near Skidmore								
1971												
Nov. 5	0830	2.0	765	110	14	29	381	16	45	433	330	16
Nov. 10	0900	1.4	806	120	13	32	401	16	50	459	350	22
				1898 Chiltipin Creek at Sinton								
1971												
Nov. 3	1220	2.7	55,400	1,200	240	12,000	150	80	21,000	34,500	4,100	4,000
Nov. 9	0935	2.0	69,900	1,700	300	16,000	171	240	28,000	45.400	5,500	5,400
Nov. 10	1015	1.9	67,600	1,700	300	16,000	163	240	28,000	45,300	5,500	5,400
				TRIBUTARIES TO NUECES ESTUARY								
				2110 Nueces River near Mathis								
1971												
Nov. 4	1020	3,130	308	38	3.7	21	130	13	24	180	110	3
Nov. 10	1305	1,150	311	39	4.1	19	128	14	24	176	110	9
				2115.2 Oso Creek near Corpus Christi								
1971												
Nov. 4	1130	3.3	48,800	1,400	240	11,000	166	91	20,000	32,200	4,400	4,300
Nov. 10	1200	4.0 2/	47,000	1,400	210	9,900	196	100	18,000	30,000	4,400	4,200

1/ To convert water discharge in cubic feet per second (ft^3/s) to cubic meters per second (m^3/s) multiply by 0.02832.
2/ Estimated.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS AT 25°C)	DISSOLVED FLUORIDE (F) (MG/L)	DISSOLVED BROMIDE (BR) (MG/L)	DISSOLVED IODIDE (I) (MG/L)	DISSOLVED ARSENIC (AS)	DISSOLVED BORON (B)	DISSOLVED COPPER (CU)	DISSOLVED IRON (FE)	DISSOLVED LEAD (PB)	DISSOLVED LITHIUM (LI)	DISSOLVED MANGANESE (MN)	DISSOLVED MERCURY (HG)	DISSOLVED STRONTIUM (SR)	DISSOLVED ZINC (ZN)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY																
1. Little Robin Slough near Matagorda																
1972																
Oct. 12	1630	0.51	732	0.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1315	.11	812	.2	--	--	--	--	--	--	--	--	--	--	--	--
2. West Branch Mad Island Slough near Collegeport																
1972																
Oct. 11	1730	4.1	663	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1200	2.0	727	.2	--	--	--	--	--	--	--	--	--	--	--	--
3. Unnamed Tributary to Oyster Lake near Collegeport																
1972																
Oct. 12	1340	14	651	.3	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1030	1.8	691	.1	--	--	--	--	--	--	--	--	--	--	--	--
4. Unnamed Tributary to Matagorda Bay near Collegeport																
1972																
Oct. 12	1500	5.3	654	.2	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1115	11	698	.2	--	--	--	--	--	--	--	--	--	--	--	--
1626 Tres Palacios Creek near Midfield																
1972																
Oct. 13 2/	1000	12	838	.2	--	--	10	--	2	50	2	10	10	--	450	7
Oct. 18	1450	6.6	1,030	.3	2.9	0.08		140	--	--	--	--	--	--	--	--
6. Johnsons Timber Slough near Collegeport																
1972																
Oct. 11	1500	.41	547	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1430	.08 3/	586	.1	--	--	--	--	--	--	--	--	--	--	--	--
1626.5 Cashs Creek near Blessing																
1972																
Oct. 13	0830	1.2	732	.2	2.4	.05	--	140	--	--	--	--	--	--	--	--
7. Turtle Creek near Palacios																
1972																
Oct. 12	1000	2.7	533	.4	1.5	.04	--	140	--	--	--	--	--	--	--	--
Oct. 18	0815	2.6	519	.2	2.1	.03	--	130	--	--	--	--	--	--	--	--
1627 East Carancahua Creek near Blessing																
1972																
Oct. 13	1100	3.1	1,190	.2	3.4	.16	--	210	--	--	--	--	--	--	--	--
Oct. 18	1635	1.1	1,040	.4	2.1	.12	--	160	--	--	--	--	--	--	--	--
1628 West Carancahua Creek near La Ward																
1972																
Oct. 11	1450	3.8	714	.6	1.5	.02	--	130	--	--	--	--	--	--	--	--
Oct. 18	1330	6.0	912	.2	2.3	.03	--	150	--	--	--	--	--	--	--	--
1640 Lavaca River near Edna																
1972																
Oct. 11	0940	30	796	.3	1.0	.05	--	200	--	--	--	--	--	--	--	--
Oct. 18	0945	30	804	.3	2.5	.06	--	140	--	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS AT 25°C)	DISSOLVED FLUORIDE (F) (MG/L)	DISSOLVED BROMIDE (BR) (MG/L)	DISSOLVED IODIDE (I) (MG/L)	DISSOLVED ARSENIC (AS)	DISSOLVED BORON (B)	DISSOLVED COPPER (CU)	DISSOLVED IRON (FE)	DISSOLVED LEAD (PB)	DISSOLVED LITHIUM (LI)	DISSOLVED MANGANESE (MN)	DISSOLVED MERCURY (HG)	DISSOLVED STRONTIUM (SR)	DISSOLVED ZINC (ZN)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued																
1645 Navidad River near Ganado																
1972																
Oct. 11	1050	57	639	0.3	0.8	0.02	--	120	--	--	--	--	--	--	--	--
Oct. 18	1035	29	719	.2	2.9	.03	--	170	--	--	--	--	--	--	--	--
11. Mustang Creek near Ganado																
1972																
Oct. 11 2/	1300	37	628	.2	2.1	.01	0	160	2	20	0	0	0	--	290	5
Oct. 18	1135	12	789	.2	1.4	.02	--	140	--	--	--	--	--	--	--	--
12. Unnamed Drainage Ditch near Point Comfort																
1972																
Oct. 12	1050	.49	81,600	.9	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0840	1.0	82,800	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1445	.28	80,700	.4	--	--	--	--	--	--	--	--	--	--	--	--
1646 Garcitas Creek near Inez																
1972																
Oct. 11	0825	.82	468	.2	1.5	.07	--	160	--	--	--	--	--	--	--	--
Oct. 18	0835	.48	512	.2	1.9	.08	--	95	--	--	--	--	--	--	--	--
14. Marcado Creek near Inez																
1972																
Oct. 18	1245	.88	802	.2	--	--	--	--	--	--	--	--	--	--	--	--
15. Arenosa Creek near Inez																
1972																
Oct. 12	1310	3.6	821	.5	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0905	.25	853	.2	--	--	--	--	--	--	--	--	--	--	--	--
1648 Placedo Creek near Placedo																
1972																
Oct. 12	1110	.60	2,550	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1100	.30	3,710	.3	--	--	--	--	--	--	--	--	--	--	--	--
1648.5 Chocolate Bayou at Port Lavaca																
1972																
Oct. 12 2/	1345	.23 3/	2,600	.4	4.4	.35	10	450	2	10	0	20	160	--	980	3
Oct. 18	0945	.12 3/	3,940	.2	5.3	.33	--	500	--	--	--	--	--	--	--	--
17. East Coloma Creek near Port Lavaca																
1972																
Oct. 11	1550	14	838	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0805	14	858	.1	--	--	--	--	--	--	--	--	--	--	--	--
TRIBUTARIES TO GUADALUPE ESTUARY																
19. Seadrift Creek at Seadrift																
1973																
Aug. 1	1410	3.0	678	.3	--	--	--	--	--	--	--	--	--	--	--	--
Aug. 8	0950	3.8	893	.3	--	--	--	--	--	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS AT 25°C)	DISSOLVED FLUORIDE (F) (MG/L)	DISSOLVED BROMIDE (BR) (MG/L)	DISSOLVED IODIDE (I) (MG/L)	DISSOLVED ARSENIC (AS)	DISSOLVED BORON (B)	DISSOLVED COPPER (CU)	DISSOLVED IRON (FE)	DISSOLVED LEAD (PB)	DISSOLVED LITHIUM (LI)	DISSOLVED MANGANESE (MN)	DISSOLVED MERCURY (HG)	DISSOLVED STRONTIUM (SR)	DISSOLVED ZINC (ZN)
TRIBUTARIES TO GUADALUPE ESTUARY--Continued																
20. Guadalupe River at State Highway 35 near Tivoli																
1973																
Aug. 2	1810	10,400	620	0.2	--	--	--	--	--	--	--	--	--	--	--	--
Aug. 9	1400	6,000	658	.2	--	--	--	--	--	--	--	--	--	--	--	--
TRIBUTARIES TO MISSION-ARANSAS ESTUARY																
21. Artesian Creek near Tivoli																
1971																
Nov. 4 2/	1300	.61	300	.1	0.7	0.022	0	180	5	690	0	0	1	<0.5	100	0
Nov. 10	1205	.08 3/	802	.2	.5	.065	--	220	--	--	--	--	--	--	--	--
22. Willow Creek near Tivoli																
1971																
Nov. 10	1135	.46	312	.2	.0	.014	--	220	--	--	--	--	--	--	--	--
1891 Salt Creek near Refugio																
1971																
Nov. 5	1040	.81	224	.0	.7	.014	--	120	--	--	--	--	--	--	--	--
Nov. 10	1115	.07	246	.2	.5	.010	--	170	--	--	--	--	--	--	--	--
1892 Copano Creek near Refugio																
1971																
Nov. 5 2,4/	0915	16	299	.0	.8	.017	10	200	6	310	0	10	1	< .5	350	0
Nov. 10	1330	1.2	318	.1	.3	.031	--	200	--	--	--	--	--	--	--	--
1895 Mission River at Refugio																
1971																
Nov. 3 2/	1115	72	3,420	.2	5.6	.072	10	800	1	4	0	80	310	< .5	3,700	10
Nov. 10	1155	57	3,460	.3	5.3	.26	--	980	--	--	--	--	--	--	--	--
23. Sous Creek near Woodsboro																
1971																
Nov. 4	1600	1.7	1,340	.2	1.5	.058	--	290	--	--	--	--	--	--	--	--
Nov. 10	1520	1.1	1,940	.2	1.6	.27	--	400	--	--	--	--	--	--	--	--
1897 Aransas River near Skidmore																
1971																
Nov. 8	0830	6.0	1,370	.4	.9	.17	--	790	--	--	--	--	--	--	--	--
Nov. 10	0740	5.8	1,410	.4	1.1	.18	--	860	--	--	--	--	--	--	--	--
26. Paplote Creek near Skidmore																
1971																
Nov. 5 2/	0830	2.0	765	.2	.7	.18	10	130	1	0	0	10	260	< .5	340	0
Nov. 10	0900	1.4	806	.3	.1	.18	--	190	--	--	--	--	--	--	--	--
1898 Chiltipin Creek at Sinton																
1971																
Nov. 3 2/	1220	2.7	55,400	.3	110	.049	0	19,000	2	280	0	1,900	1,600	< .5	93,000	40
Nov. 9	0935	2.0	69,900	.3	129	.26	--	24,000	--	--	--	--	--	--	--	--
Nov. 10	1015	1.9	67,600	.3	134	.26	--	24,000	--	--	--	--	--	--	--	--
TRIBUTARIES TO NUECES ESTUARY																
2110 Nueces River near Mathis																
1971																
Nov. 4 2/	1020	3,130	308	.1	.4	.015	0	80	3	10	0	10	6	< .5	190	0
Nov. 10	1305	1,150	311	.2	.8	.014	--	5	--	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS AT 25°C)	DISSOLVED FLUORIDE (F) (MG/L)	DISSOLVED BROMIDE (BR) (MG/L)	DISSOLVED IODIDE (I) (MG/L)	DISSOLVED ARSENIC (AS)	DISSOLVED BORON (B)	DISSOLVED COPPER (CU)	DISSOLVED IRON (FE)	DISSOLVED LEAD (PB)	DISSOLVED LITHIUM (LI)	DISSOLVED MANGANESE (MN)	DISSOLVED MERCURY (HG)	DISSOLVED STRONTIUM (SR)	DISSOLVED ZINC (ZN)
TRIBUTARIES TO NUECES ESTUARY--Continued																
2115.2 Oso Creek near Corpus Christi																
1971																
Nov. 4	1130	3.3	48,800	0.2	84	0.13	--	18,000	--	--	--	--	--	--	--	--
Nov. 10	1200	4.0 3/	47,000	.4	75	.077	--	19,000	--	--	--	--	--	--	--	--

1/ To convert water discharge in cubic feet per second (ft^3/s) to cubic meters per second (m^3/s) multiply by 0.02832.
2/ 0 mg/l cadimum and chromium.
3/ Estimated.
4/ 10 mg/l aluminum.

TABLE 10D.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

(Whole water analyses in micrograms per liter; bottom deposits analyses in micrograms per kilogram, dry measure)

DATE	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	TYPE OF SAMPLE	ALDRIN	CHLORDANE	DDD	DDE	DDT	DIELDRIN	ENDRIN	HEPTACHLOR	HEPTACHLOR EPOXIDE	LINDANE	PARATHION	METHYL PARATHION	MALATHION	DIAZINON	2,4-D	SILVEX	2,4,5-T
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY																			
11. Mustang Creek near Ganado																			
1972 Oct. 11	37	Water	0.00	0.0	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
		Bottom deposits	<.2	<1.0	1.9	2.1	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	<2.3	<1.1	<1.2
1626 Tres Palacios Creek near Midfield																			
1972 Oct. 13	12	Water	.00	.0	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00
		Bottom deposits	<.2	<1.0	.7	1.7	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
1627 East Carancahua Creek near Blessing																			
1972 Oct. 13	3.1	Water	.00	.0	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
		Bottom deposits	<.2	<1.0	4.1	1.3	1.3	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
1628 West Carancahua Creek near La Ward																			
1972 Oct. 11	3.8	Water	.00	.0	.00	.00	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.23	.00	1.0
		Bottom deposits	<.2	<1.0	<.2	.6	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
1648 Placedo Creek near Placedo																			
1972 Oct. 12	.60	Water	.00	.0	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
		Bottom deposit	<.2	<1.0	<.2	1.8	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
1648.5 Chocolate Bayou near Port Lavaca																			
1972 Oct. 12	.23 2/	Water	.00	.0	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00	.00	.00
		Bottom deposits	<.2	<1.0	3.6	7.6	1.9	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
TRIBUTARIES TO MISSION-ARANSAS ESTUARY																			
21. Artesian Creek near Tivoli																			
1971 Nov. 4	.61	Water	.00	.0	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
		Bottom deposits	<.2	<1.0	<.2	1.7	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
1892 Copano Creek near Refugio																			
1971 Nov. 5	16	Water	.00	.0	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
26. Paplote Creek near Skidmore																			
1971 Nov. 5	2.0	Water	.00	.0	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.00	.00
		Bottom deposits	<.2	<1.0	<.2	2.3	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10D.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

(Whole water analyses in micrograms per liter; bottom deposits analyses in micrograms per kilogram, dry measure)

DATE	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	TYPE OF SAMPLE	ALDRIN	CHLORDANE	DDD	DDE	DDT	DIELDRIN	ENDRIN	HEPTACHLOR	HEPTACHLOR EPOXIDE	LINDANE	PARATHION	METHYL PARATHION	MALATHION	DIAZINON	2,4-D	SILVEX	2,4,5-T
TRIBUTARIES TO MISSION-ARANSAS ESTUARY--Continued																			
1898 Chiltipin Creek at Sinton																			
1971 Nov. 3	2.7	Water	0.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Bottom deposits	<.2	5.0	4.7	2.7	1.3	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
TRIBUTARIES TO NUECES ESTUARY																			
2110 Mission River near Mathis																			
1971 Nov. 4	3,130	Water	.00	.0	.00	.01	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00
		Bottom deposits	<.2	10	<.2	2.6	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--

1/ To convert water discharge in cubic feet per second (ft^3/s) to cubic meters per second (m^3/s) multiply by 0.02832.
2/ Estimated.

TABLE 10E.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

BACTERIOLOGICAL ANALYSES

DATE	TIME	INSTANTANEOUS DISCHARGE (FT^3/S) 1/	IMMEDIATE COLIFORM (COL. PER 100 ML)	FECAL COLIFORM (COL. PER 100 ML)	STREPTOCOCCI (COL. PER 100 ML
		TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY			
		1626 Tres Palacios Creek near Midfield			
1972					
Oct. 13	1000	12	56,000	96	5,700
Oct. 18	1450	6.6	80,000	190	3,100
		1627 East Carancahua Creek near Blessing			
1972					
Oct. 13	1100	3.1	40,000	120	480
Oct. 18	1635	1.1	54,000	150	510
		1628 West Carancahua Creek near La Ward			
1972					
Oct. 11	1450	3.8	72,000	200	270
Oct. 18	1330	6.0	100,000	920	320
		1640 Lavaca River near Edna			
1972					
Oct. 11	0940	30.	41,000	220	310
Oct. 18	0945	30.	51,000	290	930
		1645 Navidad River near Ganado			
1972					
Oct. 11	1050	57.	42,000	150	300
Oct. 18	1035	29.	45,000	250	930
		11. Mustang Creek near Ganado			
1972					
Oct. 11	1300	37	100,000	430	52,000
Oct. 18	1135	12	74,000	640	900
		1648 Placedo Creek near Placedo			
1972					
Oct. 12	1110	.60	22,000	170	2,200
Oct. 18	1100	.30	64,000	160	1,400
		1648.5 Chocolate Bayou near Port Lavaca			
1972					
Oct. 12	1345	.23 2/	85,000	440	380
Oct. 18	0945	.12 2/	140,000	80	150
		TRIBUTARIES TO GUADALUPE ESTUARY			
		19. Seadrift Creek at Seadrift			
1973					
Aug. 1	1410	3.0	200	150	520
Aug. 8	0950	3.8	170	140	410
		20. Guadalupe River at State Highway 35 near Tivoli			
1973					
Aug. 2	1810	10,400	450	390	480
Aug. 9	1400	6,000	270	140	1,100
		TRIBUTARIES TO MISSION-ARANSAS ESTUARY			
		21. Artesian Creek near Tivoli			
1971					
Nov. 4	1300	.61	51,000	20	200
		1895 Mission River at Refugio			
1971					
Nov. 3	1115	72	20,000	100	720
		26. Paplote Creek near Skidmore			
1971					
Nov. 5	0830	2.0	16,000	120	88
		1898 Chiltipin Creek at Sinton			
1971					
Nov. 3	1220	2.7	22,000	10	24
		TRIBUTARIES TO NUECES ESTUARY			
		2110 Nueces River near Mathis			
1971					
Nov. 4	1020	3,130	34,000	12	92

1/ To convert water discharge in cubic feet per second (ft^3/s) to cubic meters per second (m^3/s) multiply by 0.02832.
2/ Estimated

REFERENCES CITED

American Public Health Association, American Water Works Association, Water Pollution Control Federation, 1966, Standard methods for the examination of water and wastewater: Am. Public Health Assoc., second printing, 769 p.

Grozier, R. U., and others, 1968, Floods from Hurricane Beulah in South Texas and Northeastern Mexico, September-October 1967: Texas Water Devel. Board Rept. 83, 195 p.

Hahl, D. C., and Ratzlaff, K. W., 1970, Chemical and physical characteristics of water in estuaries of Texas, September 1967-September 1968: Texas Water Devel. Board Rept. 117, 91 p.

_____1972, Chemical and physical characteristics of water in estuaries of Texas, October 1968-September 1969: Texas Water Devel. Board Rept. 144, 161 p.

_____1973, Chemical and physical characteristics of water in estuaries of Texas, October 1969-September 1970: Texas Water Devel. Board Rept. 171, 123 p.

_____1975, Chemical and physical characteristics of water in estuaries of Texas, October 1970-September 1971: Texas Water Devel. Board Rept. 191, 153 p.

Lauff, G. H., ed., 1967, Estuaries: Washington, D.C., Am. Assoc. Adv. Sci., 757 p.

U.S. Geological Survey, 1972, Water resources data for Texas, Part 1, surface-water records: U.S. Geol. Survey rept., 625 p.

_____1972a, Water resources data for Texas, Part 2, water-quality records: U.S. Geol. Survey rept., 774 p.

_____1973, Water resources data for Texas, Part 1, surface-water records: U.S. Geol. Survey rept., 639 p.

_____1973a, Water resources data for Texas, Part 2, water-quality records: U.S. Geol. Survey rept., 714 p.

U.S. Weather Bureau, 1958, Climatic summary of the United States-supplement for 1931 through 1952, Texas: Climatography of the United States No. 11-36, U.S. Dept. of Commerce, 147 p.

_____1965, Climatic summary of the United States-supplement for 1951 through 1960, Texas: Climatography of the United States No. 86-36, U.S. Dept. of Commerce, 198 p.